

January 27, 2026

Mr. Trent Jones, P.E.  
Chief, Waste Division  
Mississippi Department of Environmental Quality  
P.O. Box 2261  
Jackson, MS 39225

Re: ***Notification of Availability of 2025 Annual CCR Report***  
Choctaw Generation Limited Partnership, L.L.L.P.  
Ackerman, Mississippi (Choctaw County)  
Agency Interest No. 677

Dear Mr. Jones:

In accordance with the requirements of 40 CFR 257.106(h)(1), Choctaw Generation Limited Partnership, L.L.L.P. (Choctaw Generation) is hereby notifying the Mississippi Department of Environmental Quality that the Coal Combustion Residuals (CCR) Groundwater Monitoring and Corrective Action Annual Report for calendar year 2025 has been placed in the facility's Operating Record and is available for review on the publicly accessible internet site.

Should you have any questions regarding this notification, please contact Jim Ward of Choctaw Generation at (662) 387-5758 or myself at (662) 840-5945.

Sincerely,



Brian Ketchum, PE  
Principal, Senior Engineer

Cc: Jim Ward, PG, Environmental Compliance, Choctaw Generation (via email)  
Rob Watson, VP, Asset Management, Choctaw Generation (via email)  
Kirk Shelton, ECS (via email)

# COAL COMBUSTION RESIDUALS (CCR) GROUNDWATER MONITORING AND CORRECTIVE ACTION ANNUAL REPORT

**Choctaw Generation Limited Partnership, L.L.L.P.**

**2391 Pensacola Road  
Ackerman, Mississippi 39735**

Jim Ward  
(662) 387-4175

**Prepared By:**

**TRINITY CONSULTANTS, INC.**  
282 Third Avenue  
P.O. Box 356  
Sherman, MS 38869

**Project 0252502.0062**



---

# TABLE OF CONTENTS

---

<b>1.0</b>	<b>INTRODUCTION.....</b>	<b>1</b>
1.1	Site Description and Regulatory Applicability .....	1
1.2	Annual Report Requirements.....	2
1.3	Professional Engineer Certification.....	4
<b>2.0</b>	<b>OVERVIEW: DETECTION AND ASSESSMENT MONITORING .....</b>	<b>5</b>
2.1	Detection Monitoring Program .....	5
2.2	Assessment Monitoring Program.....	5
<b>3.0</b>	<b>GROUNDWATER MONITORING SYSTEM.....</b>	<b>9</b>
3.1	Current Groundwater Monitoring System .....	9
3.2	Monitoring Well Installation .....	10
3.3	Monitoring Well Decommissioning.....	10
<b>4.0</b>	<b>GROUNDWATER MONITORING DATA .....</b>	<b>12</b>
4.1	Sample Requirements .....	12
4.2	Groundwater Elevation and Flow.....	13
4.3	Groundwater Sampling Results .....	14
<b>5.0</b>	<b>ADDITIONAL INFORMATION .....</b>	<b>19</b>
5.1	Alternative Monitoring Frequency .....	19
5.2	Demonstration of Invalid Statistically Significant Increase .....	19
5.3	Time Extension for Corrective Measures Assessment.....	20
<b>6.0</b>	<b>CONCLUSION .....</b>	<b>21</b>
6.1	Summary of Key Actions Completed .....	21
6.2	Key Activities for Upcoming Year.....	21

## FIGURES:

Figure 1: Site Location Map

Figure 2: Facility Diagram

## APPENDICES:

Appendix A: Potentiometric Surface Maps

Appendix B: Analytical Results and Chain-of-Custody Forms

Appendix C: Field Sampling Data

Appendix D: 2025 Groundwater Monitoring Summary

---

## 1.0 INTRODUCTION

---

### 1.1 SITE DESCRIPTION AND REGULATORY APPLICABILITY

Choctaw Generation Limited Partnership, L.L.L.P. (Choctaw Generation) is located near the City of Ackerman in Choctaw County, Mississippi. Choctaw Generation is in north central Mississippi on a 170-acre site. Choctaw Generation is bounded on the south by Pensacola Road and is located ½ mile west of US Highway 9. Figure 1 shows the location of the site. Choctaw Generation operates a single unit electrical generation facility designed to generate electricity for dispatch to the Tennessee Valley Authority (TVA) electrical system. The primary boiler fuel is lignite coal. As a result of combusting lignite coal, ash is created and must be disposed of or re-purposed. Choctaw Generation owns and operates an existing Ash Management Unit (AMU) for the placement and disposal of ash. The AMU (or CCR unit) is located in the northeastern portion of the property and consists of three (3) cells, as shown in Figure 2. The CCR unit encompasses approximately sixty-four (64) acres of the Choctaw Generation site.

The site is currently regulated by the Mississippi Department of Environmental Quality (MDEQ) Solid Waste Regulations and Solid Waste Permit No. SW0100040462. The site is also required to comply with the Groundwater Monitoring and Corrective Action requirements of 40 CFR Part 257, Subpart D – Standards for the Disposal of Coal Combustion Residuals (CCR) in Landfills and Surface Impoundments. As an existing CCR landfill, the site was required to be in compliance with the following groundwater monitoring requirements by October 17, 2017:

- Install a groundwater monitoring system as required by §257.91;
- Develop a groundwater sampling and analysis program to include selection of the statistical procedures to be used for evaluating groundwater monitoring data as required by §257.93;
- Initiate the detection monitoring program to include obtaining a minimum of eight (8) independent samples for each background and downgradient well as required by §257.94(b); and
- Evaluate groundwater monitoring data for statistically significant increases over background levels for the constituents listed in Appendix III of Subpart D as required by §257.94.

The Choctaw Generation groundwater monitoring system was completed in accordance with the groundwater monitoring performance standards of §257.91 by June 2016. The initial Choctaw Generation CCR unit groundwater monitoring system consisted of three (3) background or upgradient wells and eight (8) downgradient wells. A Groundwater Monitoring Plan was developed in August 2016 in accordance with the groundwater sampling and analysis program requirements of §257.93. The Groundwater Monitoring Plan was updated in January 2019 to address an additional well installed at the site. The current Groundwater Monitoring Plan is available in the Choctaw Generation Operating Record and CCR Website. Sampling of the groundwater wells is conducted in accordance with the most current version of the

Groundwater Monitoring Plan. Eight (8) independent samples were collected and analyzed prior to October 17, 2017, initiating the groundwater monitoring program at the site.

Over time, wells have been replaced, added, and removed due to compromised well integrity as well as change in monitoring requirements. These changes are discussed further in Section 3.0. The current Choctaw Generation CCR unit groundwater monitoring system consists of three (3) background or upgradient wells and seven (7) downgradient wells which ensure complete coverage of the CCR unit. A facility diagram showing the monitoring well locations is included as Figure 2.

## **1.2 ANNUAL REPORT REQUIREMENTS**

Choctaw Generation is required to prepare an annual groundwater monitoring and corrective action report (the Annual Report) no later than January 31, 2018, and annually thereafter, and place the report in the Operating Record. The Annual Report is also made available on the CCR Website within 30 days of filing the report in the Operating Record. The Annual Report must be maintained in the Operating Record and on the CCR Website for at least five (5) years.

Per §257.90(e), the Annual Report must document the status of the groundwater monitoring and corrective action program for the CCR unit, summarize key actions completed, describe any problems encountered, discuss actions to resolve the problems, and project key activities for the upcoming year. At a minimum, the Annual Report must contain the following information, to the extent available:

- A map, aerial image, or diagram showing the CCR unit and all background (or upgradient) and downgradient monitoring wells, to include the well identification numbers, that are part of the groundwater monitoring program for the CCR unit;
- Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a narrative description of why those actions were taken;
- In addition to all the monitoring data obtained under §§257.90 through 257.98, a summary including the number of groundwater samples that were collected for analysis for each background and downgradient well, the dates the samples were collected, and whether the sample was required by the detection monitoring or assessment monitoring programs;
- A narrative discussion of any transition between monitoring programs (e.g., the date and circumstances for transitioning from detection monitoring to assessment monitoring in addition to identifying the constituent(s) detected at a statistically significant increase over background levels); and
- Other information required to be included in the annual report as specified in §§257.90 through 257.98.

- A section at the beginning of the annual report that provides an overview of the current status of groundwater monitoring and corrective action programs for the CCR unit. At a minimum, the summary must specify all of the following:
  - At the start of the current annual reporting period, whether the CCR unit was operating under the detection monitoring program in §257.94 or the assessment monitoring program in §257.95;
  - At the end of the current annual reporting period whether the CCR unit was operating under the detection monitoring program in §257.94 or the assessment monitoring program in §257.95;
  - If it was determined that there was a statistically significant increase over background for one or more constituents listed in Appendix III to the part pursuant to §257.94(e);
    - Identify those constituents listed in Appendix III to this part and the names of the monitoring wells associated with such an increase; and
    - Provide the date when the assessment monitoring program was initiated for the CCR unit.
  - If it was determined that there was a statistically significant level above the groundwater protection standard for one or more constituents listed in appendix IV to this part pursuant to §257.95(g) include all of the following:
    - Identify those constituents listed in Appendix IV to this part and the names of the monitoring wells associated with such an increase;
    - Provide the date when the assessment of corrective measures was initiated for the CCR unit;
    - Provide the date when the public meeting was held for the assessment of corrective measures for the CCR unit; and
    - Provide the date when the assessment of corrective measures was completed for the CCR unit.
  - Whether a remedy was selected pursuant to §257.97 during the current annual reporting period, and if so, the date of the remedy selection; and
  - Whether remedial activities were initiated or are ongoing pursuant to §257.98 during the current annual reporting period.

To comply with the requirements above, a map of the CCR unit and all upgradient and downgradient monitoring wells that are part of the current groundwater monitoring system are shown on Figure 2. Section 2 contains an overview and discussion of the status and any transition between monitoring programs (i.e., detection monitoring versus assessment monitoring) and the reason such monitoring program is in place. A discussion of the current monitoring well system and any monitoring wells installed or decommissioned is provided in Section 3.0. A summary of the monitoring data obtained during the annual reporting period is provided in Section 4.0. Section 5.0 presents additional information required by §§257.90 through 257.98 to be included in the Annual Report and which is not already addressed in the prior sections. Finally, Section 6.0 summarizes actions completed during the reporting year and projects key activities planned for the upcoming reporting year.

**1.3 PROFESSIONAL ENGINEER CERTIFICATION**

The undersigned Registered Professional Engineer is familiar with the requirements of 40 CFR Part 257, Subpart D and certifies that the Groundwater Monitoring and Corrective Action Annual Report was prepared under his/her direct supervision, in accordance with the requirements of 40 CFR 257.90 through 257.98. The undersigned Registered Professional Engineer certifies under penalty of the law that all information and statements provided in this report (including attachments), based on information and belief formed after reasonable inquiry, are true, accurate, and complete.



1/27/2026

---

Brian S. Ketchum, PE  
Registration Number: 13372  
State of Mississippi

---

Date Signed



(Seal)

---

## **2.0 OVERVIEW: DETECTION AND ASSESSMENT MONITORING**

---

Choctaw Generation began the reporting year and is currently subject to the Assessment Monitoring Program requirements of §257.95, and groundwater monitoring as required by this program is discussed in Section 4.0. It was previously determined that there was a statistically significant increase over background for more than one constituent listed in Appendix III (e.g., chloride, sulfate, and TDS). A description of both the Detection Monitoring Program and Assessment Monitoring Program is provided below and includes a history of the monitoring as well any changes that occurred during the previous calendar year. It was determined in 2018 that there was a statistically significant level above the groundwater protection standard (GWPS) for lithium in monitoring wells CCR-3 and MW-9, cobalt in monitoring wells MW-9, MW-12, and MW-15, and later beryllium in MW-9. A review of the monitoring data suggested that the detection of lithium, cobalt, and beryllium above the GWPS could have been from an alternate source rather than a potential release of the CCR unit resulting in an Alternate Source Demonstration (ASD) being completed in December 2019. Therefore, the site continues in assessment monitoring.

### **2.1 DETECTION MONITORING PROGRAM**

For existing CCR landfills, including the Choctaw Generation AMU, a minimum of eight (8) independent samples from each background and downgradient well were required to be collected and analyzed for the constituents listed in Appendix III and Appendix IV of 40 CFR 257, Subpart D by no later than October 17, 2017. These constituents are listed in Tables 4-1 and 4-2. After the eight (8) initial sampling events were completed to develop background data, detection monitoring was required to be performed on a semiannual basis during the active life of the CCR unit and the post-closure period unless assessment monitoring is triggered.

In accordance with the requirements of the Detection Monitoring Program in §257.94(b), one (1) sample from each background (or upgradient) and downgradient well was analyzed for the seven (7) parameters in Appendix III on February 6-7, 2018. An evaluation of these results indicated statistically significant increases (SSI) above the prediction limits established during background monitoring for the following parameters in the associated wells: chloride (MW-9, MW-12, and MW-16), fluoride (MW-9 and OW-2), sulfate (CCR-3, MW-9, MW-12, MW-16, and OW-2), and TDS (CCR-3, MW-9, and MW-16). Therefore, the requirements of the Assessment Monitoring Program were triggered.

### **2.2 ASSESSMENT MONITORING PROGRAM**

Due to SSI exceedances determined during the initial detection monitoring event on February 6-7, 2018, Choctaw Generation triggered the Assessment Monitoring Program under §257.95.

- ❑ On May 15-16, 2018, Choctaw Generation conducted the initial annual assessment monitoring event for all Appendix IV constituents. Choctaw Generation then conducted the first semiannual assessment monitoring event on September 10-11, 2018, and the subsequent semiannual assessment monitoring event on March 19-20, 2019, for all Appendix III constituents and the ten (10) Appendix IV constituents previously detected during the annual Appendix IV monitoring event.
- ❑ On May 29-30, 2019, the annual monitoring event for all Appendix IV constituents was conducted. Based on the sampling results, twelve (12) Appendix IV constituents were detected, adding selenium and molybdenum to the Appendix IV constituents to be monitored during semiannual assessment monitoring events. The next two (2) semiannual assessment monitoring events were conducted on September 10-11, 2019, and March 25-26, 2020. These events included sampling for all Appendix III constituents and those Appendix IV constituents detected during the 2018 and 2019 annual monitoring events.
- ❑ On May 18, 2020, the annual monitoring event for all Appendix IV constituents was conducted. No new Appendix IV constituents were detected requiring no new constituents to be sampled in subsequent semiannual assessment monitoring events. The next two (2) semiannual assessment monitoring events were conducted on September 28, 2020, and March 15-16, 2021. These events included sampling for all Appendix III constituents and those Appendix IV constituents detected during previous annual monitoring events.
- ❑ On May 26, 2021, the annual monitoring event for all Appendix IV constituents was conducted. No new Appendix IV constituents were detected requiring no new constituents to be sampled in subsequent semiannual assessment monitoring events. The semiannual assessment monitoring events occurred on September 8, 2021, and March 23-24, 2022. Although the 2021 annual monitoring event is required to include Appendix IV constituents only, the laboratory analyzed the samples for boron and calcium (Appendix III) in addition to all Appendix IV constituents. Therefore, these results were included as part of the 2021 annual report.
- ❑ On May 31, 2022, the annual monitoring event for all Appendix IV constituents was conducted. No new Appendix IV constituents were detected requiring no new constituents to be monitored during subsequent semiannual monitoring events. The next two (2) semiannual assessment monitoring events were conducted on September 12-13, 2022, and March 13, 2023. These events included sampling for all Appendix III constituents and those Appendix IV constituents detected during previous annual monitoring events.
- ❑ On May 10, 2023, the annual monitoring event for all Appendix IV constituents was conducted. No new Appendix IV constituents were detected requiring no new constituents to be sampled in subsequent semiannual assessment monitoring events. The next two (2) semiannual events were

conducted on September 13, 2023, and March 13-14, 2024. These events included sampling for all Appendix III constituents and those Appendix IV constituents detected during previous annual monitoring events.

- ❑ May 21, 2024, the annual monitoring event for all Appendix IV constituents was conducted. No new Appendix IV constituents were detected requiring no new constituents to be sampled in subsequent semiannual assessment monitoring events. The next semiannual event was conducted on September 18, 2024. The bladder pump for MW-13 was observed damaged during the September 18, 2024, sampling event. The bladder pump was replaced, and the well was sampled on October 30, 2024. The subsequent semiannual event was conducted on March 26-27, 2025. These sampling events included sampling for all Appendix III constituents and those Appendix IV constituents detected during previous annual monitoring events.
  
- ❑ On May 14-15, 2025, the annual monitoring event for all Appendix IV constituents was conducted. No new Appendix IV constituents were detected requiring no new constituents to be sampled in subsequent semiannual assessment monitoring events. The next semiannual event occurred on September 23-24, 2025, with the subsequent event planned for March 2026. These events are to include all Appendix III constituents and those Appendix IV constituents detected during previous annual monitoring events.

GWPS for all constituents detected during the initial and subsequent assessment monitoring events were established per the procedures in §257.95(h). All current Appendix IV constituents that are sampled during the semiannual assessment monitoring events are listed in Section 4.3.

The Appendix III and Appendix IV results from the sampling conducted during the reporting period, the background concentrations (or “prediction limits”) established under §257.94(b), and the GWPS established under §257.95(d)(2) are included in Appendix D of the Annual Report.

Due to a verified statistically significant increase (SSI) of Appendix IV constituents above the GWPS (lithium in monitoring wells CCR-3 and MW-9 and cobalt in monitoring wells MW-9, MW-12, and MW-15), Choctaw Generation initiated an assessment of corrective measures on January 30, 2019. The Assessment of Corrective Measures (ACM) Report was completed on June 29, 2019, after a 60-day extension.

After review of the monitoring analytical data from the 2019 period, trends in groundwater concentration led to the prospect that the detection of lithium, cobalt, beryllium (not verified), and molybdenum (not verified) at a SSL above the GWPS could have been from an alternate source rather than a potential release of the CCR unit or associated AMU basin. As discussed in Section 5.2, An ASD was then successfully completed on December 17, 2019, providing an evidential conclusion that cobalt and lithium detected at SSLs were a result of an alternate source. Due to the successful ASD, Choctaw Generation immediately ceased and

discontinued corrective measure activities and continued assessment monitoring. Beryllium was then detected at a SSL above the GWPS in MW-9 during the 2020 annual assessment monitoring event and verified in the second semiannual assessment monitoring event on September 28, 2020. After research and review of analytical data, the ASD was then revised on August 20, 2020, to successfully address beryllium. Therefore, Choctaw Generation has continued in assessment monitoring.

---

## 3.0 GROUNDWATER MONITORING SYSTEM

---

### 3.1 CURRENT GROUNDWATER MONITORING SYSTEM

The owner or operator of a CCR unit must install a groundwater monitoring system that consists of a sufficient number of wells, installed at appropriate locations and depths, to yield groundwater samples from the uppermost aquifer. The system should accurately represent the quality of background groundwater that has not been affected by leakage from a CCR unit (i.e., upgradient wells). In addition, the system should accurately represent the quality of groundwater passing the waste boundary of the CCR unit (i.e., downgradient wells). The downgradient wells should be installed at the waste boundary to ensure detection of groundwater contamination in the uppermost aquifer. The number, spacing, and depths of groundwater monitoring wells within the system were determined based upon site-specific technical information that included an assessment of items such as:

- Aquifer thickness and groundwater flow direction; and
- Saturated and unsaturated geologic units and fill materials overlying the uppermost aquifer, materials comprising the uppermost aquifer, and materials comprising the confining unit defining the lower boundary of the uppermost aquifer, including, but not limited to, thicknesses, stratigraphy, lithology, hydraulic conductivities, porosities and effective porosities.

The groundwater monitoring system must include a minimum number of monitoring wells necessary to meet the performance standards and information specified above. The direction of groundwater flow through the CCR unit is to the northwest, which has been consistently determined through ongoing solid waste permit groundwater monitoring events. The locations for the monitoring wells were based upon the known direction of groundwater movement. The monitoring wells screen the uppermost laterally continuous aquifer below the base of ash fill. The base of ash fill is at an approximate elevation of 480 feet mean sea level (msl). The zone is screened and monitored at an approximate elevation of 470 feet msl, but varies across the site and through the unit.

The system must contain a minimum of at least one (1) upgradient and three (3) downgradient monitoring wells. The initial Choctaw Generation CCR unit groundwater monitoring system consisted of three (3) background or upgradient wells and eight (8) downgradient wells to ensure complete coverage of the CCR unit, which consists of three (3) ash disposal cells covering approximately 64 acres. Additional downgradient wells CCR5 (2018) and CCR-6, CCR-7, and CCR-8 (2019) were added to the groundwater monitoring system. The integrity of downgradient well, MW-16, was compromised and was replaced by downgradient well, MW-17 (2019). Downgradient wells, MW-15 and MW-17, were also compromised (2020) and were abandoned and removed from the groundwater monitoring system. In addition, downgradient wells CCR-6, CCR-7, and CCR-8 that are located on the mine property were removed from the current groundwater system as they are no longer needed for delineation in response to corrective

measure requirements. As a result, the current CCR unit groundwater monitoring system consists of three (3) background or upgradient wells (i.e., MW-7, MW-13, and MW-14) and seven (7) downgradient wells (i.e., MW-9, MW-12, OW-2, CCR-2, CCR-3, CCR-4, and CCR-5). A map showing the monitoring well locations is included as Figure 2, and a summary of the current monitoring wells is included as Table 3-1 below. Monitoring wells were installed according to the guidelines established in the 1994 USEPA Region IV RCRA Subtitle D Training Manual (SDTM, 1994), or other generally accepted guidelines, and are believed to meet the requirements of 40 CFR Part 257, Subpart D. For more detailed procedures related to the installation of the current groundwater monitoring system, refer to the CCR Groundwater Monitoring Plan available in the facility Operating Record and CCR Website.

**Table 3-1: Groundwater Monitoring Wells**

Well No.	Background or Downgradient	Elevation <sup>(1)</sup> (ft)	Well Depth (ft)	Well Dia. (inches)
CCR-2	Downgradient	542.50	84.50	4
CCR-3	Downgradient	504.78	53.00	4
CCR-4	Downgradient	505.68	53.00	4
CCR-5	Downgradient	470.46	34.55	4
MW-7	Background (Upgradient)	571.76	56.92	4
MW-9	Downgradient	480.04	21.74	4
MW-12	Downgradient	474.19	19.09	4
MW-13	Background (Upgradient)	584.48	106.00	4
MW-14	Background (Upgradient)	593.84	60.97	4
OW-2	Downgradient	489.40	27.05	4

(1) Elevations were re-surveyed on November 14, 2019. Updated elevations will be used to determine groundwater elevation in subsequent monitoring events.

Sections 3.2 and 3.3 discuss changes to the groundwater monitoring system that took place during the reporting period.

### **3.2 MONITORING WELL INSTALLATION**

There were no new wells installed in 2025.

### **3.3 MONITORING WELL DECOMMISSIONING**

Monitoring wells must be maintained and appropriately cased in a manner that maintains the integrity of the monitoring well borehole throughout the life of the monitoring program. As noted in Section 3.1, the integrity of downgradient wells MW-15 and MW-17 were compromised during the 2020 period. The monitoring well plug and abandonment project for these wells was then conducted on August 26, 2021, in accordance with the Mississippi water well plugging guidelines, and the well abandonment/

decommissioning forms were submitted to MDEQ on August 30, 2021. No monitoring wells were decommissioned in 2025.

## 4.0 GROUNDWATER MONITORING DATA

### 4.1 SAMPLING REQUIREMENTS

The monitoring well samples collected for laboratory analysis along with the duplicate samples and field blanks were submitted to Micro-Methods Laboratories in Ocean Springs, Mississippi. Sampling was conducted in accordance with the CCR Groundwater Monitoring Plan. The samples were analyzed for constituents listed in Appendix III and/or Appendix IV of 40 CFR 257, Subpart D (depending on the type of monitoring event) as listed in Tables 4-1 and 4-2 below. Metals were analyzed as total recoverable metals from unfiltered samples.

**Table 4-1: Appendix III Constituents**

40 CFR 257, Subpart D, Appendix III					
Parameter	Analytical Method	Container		Preservative	Holding Time
Boron	EPA 200.7	P	500mL	NA	6 months
Calcium	EPA 200.7	P	500mL	NA	6 months
Chloride <sup>(1)</sup>	ASTM D512-12 or SM 4110 B	P	1000mL	NA	28 days
Fluoride	SM 4500-F C	P	1000mL	NA	28 days
pH	Measured and monitored in the field.				
Sulfate <sup>(1)</sup>	ASTM D512-12 or SM 4110 B	P	1000mL	NA	28 days
TDS	SM 2540 C	P	1000mL	NA	7 days

(1) The lab contracted for this analysis normally uses SM 4110 B method for chloride and sulfate. However, they have previously used method ASTM D512-12 for chloride and method SM 4500-SO for sulfate due to their main IC instrument failing.

(2) T = Teflon, P = Plastic, G = Glass, NA = Not Applicable

**Table 4-2: Appendix IV Constituents**

40 CFR 257, Subpart D, Appendix IV					
Parameter	Analytical Method	Container		Preservative	Holding Time
Antimony	EPA 200.8	P	500mL	NA	6 months
Arsenic	EPA 200.8	P	500mL	NA	6 months
Barium	EPA 200.7 or 200.8	P	500mL	NA	6 months
Beryllium	EPA 200.8	P	500mL	NA	6 months
Cadmium	EPA 200.8	P	500mL	NA	6 months
Chromium	EPA 200.8	P	500mL	NA	6 months
Cobalt	EPA 200.8	P	500mL	NA	6 months
Fluoride	SM 4500-F C	P	1000mL	NA	28 days
Lead	EPA 200.8	P	500mL	NA	6 months
Lithium	EPA 200.7	P	500mL	NA	6 months

40 CFR 257, Subpart D, Appendix IV					
Parameter	Analytical Method	Container		Preservative	Holding Time
Mercury	EPA 245.1	P	500mL	NA	28 days
Molybdenum	EPA 200.8	P	500mL	NA	6 months
Selenium	EPA 200.8	P	500mL	NA	6 months
Thallium	EPA 200.8	P	500mL	NA	6 months
Radium 226/228	EPA 903.1 / EPA 904.0	P	1000mL	NA	NA

(1) T = Teflon, P = Plastic, G = Glass, NA = Not Applicable

## 4.2 GROUNDWATER ELEVATION AND FLOW

Groundwater elevation is measured in each monitoring well immediately prior to purging each time groundwater is sampled. Table 4-3 provides a summary of the groundwater elevation recorded for each well during each of the monitoring events. A potentiometric surface map was developed for each monitoring event based on the measured static water levels and the top-of-case (TOC) elevations. Also, the rate of groundwater flow is determined for each event and the direction of flow is summarized in the table and provided on the potentiometric surface maps included in Appendix A. Groundwater flow velocity ( $v$ ) is estimated using the hydraulic conductivity ( $K$ ) of the groundwater zone, the effective porosity ( $\eta_e$ ), and the hydraulic gradient ( $dh/dl$ ). The groundwater flow velocity in feet/year is estimated using the following

$$\text{equation: } v = \frac{K}{\eta_e} \left( \frac{dh}{dl} \right).$$

Conductivity and porosity are dependent on the soil type in the saturated zone. Based on boring logs, the soils in the screened saturated zone are predominantly silt, clay, and silty-clay units. These Clayey Wilcox sediments were investigated and found to have hydraulic conductivities generally less than  $1.0 \times 10^{-6}$  cm/sec, and in many cases  $1.0 \times 10^{-8}$  cm/sec or less, as noted in the Special/Industrial Waste Permit Application prepared by Malcolm Pirnie (March 1998). As a conservative measure of groundwater flow the highest permeability measured at the site of  $2.0 \times 10^{-5}$  cm/sec has been used. An effective porosity of 0.44 was used based on a mix of silty clay and clay of varying plasticity found in the saturated zone. Previously, the hydraulic gradient was determined for each monitoring event using the difference in groundwater elevations at upgradient monitoring well, MW-14, and downgradient monitoring well, MW-15, which are approximately 3,025 feet apart. Since the integrity of the downgradient well, MW-15, was compromised, the hydraulic gradient is now determined for each monitoring event using an average of the difference in groundwater elevations at upgradient well, MW-14, and downgradient monitoring well, CCR-2, which are approximately 2,050 feet apart, and of the difference in groundwater elevations at upgradient well, MW-13, and downgradient monitoring well, CCR-4, which are approximately 1,860 feet apart. The distance between

MW-14 and CCR-2 was updated to 2,050 feet (formerly 1,800 feet) apart in the 2024 CCR Annual Report using a more accurate map distance (i.e., Google Earth).

As noted in Table 4-3 and from the potentiometric surface maps (provided in Appendix A), groundwater in the vicinity of the CCR unit flows northwest. Also, as noted during the background sampling period, groundwater elevation changed very little in each monitoring well sampled during the 2025 reporting period, indicating that seasonal variability does not significantly impact groundwater at the site. Groundwater flow is relatively slow due to the low hydraulic conductivity of the soils and was calculated to be 1.3 feet per year based on the 2025 data. This is consistent with the flows calculated for previous monitoring events, as shown in Table 4-3.

### **4.3 GROUNDWATER SAMPLING RESULTS**

The analytical results from the collected samples, the chain-of-custody, and the laboratory quality assurance and quality control (QA/QC) information are provided in Appendix B. In addition to the groundwater samples taken from each of the monitoring wells, a duplicate sample and field blank were collected and analyzed for the required constituents. Temperature, pH, conductivity, turbidity, purge volume, and elapsed purge time were monitored while purging each well. The field data collected while purging and sampling each well using the low stress purging and sampling methodology is included in Appendix C. The data includes monitored field parameters (pH, temperature, turbidity, conductivity), water levels, well depth, drawdown, purge rate, purge volume, and purge time. The EPA Laboratory Services & Applied Science Division (LSASD) Groundwater Sampling Operating Procedure that was updated April 22, 2023, states that measured groundwater temperature during purging is subject to changes related to surface ambient conditions, pumping rates and pump temperature. Therefore, its usefulness is subject to question for the purpose of determining parameter stability. As such, it has been removed from LSASD's list of parameters used for stability determination. Even though temperature is not used to determine stability, it is still advisable to record the temperature of purge water.

The summary of results for sampling conducted during the reporting year is available in Appendix D. For those constituents not detected during a given monitoring event, the value is indicated as "less than" (or <) the minimum reporting level (MRL). Results from the upgradient wells were used to establish the background groundwater quality for each constituent, which is the interwell prediction limit determined using the approved statistical procedures. Because statistically significant increases (SSI) of constituents were verified during the initial detection monitoring event in 2018, GWPS were established per the requirements of §257.95(d)(2) for Appendix IV constituents and are compared to current and future sampling results.

Semiannual assessment monitoring was conducted on March 26-27, 2025. During this event, all Appendix III constituents and those Appendix IV constituents previously detected were analyzed. The following

Appendix IV constituents exceeded the GWPS at the well locations noted below for this monitoring event:

- Cobalt: CCR-3, CCR-5, and MW-9
- Lithium: CCR-3 and MW-9

The annual monitoring event for all Appendix IV constituents, required by §257.95(b), was conducted May 14-15, 2025. The following Appendix IV constituents will be monitored during the next two semiannual assessment monitoring events:

- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium
- Cobalt
- Fluoride
- Lead
- Lithium
- Molybdenum
- Selenium
- Radium 226 and 228 combined

Additionally, the results from this annual event were compared to the GWPS. The following Appendix IV constituents exceeded the GWPS at the well locations noted below for this monitoring event:

- Cobalt: CCR-3, CCR-5, and MW-9
- Lithium: CCR-3

The next semiannual assessment monitoring event was conducted on September 23-24, 2025. The following Appendix IV constituents exceeded the GWPS at the well locations noted below for this monitoring event:

- Cobalt: CCR-3, MW-9, and MW-12
- Lithium: CCR-3 and MW-9

Although antimony, arsenic, cadmium, chromium, and lead were not detected in the 2025 annual monitoring event, these Appendix IV constituents will still be monitored during the semiannual events since they were detected in a previous assessment monitoring event. Lithium, cobalt, and beryllium were determined to be from an alternate source rather than a potential release of the AMU basin. The ASD is discussed in Section 5.2, and Choctaw Generation has continued assessment monitoring. A summary of the results from each

monitoring event (annual and semiannual) is provided in Appendix D, and the full laboratory analytical reports are provided as Appendix B.

**Table 4-3: Groundwater Elevation (feet) and Flow Rate (feet/yr)**

Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2	Flow Rate <sup>(2)</sup>	Flow Direction
<b>Background Monitoring</b>																		
7/26-27/16	488.60	473.59	478.46					538.60	471.49	466.92	499.10	564.91	477.50	480.26		476.80	1.3	NW
8/22-23/16	488.63	473.33	478.41					538.03	471.74	466.97	498.85	563.94	477.19	480.49		476.50	1.3	NW
9/12-13/16	488.22	472.96	478.36					538.02	470.97	466.09	498.82	563.12	476.74	480.15		476.20	1.3	NW
10/17-18/16	488.05	472.69	478.61					537.93	471.17	465.56	498.48	560.56	476.19	479.24		476.00	1.2	NW
11/9-10/16	487.69	472.41	478.16					537.52	471.32	465.45	497.83	559.08	475.78	479.10		475.50	1.2	NW
11/28-29/16	487.55	472.38	478.17					536.13	471.47	465.97	497.60	560.51	476.16	479.61		475.64	1.2	NW
2/8-9/17	488.17	474.06	478.95					537.95	473.34	471.27	498.21	563.49	478.87	481.70		477.60	1.3	NW
3/29-30/17	488.36	474.82	478.81					537.74	472.44	470.17	498.58	565.88	478.83	486.60		477.40	1.3	NW
<b>Detection Monitoring</b>																		
2/6-7/18	489.83	475.11	478.84					537.58	473.60	471.47	499.40	562.15	478.92	481.87		477.49	1.2	NW
<b>Assessment Monitoring</b>																		
5/15-16/18	489.73	476.19	478.98					538.66	472.82	468.07	501.08	566.41	478.93	481.36		478.19	1.3	NW
9/10-11/18	488.34	473.95	478.28	460.73				537.84	472.98	468.60	499.16	562.19	477.16	480.72		476.59	1.3	NW
3/19-20/19 <sup>(1)</sup>	491.92	479.69	481.38	463.41				538.06	482.28	470.24	521.24	565.69	480.70	NS		478.80	1.4	NW
5/29-30/19 <sup>(1)</sup>	491.62	478.76	480.84	462.75	459.91	487.14	462.79	538.47	471.56	466.67	521.42	565.63	480.20	NS	478.65	478.98	1.4	NW
9/10-11/19 <sup>(1)</sup>	491.28	479.91	480.43	462.02	458.71	487.01	462.04	538.35	470.61	466.33	521.15	565.16	478.83	NS	477.73	477.57	1.4	NW
3/25-26/20	493.83	479.8	481.27	463.93	NS	NS	NS	541.78	472.53	470.5	525.6	565.94	NS	NS	479.84	479.48	1.5	NW
5/18/20	491.75	477.25	480.78	463.05	NS	NS	NS	538.71	471.23	468.88	526.48	565.59	NS	NS	480.64	479.36	1.5	NW
9/28/20	493.95	478	480.41	463.57	NS	NS	NS	537.85	471.24	468.51	525.58	565.01	NS	NS	NS	478.59	1.5	NW
3/15-16/21	494.5	479.93	480.78	463.1	NS	NS	NS	537.61	471.54	469.19	525.68	565.52	NS	NS	NS	479.05	1.5	NW
5/26/21	494.45	479.28	479.9	462.75	NS	NS	NS	537.56	471.32	467.29	526.34	565.12	NS	NS	NS	478.94	1.5	NW
9/8/21	494.35	479.58	480.83	464.45	NS	NS	NS	536.84	472.46	468.89	525.55	565.33	NS	NS	NS	478.9	1.5	NW
3/23-24/22	493.62	480.36	480.95	463.71	NS	NS	NS	537.71	473.15	470.49	523.34	565.22	NS	NS	NS	479.51	1.5	NW
5/31-6/1/22	493.24	478.74	480.15	462.73	NS	NS	NS	537.68	471.39	466.44	523.40	564.88	NS	NS	NS	478.72	1.5	NW
9/12-13/22	492.25	477.81	480.12	463.15	NS	NS	NS	537.18	472.05	469.51	521.78	563.38	NS	NS	NS	478.43	1.5	NW
3/13/23	492.56	480.1	480.81	463.81	NS	NS	NS	537.5	472.94	470.62	521.19	565.24	NS	NS	NS	478.82	1.5	NW

Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2	Flow Rate <sup>(2)</sup>	Flow Direction
5/10/23	492.14	479.26	480.55	462.98	NS	NS	NS	537.96	471.65	468.2	521.79	565.43	NS	NS	NS	478.47	1.5	NW
9/13/23	491.13	477.39	480.02	462.52	NS	NS	NS	537.51	470.62	465.3	520.54	564.59	NS	NS	NS	477.14	1.5	NW
3/13-14/24 <sup>(2)</sup>	491.60	478.64	480.87	463.53	NS	NS	NS	537.19	472.46	470.61	520.00	564.30	NS	NS	NS	478.38	1.3	NNW
5/21/24 <sup>(2)</sup>	491.65	478.66	480.26	463.18	NS	NS	NS	537.57	471.26	467.62	520.53	564.87	NS	NS	NS	478.19	1.3	NNW
9/18/24 <sup>(2)(3)</sup>	490.90	476.58	479.78	462.89	NS	NS	NS	536.76	472.06	461.94	519.38	558.54	NS	NS	NS	481.70	1.3	NNW
10/30/24 <sup>(2)(4)</sup>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	519.48	NS	NS	NS	NS	NS	-	-
3/26-27/25 <sup>(2)</sup>	491.25	479.28	480.64	463.46	NS	NS	NS	536.94	472.76	470.29	519.28	565.06	NS	NS	NS	478.14	1.3	NNW
5/14-15/25 <sup>(2)</sup>	491.27	479.37	480.83	463.68	NS	NS	NS	537.48	472.85	470.49	519.79	565.31	NS	NS	NS	478.79	1.3	NNW
9/23-24/25 <sup>(2)</sup>	489.69	476.73	479.36	462.04	NS	NS	NS	537.07	469.66	464.78	518.11	562.34	NS	NS	NS	477.2	1.3	NNW

- (1) TOC elevations were resurveyed on November 14, 2019, and groundwater elevations were revised using the correct TOC elevations.
- (2) Flow rate is calculated using an average hydraulic gradient between MW-14 and CCR-2 as well as MW-13 and CCR-4. The distance between MW-14 and CCR-2 was updated to 2,050 feet (formerly 1,800 feet) in the 2024 CCR Annual Report using a more accurate map distance (i.e., Google Earth).
- (3) Samples were not collected for MW-13 on 9/18/2024 due to a damaged pump; however, the static water level was measured for MW-13 during the sampling event.
- (4) Samples were collected for MW-13 on 10/30/2024 during the semi-annual MDEQ monitoring event.

---

## **5.0 ADDITIONAL INFORMATION**

---

### **5.1 ALTERNATIVE MONITORING FREQUENCY**

Based on the availability of groundwater, an alternative monitoring frequency may be proposed under both the detection monitoring program and the assessment monitoring program per §§257.94(d) and 257.95(c), respectively. In lieu of semiannual sampling, sampling may be conducted less frequently but no less than annually. Choctaw Generation must obtain a certification from a qualified professional engineer stating that the demonstration for an alternative groundwater sampling and analysis frequency meets the requirements of §§257.94(d) or 257.95(c). Choctaw Generation must include the demonstration providing the basis for the alternative monitoring frequency and the certification by a qualified professional engineer in the Annual Report. *With this Annual Report, Choctaw Generation is not making an alternative monitoring frequency demonstration.*

### **5.2 DEMONSTRATION OF INVALID STATISTICALLY SIGNIFICANT INCREASE**

Within 90 days of finding that any of the Appendix III or IV constituents have been detected at a statistically significant level, Choctaw Generation may demonstrate that a source other than the CCR unit caused the contamination or that the statistically significant increase resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Such demonstration is allowed by both the detection monitoring program and assessment monitoring program per §257.94(e)(2) and §257.95(g)(3), respectively. Any such demonstration must be supported by a report that includes the factual or evidentiary basis for any conclusions and must be certified to be accurate by a qualified professional engineer. If a successful demonstration is made, Choctaw Generation must continue monitoring in accordance with the detection or assessment monitoring program, as applicable. Choctaw Generation must also include the demonstration in the Annual Report, as well as the certification by a qualified professional engineer. *With this Annual Report, Choctaw Generation is not demonstrating that any additional constituents were detected at a SSL above the GWPS as a result from an alternate source.* A history of the ASD is provided below.

Sampling to evaluate the composition of the natural soil at the site was conducted on October 29, 2019, which included drilling soil borings in three (3) locations at the Choctaw Generation site. The samples were collected at a variety of depths ranging from four (4) to twenty (20) feet to capture the natural, differing geologies in the soil and material near and within the monitored aquifer. Based on review of the analytical results, the initial ASD was developed and certified on December 17, 2019, demonstrating that elevated lithium and cobalt concentrations above each GWPS were a result of natural variation in the groundwater quality as a result of the aquifer material rather than a potential release from the CCR unit. Beryllium was then detected above the GWPS in March 2020 and then verified in the following event in May of 2020. In response, the ASD was revised and certified on August 20, 2020, demonstrating that the elevated beryllium

concentration detected above the GWPS was a result of natural variation in the groundwater quality as a result of the aquifer material rather than a potential release from the CCR unit. The initial and revised ASD were submitted with each respective annual report and can be found in the Choctaw Generation Operating Record and on the CCR Website.

It should be noted, the molybdenum exceedance was never confirmed or verified upon resampling events; therefore, molybdenum is not believed to have exceeded the GWPS. As a result of the successfully revised ASD, Choctaw Generation has continued in assessment monitoring.

### **5.3 TIME EXTENSION FOR CORRECTIVE MEASURES ASSESSMENT**

An assessment of corrective measures must be completed within 90 days of finding any Appendix IV constituent has been detected at a statistically significant level exceeding the GWPS. A demonstration of the need for up to an additional 60 days to complete this assessment may be made as a result of site-specific conditions or circumstances. Certification from a qualified professional engineer attesting that this demonstration is accurate must be provided, and both the demonstration and certification must be included in the Annual Report. *With this Annual Report, Choctaw Generation is not requesting additional time to assess corrective measures, since such assessment was not required during the period covered by the report.*

---

## **6.0 CONCLUSION**

---

### **6.1 SUMMARY OF KEY ACTIONS COMPLETED**

During the reporting period, two semiannual assessment monitoring events were conducted, revealing continued exceedances of the GWPS for cobalt and lithium. These constituent exceedances are detailed in the ASD. There were no new exceedances of the GWPS; therefore, assessment monitoring was continued.

### **6.2 KEY ACTIVITIES FOR UPCOMING YEAR**

During calendar year 2025, Choctaw Generation anticipates conducting at least two (2) semiannual monitoring events and an annual Appendix IV monitoring event in accordance with the assessment monitoring program as outlined by §257.95(g). If any constituent, other than those addressed by the revised ASD, is detected at an SSL above the GWPS, the ASD will be amended or corrective measures will be initiated to address the constituents of concern.


In 2024, EPA finalized changes to the CCR regulations to extend certain requirements governing the disposal of CCR in inactive surface impoundments at inactive power plants and CCR Management Units (CCRMU), a new category of CCR unit established by the Final Rule. According to 40 CFR 257.75(a)-(b), owners or operators of active facilities must conduct a facility evaluation to identify the presence or absence of CCRMUs at the facility (i.e., Facility Evaluation Reports (FER) Part 1 and Part 2).

40 CFR 257.75(c)(1) states by no later than February 9, 2026, the facility must prepare a FER Part 1 that contains the information specified in 40 CFR 257.75(c)(1)(i)-(xiv) and place the report in the facility's operating record. 40 CFR 257.75(d)(1) further states by no later than February 8, 2027, the owner or operator of an active facility must prepare a FER Part 2 that contains the information specified in 40 CFR 257.75(d)(1)(i)-(xiv) and place the report in the facility's operating record.

Choctaw Generation is currently preparing the Facility Evaluation Reports (FER) and will place the FER Part 1 Report with required information in the facility operating record no later than February 9, 2026. In addition, Choctaw Generation will prepare and place the FER Part 2 Report in the facility operating record no later than February 8, 2027, as required.

**FIGURE 1**

SITE LOCATION MAP



**Legend:**

**Source:**  
USGS US Topo (April 2024)

Drawn By: KAS	Checked By: BSK
Date: 1/19/2026	Scale: 1:24,000
Project No.:	Drawing No: N/A
Choctaw Generation Limited Partnership 2391 Pensacola Road Ackerman, Mississippi	



Figure 1: Site Location Map

**FIGURE 2**

FACILITY DIAGRAM



Choctaw Generation Limited Partnership, L.L.P.  
 2391 Pensacola Road  
 Ackerman, Mississippi

Facility Diagram

Figure 2

Legend:  
 Monitoring Well  MW-14  
 E=593.84

Scale: Not Determined

Drawn By: JTB


Revised By: JAD

Date: 8/27/2018

Date: 1/19/2026

## **APPENDIX A**

### POTENTIOMETRIC SURFACE MAPS



Choctaw Generation Limited Partnership, L.L.P.  
 2391 Pensacola Road  
 Ackerman, Mississippi

Potentiometric Surface Map (March 2025 GW Event)

Figure 1A

Legend:

Monitoring Well Designation and Groundwater Elevation (feet)

● MW-7  
 536.94


Groundwater Elevation Contours (ft)

— 500 —

Scale: NTS

Drawn By: JAD

Date: 1/22/2026



Choctaw Generation Limited Partnership, L.L.L.P.  
 2391 Pensacola Road  
 Ackerman, Mississippi

Potentiometric Surface Map (May 2025 GW Event)


Figure 1B

Legend:  
 Monitoring Well Designation and Groundwater Elevation (feet) ● MW-7 537.48  
 Groundwater Elevation Contours (ft) — 500 —

Scale: NTS

Drawn By: JAD

Date: 1/22/2026



Choctaw Generation Limited Partnership, L.L.P.  
 2391 Pensacola Road  
 Ackerman, Mississippi

Potentiometric Surface Map  
 (September 2025 GW Event)

Figure 1C

**Legend:**  
 Monitoring Well Designation and Groundwater Elevation (feet) ● MW-7 537.07  
 Groundwater Elevation Contours (ft) — 500 —

Scale: NTS  
 Drawn By: JAD  
 Date: 1/22/2026

## **APPENDIX B**

ANALYTICAL RESULTS AND CHAIN-OF-CUSTODY FORMS



**Mailing Address:**  
PO Box 1410  
Ocean Springs, MS  
39566-1410

6500 Sunplex Drive  
Ocean Springs, MS 39564  
228.875.6420 Phone  
228.875.6423 Fax

April 24, 2025

Jim Ward

**Work Order # :** 2503516

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman, MS 39735  
*RE: CGLP CCR Semi Annual*

**Purchase Order #:**

Enclosed are Micro-Methods Laboratory, Inc. results of analyses performed on samples received 03/28/2025 08:21. If you have any questions concerning this report, please feel free to contact the office.

Sincerely,

Mitch Spicer  
Lab Director  
Micro-Methods Laboratory, Inc.



**DISCLAIMER**

*The results only relate to the items or the sample and/or samples received by the laboratory. This report shall not be reproduced except in full, without the approval of the laboratory. All NELAP certified test methods performed meet the requirements of NELAC 2009 Standards. Any variances and/or deviations specific to this analytical report are referenced in the lab report using qualifiers and detailed explanations found in the case narrative.*

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date/Time Sampled	Sampled by	Date/Time Received
MW-9	2503516-01	Water	03/26/2025 16:20	Kirk Shelton	03/28/2025 08:21
OW-2	2503516-02	Water	03/26/2025 14:40	Kirk Shelton	03/28/2025 08:21
MW-13	2503516-03	Water	03/27/2025 09:50	Kirk Shelton	03/28/2025 08:21
MW-7	2503516-04	Water	03/27/2025 11:11	Kirk Shelton	03/28/2025 08:21
MW-14	2503516-05	Water	03/27/2025 12:00	Kirk Shelton	03/28/2025 08:21
Field Blank	2503516-06	Water	03/27/2025 11:40	Kirk Shelton	03/28/2025 08:21
Duplicate	2503516-07	Water	03/27/2025 00:00	Kirk Shelton	03/28/2025 08:21
MW-12	2503516-08	Water	03/26/2025 15:25	Kirk Shelton	03/28/2025 08:21
CCR-2	2503516-09	Water	03/26/2025 13:50	Kirk Shelton	03/28/2025 08:21
CCR-3	2503516-10	Water	03/26/2025 09:35	Kirk Shelton	03/28/2025 08:21
CCR-4	2503516-11	Water	03/26/2025 10:50	Kirk Shelton	03/28/2025 08:21
CCR-5	2503516-12	Water	03/26/2025 12:10	Kirk Shelton	03/28/2025 08:21

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Sample Receipt Conditions**

Date/Time Received: 3/28/2025 8:21:00AM

Shipped by: Fed Ex

Received by: Sarah E. Tomek

Submitted by: Kirk Shelton

Date/Time Logged: 3/28/2025 9:24:00AM

Logged by: Sarah E. Tomek

Cooler ID: client cooler #1

Receipt Temperature: 3.3 °C

<i>Cooler Custody Seals Present</i>	Yes	<i>Received on Ice but Not Frozen</i>	Yes
<i>Containers Intact</i>	Yes	<i>No Ice, Short Trip</i>	No
<i>COC/Labels Agree</i>	Yes	<i>Obvious Contamination</i>	No
<i>Labels Complete</i>	Yes	<i>Rush to meet HT</i>	No
<i>COC Complete</i>	Yes	<i>Received within HT</i>	Yes
<i>Volatile Vial Headspace &gt;6mm</i>	No	<i>Proper Containers for Analysis</i>	Yes
<i>Field Sheet/Instructions Included</i>	No	<i>Correct Preservation</i>	Yes
<i>Samples Rejected/Documented in Log</i>	No	<i>Adequate Sample for Analysis</i>	Yes
<i>Temp Taken From Temp Blank</i>	Yes	<i>Sample Custody Seals Present</i>	No
<i>Temp Taken From Sample Container</i>	No	<i>Samples Missing from COC/Cooler</i>	No
<i>Temp Taken From Cooler</i>	No		
<i>COC meets acceptance criteria</i>	Yes		

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 04/24/2025 10:49

 Cooler ID: client cooler #2

 Receipt Temperature: 0.5 °C

<i>Cooler Custody Seals Present</i>	Yes	<i>Received on Ice but Not Frozen</i>	Yes
<i>Containers Intact</i>	Yes	<i>No Ice, Short Trip</i>	No
<i>COC/Labels Agree</i>	Yes	<i>Obvious Contamination</i>	No
<i>Labels Complete</i>	Yes	<i>Rush to meet HT</i>	No
<i>COC Complete</i>	Yes	<i>Received within HT</i>	Yes
<i>Volatile Vial Headspace &gt;6mm</i>	No	<i>Proper Containers for Analysis</i>	Yes
<i>Field Sheet/Instructions Included</i>	No	<i>Correct Preservation</i>	Yes
<i>Samples Rejected/Documented in Log</i>	No	<i>Adequate Sample for Analysis</i>	Yes
<i>Temp Taken From Temp Blank</i>	Yes	<i>Sample Custody Seals Present</i>	No
<i>Temp Taken From Sample Container</i>	No	<i>Samples Missing from COC/Cooler</i>	No
<i>Temp Taken From Cooler</i>	No		
<i>COC meets acceptance criteria</i>	Yes		

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

**Reported:**  
04/24/2025 10:49

**CASE NARRATIVE SUMMARY**

*All reported results are within Micro-Methods Laboratory, Inc. defined laboratory quality control objectives unless detailed in narrative summary or identified as qualifications. NOTE: All results listed on this report are calculated on a wet weight basis (as received by the laboratory) unless otherwise noted in the analysis qualification sections.*

**Summary Comments:**

See attached results from Sub-Contract Laboratory

**Qualifiers:** *No Data Qualification*

---

**Analyte & Samples(s) Qualified:** *None*

---

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 04/24/2025 10:49

**MW-9**

**2503516-01 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Chloride	346	10.0	mg/L	20.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 19:12	SM 4110 B-2020	
Sulfate as SO4	100	25.0	"	5.0	"	CRG	"	03/31/2025 17:09	"	
Fluoride	0.29	0.22	"	1.0	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	736	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.159	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 11:27	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	54.7	0.250	"	5.0	"	CLV	"	04/02/2025 15:11	"	
Lithium 610.362 [Axial]	0.050	0.040	"	1.0	"	CLV	"	04/02/2025 11:27	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 16:38	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	0.00163	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	0.0157	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**OW-2**

**2503516-02 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Chloride	83.1	2.50	mg/L	5.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 19:43	SM 4110 B-2020	
Sulfate as SO4	107	25.0	"	"	"	CRG	"	"	"	"
Fluoride	0.27	0.22	"	1.0	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	334	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.016	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 11:31	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	42.3	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 16:44	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 04/24/2025 10:49

**MW-13**

**2503516-03 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Chloride	3.61	0.500	mg/L	1.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 13:33	SM 4110 B-2020	
Sulfate as SO4	6.44	5.00	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	"	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	148	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.191	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 12:31	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	21.7	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 16:50	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**MW-7**

**2503516-04 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Chloride	3.23	0.500	mg/L	1.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 20:14	SM 4110 B-2020	
Sulfate as SO4	45.5	10.0	"	2.0	"	CRG	"	03/31/2025 20:44	"	
Fluoride	0.29	0.22	"	1.0	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	154	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.071	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 12:35	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	23.9	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 16:56	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
<b>Cobalt [He]</b>	<b>0.00148</b>	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**MW-14**

**2503516-05 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Chloride	17.7	0.500	mg/L	1.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 14:04	SM 4110 B-2020	
Sulfate as SO4	14.6	5.00	"	"	"	CRG	"	"	"	"
Fluoride	ND	0.22	"	"	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	105	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.014	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 12:39	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	0.720	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 17:02	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Field Blank**

**2503516-06 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Chloride	ND	0.500	mg/L	1.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 14:35	SM 4110 B-2020	
Sulfate as SO4	ND	5.00	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	"	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	ND	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	ND	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 12:50	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 17:21	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Duplicate**

**2503516-07 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Chloride	17.7	0.500	mg/L	1.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 22:17	SM 4110 B-2020	
Sulfate as SO4	14.6	5.00	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	"	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	67	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.014	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 12:53	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	0.713	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 17:27	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**MW-12**

**2503516-08 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Chloride	75.5	2.50	mg/L	5.0	5D01039	CRG	03/31/2025 09:00	04/01/2025 21:30	SM 4110 B-2020	
Sulfate as SO4	97.5	25.0	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	1.0	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	321	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.180	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 12:57	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	41.0	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 17:33	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**CCR-2**

**2503516-09 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Chloride	2.21	0.500	mg/L	1.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 15:05	SM 4110 B-2020	
Sulfate as SO4	12.4	5.00	"	"	"	CRG	"	"	"	"
Fluoride	ND	0.22	"	"	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	127	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.116	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 13:01	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	17.1	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 18:03	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**CCR-3**

**2503516-10 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Chloride	5.30	0.500	mg/L	1.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 23:50	SM 4110 B-2020	
Sulfate as SO4	250	100	"	20.0	"	CRG	"	04/01/2025 23:02	"	
Fluoride	ND	0.22	"	1.0	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	420	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.082	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 13:04	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	38.1	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	0.112	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 18:09	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	0.0224	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**CCR-4**

**2503516-11 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Chloride	9.83	0.500	mg/L	1.0	5D01039	CRG	03/31/2025 09:00	03/31/2025 15:36	SM 4110 B-2020	
Sulfate as SO4	22.8	5.00	"	"	"	CRG	"	"	"	"
Fluoride	ND	0.22	"	"	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	192	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.172	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 13:08	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	26.4	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 18:15	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	0.00425	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 04/24/2025 10:49

**CCR-5**

**2503516-12 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Chloride	11.5	0.500	mg/L	1.0	5D01039	CRG	03/31/2025 09:00	04/01/2025 02:55	SM 4110 B-2020	
Sulfate as SO4	375	100	"	20.0	"	CRG	"	04/01/2025 23:33	"	
Fluoride	ND	0.22	"	1.0	5D03036	CDV	04/03/2025 10:54	04/03/2025 15:01	SM 4500-F C-2021	
Total Dissolved Solids	715	1	"	"	5D01047	CRG	04/01/2025 11:54	04/03/2025 11:15	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.135	0.010	mg/L	1.0	5C31046	CLV	03/31/2025 09:45	04/02/2025 13:12	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	0.079	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	105	0.250	"	5.0	"	CLV	"	04/02/2025 15:15	"	
Lithium 610.362 [Axial]	ND	0.040	"	1.0	"	CLV	"	04/02/2025 13:12	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5C31042	SCH	"	04/01/2025 18:22	EPA 200.8 Rev 5.4	
Arsenic [He]	0.00209	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	0.00871	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	0.00174	0.00100	"	"	"	SCH	"	"	"	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Classical Chemistry Parameters - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5D01039 - Default Prep GenChem</b>											
<b>Blank (5D01039-BLK1)</b>											
Chloride	3/31/25 10:59	ND	0.500	mg/L							
Sulfate as SO4	3/31/25 10:59	ND	5.00	"							
<b>Blank (5D01039-BLK2)</b>											
Chloride	4/1/25 11:13	ND	0.500	mg/L							
Sulfate as SO4	4/1/25 11:13	ND	5.00	"							
<b>LCS (5D01039-BS1)</b>											
Chloride	3/31/25 11:29	10.4	0.500	mg/L	10.0		104	87.4-108			
Sulfate as SO4	3/31/25 11:29	10.8	5.00	"	10.0		108	83.3-109			
<b>LCS (5D01039-BS2)</b>											
Chloride	4/1/25 11:44	25.0	0.500	mg/L	25.0		100	87.4-108			
Sulfate as SO4	4/1/25 11:44	25.2	5.00	"	25.0		101	83.3-109			
<b>LCS Dup (5D01039-BSD1)</b>											
Chloride	3/31/25 12:00	10.3	0.500	mg/L	10.0		103	87.4-108	0.348	20	
Sulfate as SO4	3/31/25 12:00	10.7	5.00	"	10.0		107	83.3-109	0.489	20	
<b>LCS Dup (5D01039-BSD2)</b>											
Chloride	4/1/25 12:15	25.0	0.500	mg/L	25.0		100	87.4-108	0.00998	20	
Sulfate as SO4	4/1/25 12:15	25.2	5.00	"	25.0		101	83.3-109	0.0350	20	
<b>Duplicate (5D01039-DUP1) Source: 2503516-08</b>											
Chloride	4/1/25 22:01	77.4	2.50	mg/L		75.5			2.47	20	
Sulfate as SO4	4/1/25 22:01	100	25.0	"		97.5			3.05	20	
<b>Matrix Spike (5D01039-MS1) Source: 2503516-05</b>											
Chloride	3/31/25 21:15	21.8	0.500	mg/L	5.00	17.7	80.5	64.8-131			
Sulfate as SO4	3/31/25 21:15	19.0	5.00	"	5.00	14.6	86.9	53.2-148			

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Classical Chemistry Parameters - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
---------	----------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	------------

Batch 5D01039 - Default Prep GenChem

Matrix Spike Dup (5D01039-MSD1)

Source: 2503516-05

Chloride	3/31/25 21:46	21.7	0.500	mg/L	5.00	17.7	79.7	64.8-131	0.181	20	
Sulfate as SO4	3/31/25 21:46	19.0	5.00	"	5.00	14.6	86.8	53.2-148	0.0105	20	

Batch 5D01047 - Default Prep GenChem

Blank (5D01047-BLK1)

Total Dissolved Solids	4/3/25 11:15	ND	1	mg/L							
------------------------	--------------	----	---	------	--	--	--	--	--	--	--

LCS (5D01047-BS1)

Total Dissolved Solids	4/3/25 11:15	96	1	mg/L	99.2		96.8	69.8-100			
------------------------	--------------	----	---	------	------	--	------	----------	--	--	--

LCS Dup (5D01047-BSD1)

Total Dissolved Solids	4/3/25 11:15	92	1	mg/L	99.2		92.7	69.8-100	4.26	10	
------------------------	--------------	----	---	------	------	--	------	----------	------	----	--

Duplicate (5D01047-DUP1)

Source: 2503516-03

Total Dissolved Solids	4/3/25 11:15	153	1	mg/L		148			3.32	10	
------------------------	--------------	-----	---	------	--	-----	--	--	------	----	--

Duplicate (5D01047-DUP2)

Source: 2503516-11

Total Dissolved Solids	4/3/25 11:15	197	1	mg/L		192			2.57	10	
------------------------	--------------	-----	---	------	--	-----	--	--	------	----	--

Batch 5D03036 - Default Prep GenChem

Blank (5D03036-BLK1)

Fluoride	4/3/25 15:01	ND	0.22	mg/L							
----------	--------------	----	------	------	--	--	--	--	--	--	--

LCS (5D03036-BS1)

Fluoride	4/3/25 15:01	2.02	0.22	mg/L	2.00		101	88.5-110			
----------	--------------	------	------	------	------	--	-----	----------	--	--	--

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Classical Chemistry Parameters - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5D03036 - Default Prep GenChem</b>											
<b>LCS Dup (5D03036-BSD1)</b>											
Fluoride	4/3/25 15:01	2.04	0.22	mg/L	2.00		102	88.5-110	0.985	30	
<b>Duplicate (5D03036-DUP1) Source: 2503516-05</b>											
Fluoride	4/3/25 15:01	ND	0.22	mg/L		ND				20	
<b>Duplicate (5D03036-DUP2) Source: 2503516-12</b>											
Fluoride	4/3/25 15:01	0.05	0.22	mg/L		0.05			7.70	20	
<b>Matrix Spike (5D03036-MS1) Source: 2503516-07</b>											
Fluoride	4/3/25 15:01	1.00	0.22	mg/L	1.00	ND	100	81.9-110			
<b>Matrix Spike (5D03036-MS2) Source: 2503516-11</b>											
Fluoride	4/3/25 15:01	1.05	0.22	mg/L	1.00	0.05	99.9	81.9-110			
<b>Matrix Spike Dup (5D03036-MSD1) Source: 2503516-07</b>											
Fluoride	4/3/25 15:01	1.01	0.22	mg/L	1.00	ND	101	81.9-110	0.995	30	
<b>Matrix Spike Dup (5D03036-MSD2) Source: 2503516-11</b>											
Fluoride	4/3/25 15:01	1.05	0.22	mg/L	1.00	0.05	99.9	81.9-110	0.00	30	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Metals by EPA 200 Series Methods ICP-AES - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
---------	----------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	------------

Batch 5C31046 - EPA 200.2 DCN 1017 Rev 10

**Blank (5C31046-BLK1)**

Barium 455.403 [Radial]	3/31/25 15:57	ND	0.010	mg/L							
Boron 249.773 [Radial]	3/31/25 15:57	ND	0.050	"							
Calcium 315.887 [Radial]	4/2/25 12:00	ND	0.050	"							
Lithium 610.362 [Axial]	3/31/25 15:57	ND	0.040	"							

**LCS (5C31046-BS1)**

Barium 455.403 [Radial]	3/31/25 16:01	0.423	0.010	mg/L	0.400		106	85-115			
Boron 249.773 [Radial]	3/31/25 16:01	0.412	0.050	"	0.400		103	85-115			
Calcium 315.887 [Radial]	3/31/25 16:01	0.417	0.050	"	0.400		104	85-115			
Lithium 610.362 [Axial]	3/31/25 16:01	0.404	0.040	"	0.400		101	85-115			

**LCS Dup (5C31046-BSD1)**

Barium 455.403 [Radial]	3/31/25 16:04	0.420	0.010	mg/L	0.400		105	85-115	0.742	20	
Boron 249.773 [Radial]	3/31/25 16:04	0.410	0.050	"	0.400		103	85-115	0.415	20	
Calcium 315.887 [Radial]	3/31/25 16:04	0.413	0.050	"	0.400		103	85-115	0.976	20	
Lithium 610.362 [Axial]	3/31/25 16:04	0.406	0.040	"	0.400		101	85-115	0.412	20	

**Matrix Spike (5C31046-MS1)**

Source: 2503516-05

Barium 455.403 [Radial]	4/2/25 12:42	0.233	0.010	mg/L	0.200	0.014	109	70-130			
Boron 249.773 [Radial]	4/2/25 12:42	0.217	0.050	"	0.200	ND	108	70-130			
Calcium 315.887 [Radial]	4/2/25 12:42	0.911	0.050	"	0.200	0.720	95.2	70-130			
Lithium 610.362 [Axial]	4/2/25 12:42	0.216	0.040	"	0.200	ND	108	70-130			

**Matrix Spike (5C31046-MS2)**

Source: 2503414-02

Barium 455.403 [Radial]	4/2/25 10:58	0.216	0.010	mg/L	0.200	ND	108	70-130			
Boron 249.773 [Radial]	4/2/25 10:58	0.221	0.050	"	0.200	ND	110	70-130			
Calcium 315.887 [Radial]	4/2/25 10:58	0.277	0.050	"	0.200	0.062	107	70-130			
Lithium 610.362 [Axial]	4/2/25 10:58	0.207	0.040	"	0.200	ND	103	70-130			

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Metals by EPA 200 Series Methods ICP-AES - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5C31046 - EPA 200.2 DCN 1017 Rev 10</b>											
<b>Matrix Spike Dup (5C31046-MSD1)</b>			<b>Source: 2503516-05</b>								
Barium 455.403 [Radial]	4/2/25 12:46	0.231	0.010	mg/L	0.200	0.014	109	70-130	0.459	20	
Boron 249.773 [Radial]	4/2/25 12:46	0.218	0.050	"	0.200	ND	109	70-130	0.394	20	
Calcium 315.887 [Radial]	4/2/25 12:46	0.902	0.050	"	0.200	0.720	90.9	70-130	0.949	20	
Lithium 610.362 [Axial]	4/2/25 12:46	0.217	0.040	"	0.200	ND	109	70-130	0.581	20	
<b>Matrix Spike Dup (5C31046-MSD2)</b>			<b>Source: 2503414-02</b>								
Barium 455.403 [Radial]	4/2/25 11:02	0.217	0.010	mg/L	0.200	ND	109	70-130	0.657	20	
Boron 249.773 [Radial]	4/2/25 11:02	0.221	0.050	"	0.200	ND	110	70-130	0.125	20	
Calcium 315.887 [Radial]	4/2/25 11:02	0.277	0.050	"	0.200	0.062	107	70-130	0.151	20	
Lithium 610.362 [Axial]	4/2/25 11:02	0.209	0.040	"	0.200	ND	104	70-130	0.999	20	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode] - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
---------	----------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	------------

Batch 5C31042 - EPA 200.2 DCN 1017 Rev 10

**Blank (5C31042-BLK1)**

Antimony [He]	4/1/25 14:35	ND	0.00200	mg/L							
Arsenic [He]	4/1/25 14:35	ND	0.00200	"							
Beryllium [He]	4/1/25 14:35	ND	0.00100	"							
Cadmium [He]	4/1/25 14:35	ND	0.00100	"							
Chromium [He]	4/1/25 14:35	ND	0.00100	"							
Cobalt [He]	4/1/25 14:35	ND	0.00100	"							
Lead [He]	4/1/25 14:35	ND	0.00100	"							
Molybdenum [He]	4/1/25 14:35	ND	0.00100	"							
Selenium [He]	4/1/25 14:35	ND	0.00100	"							

**LCS (5C31042-BS1)**

Antimony [He]	4/1/25 14:41	0.104	0.00200	mg/L	0.100		104	85-115			
Arsenic [He]	4/1/25 14:41	0.098	0.00200	"	0.100		98.3	85-115			
Beryllium [He]	4/1/25 14:41	0.102	0.00100	"	0.100		102	85-115			
Cadmium [He]	4/1/25 14:41	0.098	0.00100	"	0.100		98.3	85-115			
Chromium [He]	4/1/25 14:41	0.100	0.00100	"	0.100		100	85-115			
Cobalt [He]	4/1/25 14:41	0.099	0.00100	"	0.100		99.1	85-115			
Lead [He]	4/1/25 14:41	0.094	0.00100	"	0.100		94.3	85-115			
Molybdenum [He]	4/1/25 14:41	0.099	0.00100	"	0.100		99.3	85-115			
Selenium [He]	4/1/25 14:41	0.095	0.00100	"	0.100		95.1	85-115			

**LCS Dup (5C31042-BSD1)**

Antimony [He]	4/1/25 14:47	0.098	0.00200	mg/L	0.100		97.6	85-115	6.53	20	
Arsenic [He]	4/1/25 14:47	0.094	0.00200	"	0.100		94.5	85-115	4.04	20	
Beryllium [He]	4/1/25 14:47	0.094	0.00100	"	0.100		93.5	85-115	8.91	20	
Cadmium [He]	4/1/25 14:47	0.092	0.00100	"	0.100		92.3	85-115	6.22	20	
Chromium [He]	4/1/25 14:47	0.094	0.00100	"	0.100		93.8	85-115	6.49	20	
Cobalt [He]	4/1/25 14:47	0.093	0.00100	"	0.100		92.9	85-115	6.46	20	
Lead [He]	4/1/25 14:47	0.089	0.00100	"	0.100		89.4	85-115	5.33	20	
Molybdenum [He]	4/1/25 14:47	0.091	0.00100	"	0.100		90.7	85-115	9.12	20	
Selenium [He]	4/1/25 14:47	0.092	0.00100	"	0.100		91.7	85-115	3.62	20	

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 04/24/2025 10:49

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode] - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
---------	----------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	------------

Batch 5C31042 - EPA 200.2 DCN 1017 Rev 10

**Matrix Spike (5C31042-MS1)**

Source: 2503515-01

Antimony [He]	4/1/25 14:59	0.106	0.00200	mg/L	0.100	ND	106	70-130			
Arsenic [He]	4/1/25 14:59	0.100	0.00200	"	0.100	ND	99.7	70-130			
Beryllium [He]	4/1/25 14:59	0.101	0.00100	"	0.100	ND	101	70-130			
Cadmium [He]	4/1/25 14:59	0.098	0.00100	"	0.100	ND	98.5	70-130			
Chromium [He]	4/1/25 14:59	0.098	0.00100	"	0.100	0.0002	98.3	70-130			
Cobalt [He]	4/1/25 14:59	0.096	0.00100	"	0.100	ND	95.9	70-130			
Lead [He]	4/1/25 14:59	0.096	0.00100	"	0.100	ND	96.4	70-130			
Molybdenum [He]	4/1/25 14:59	0.106	0.00100	"	0.100	0.0002	106	70-130			
Selenium [He]	4/1/25 14:59	0.093	0.00100	"	0.100	ND	93.1	70-130			

**Matrix Spike (5C31042-MS2)**

Source: 2503516-05

Antimony [He]	4/1/25 17:08	0.106	0.00200	mg/L	0.100	ND	106	70-130			
Arsenic [He]	4/1/25 17:08	0.097	0.00200	"	0.100	ND	97.5	70-130			
Beryllium [He]	4/1/25 17:08	0.099	0.00100	"	0.100	ND	99.1	70-130			
Cadmium [He]	4/1/25 17:08	0.101	0.00100	"	0.100	ND	101	70-130			
Chromium [He]	4/1/25 17:08	0.099	0.00100	"	0.100	0.0004	98.9	70-130			
Cobalt [He]	4/1/25 17:08	0.098	0.00100	"	0.100	0.0007	97.7	70-130			
Lead [He]	4/1/25 17:08	0.094	0.00100	"	0.100	ND	94.1	70-130			
Molybdenum [He]	4/1/25 17:08	0.102	0.00100	"	0.100	ND	102	70-130			
Selenium [He]	4/1/25 17:08	0.087	0.00100	"	0.100	ND	86.5	70-130			

**Matrix Spike Dup (5C31042-MSD1)**

Source: 2503515-01

Antimony [He]	4/1/25 15:05	0.106	0.00200	mg/L	0.100	ND	106	70-130	0.102	20	
Arsenic [He]	4/1/25 15:05	0.100	0.00200	"	0.100	ND	99.8	70-130	0.0669	20	
Beryllium [He]	4/1/25 15:05	0.100	0.00100	"	0.100	ND	100	70-130	1.01	20	
Cadmium [He]	4/1/25 15:05	0.098	0.00100	"	0.100	ND	97.5	70-130	0.995	20	
Chromium [He]	4/1/25 15:05	0.098	0.00100	"	0.100	0.0002	98.1	70-130	0.222	20	
Cobalt [He]	4/1/25 15:05	0.096	0.00100	"	0.100	ND	95.6	70-130	0.290	20	
Lead [He]	4/1/25 15:05	0.097	0.00100	"	0.100	ND	97.2	70-130	0.856	20	
Molybdenum [He]	4/1/25 15:05	0.107	0.00100	"	0.100	0.0002	107	70-130	0.437	20	
Selenium [He]	4/1/25 15:05	0.095	0.00100	"	0.100	ND	95.5	70-130	2.58	20	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode] - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
---------	----------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	------------

Batch 5C31042 - EPA 200.2 DCN 1017 Rev 10

Matrix Spike Dup (5C31042-MSD2)

Source: 2503516-05

Antimony [He]	4/1/25 17:15	0.107	0.00200	mg/L	0.100	ND	107	70-130	0.521	20	
Arsenic [He]	4/1/25 17:15	0.101	0.00200	"	0.100	ND	101	70-130	3.68	20	
Beryllium [He]	4/1/25 17:15	0.105	0.00100	"	0.100	ND	105	70-130	6.02	20	
Cadmium [He]	4/1/25 17:15	0.101	0.00100	"	0.100	ND	101	70-130	0.593	20	
Chromium [He]	4/1/25 17:15	0.102	0.00100	"	0.100	0.0004	102	70-130	2.91	20	
Cobalt [He]	4/1/25 17:15	0.102	0.00100	"	0.100	0.0007	102	70-130	3.93	20	
Lead [He]	4/1/25 17:15	0.098	0.00100	"	0.100	ND	97.6	70-130	3.61	20	
Molybdenum [He]	4/1/25 17:15	0.105	0.00100	"	0.100	ND	105	70-130	3.34	20	
Selenium [He]	4/1/25 17:15	0.091	0.00100	"	0.100	ND	90.6	70-130	4.54	20	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

**Certified Analyses Included in this Report**

Analyte	Certification Code
<b><i>EPA 200.7 Rev 4.4 in Water</i></b>	
Aluminum 394.401 [Radial]	C01,C02
Aluminum 396.152 [Radial]	C01,C02
Antimony 206.833 [Axial]	C01,C02
Arsenic 193.759 [Axial]	C01,C02
Barium 455.403 [Radial]	C01,C02
Barium 493.409 [Radial]	C01,C02
Beryllium 313.042 [Axial]	C01,C02
Boron 249.773 [Radial]	C01,C02
Cadmium 228.802 [Axial]	C01,C02
Calcium 315.887 [Radial]	C01,C02
Chromium 283.563 [Axial]	C01,C02
Cobalt 228.616 [Axial]	C01,C02
Copper 324.754 [Axial]	C01,C02
Iron 259.940 [Axial]	C01,C02
Iron 259.940 [Radial]	C01,C02
Lead 220.353 [Axial]	C01,C02
Magnesium 285.213 [Radial]	C01,C02
Manganese 257.610 [Axial]	C01,C02
Molybdenum 202.030 [Axial]	C01,C02
Nickel 231.604 [Axial]	C01,C02
Potassium 766.490 [Radial]	C01,C02
Phosphorus 178.284 [Axial]	C01,C02
Phosphorus 178.284 [Radial]	C01,C02
Selenium 196.090 [Axial]	C01,C02
Silver 328.068 [Axial]	C01,C02
Sodium 589.592 [Axial]	C01,C02
Sodium 589.592 [Radial]	C01,C02
Strontium 346.446 [Radial]	C01,C02
Strontium 421.552 [Radial]	C01,C02
Thallium 190.856 [Axial]	C01,C02
Vanadium 309.311 [Axial]	C01,C02
Zinc 213.856 [Axial]	C01,C02
<b><i>EPA 200.8 Rev 5.4 in Water</i></b>	
Aluminum [He]	C01,C02
Antimony [He]	C01,C02
Antimony [NG]	C01,C02
Arsenic [He]	C01,C02
Arsenic [NG]	C01,C02
Barium [He]	C01,C02
Beryllium [He]	C01,C02
Cadmium [He]	C01,C02

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

Cadmium [NG]	C01,C02
Chromium [He]	C01,C02
Cobalt [He]	C01,C02
Copper [He]	C01,C02
Copper [NG]	C01,C02
Iron [He]	C01,C02
Lead [He]	C01,C02
Lead [NG]	C01,C02
Manganese [He]	C01,C02
Molybdenum [He]	C01,C02
Nickel [He]	C01,C02
Selenium [He]	C01,C02
Selenium [NG]	C01,C02
Silver [He]	C01,C02
Silver [NG]	C01,C02
Strontium [He]	C01,C02
Thallium [He]	C01,C02
Vanadium [He]	C01,C02
Zinc [He]	C01,C02

**SM 2540 C-2020 in Water**

Total Dissolved Solids	C01,C02
------------------------	---------

**SM 4110 B-2020 in Water**

Chloride	C01,C02
Nitrite as N	C01,C02
Nitrate as N	C01,C02
Sulfate as SO4	C01,C02

**\*\*Only compounds included in this list are associated with accredited analyses\*\***

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
04/24/2025 10:49

*Laboratory Accreditations/Certifications*

Code	Description	Number	Expires
C01	LA Environmental Lab Accreditation Program	01960	06/30/2025
C02	The NELAC Institute (NELAP)	TNI01397	06/30/2025
C03	MS Dept of Health (Drinking Water Microbiology)	MS00021	12/31/2025
C04	MS Dept of Health (Drinking Water Chemistry)	MS00021	12/31/2025
C05	MS DEQ Lead Firm Certification	PBF-00000028	03/31/2025
C06	MSDEQ Asbestos Inspector : C.D. Bingham	ABI-00001348	02/13/2026
C07	MSDEQ Air Monitor : C.D. Bingham	AM-011572	02/14/2026
C08	MSDEQ Asbestos Inspector: C. W. Meins	ABI-00001821	09/09/2025
C09	MSDEQ Air Monitor : C.W. Meins	AM-011189	02/14/2026
C10	ADEM (Drinking Water Microbiology)	43500	12/31/2024
C11	ADEM (Drinking Water Chemistry)	43500	12/31/2024
C14	MSDEQ Lead Paint Inspector : C.D. Bingham	PBI-00003690	03/07/2025
C15	MSDEQ Lead Paint Inspector : C.W. Meins	PBI-00001740	03/31/2025

**Report Definitions**

TNC	Too Numerous To Count
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the minimum reporting limit
NR	Not Reported
RPD	Relative Percent Difference
ICV	Initial Calibration Verification
CCV	Continuing Calibration Verification Standard
SSV	Secondary Source Verification Standard
LCS	Lab Control Spike - Lab matrix prepared with known concentration of analyte/s of interest analyzed by method.
MS	Matrix Spike - Sample prepared with known concentration of analyte/s of interest analyzed by method.
MSD	Matrix Spike Duplicate - Duplicate sample prepared with known concentration of analyte/s of interest analyzed by method.
MRL	Minimum Reporting Limit
%REC	Percentage Recovery of known concentration added to matrix
Batch	Group of samples prepared for analysis not to exceed 20 samples.
Matrix	Material containing analyte/s of interest
Surrogate	Analyte added to sample to determine extraction efficiency of method.



6500 Sunplex Drive  
Ocean Springs, MS 39564  
228-875-6420 Phone  
228-875-6423 Fax

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

**Reported:**  
04/24/2025 10:49

### Analyst Initials Key

---

<u>FullName</u>	<u>Initials</u>
Cristina D Vargas	CDV
Charles L Vorhoff	CLV
Christa R Gray	CRG
Sarah E. Tomek	SET
Samantha C. Hall	SCH
Teresa Meins	TKM
Tina Tomek	TPT

**Chain of Custody Record**

Print Form

PO Box 1410, Ocean Springs, MS 39566-1410  
(228) 875-6420 FAX (228) 875-6423  
www.micromethodslab.com

Lab ID# MS00021  
LELAP ID # 01960  
TNI ID # TNI01397

MAM Lab  
W/O #  
**2503516**

Company Name: **Choctaw Generation Limited Partnership LLLP** Project Manager: **Jim Ward**

Address: **2391 Pensacola Rd.** Purchase Order #:

City: **Ackerman** State: **MS** Zip: **39735** Email Address: **jmward@southernco.com**

Phone: **662-387-5758** Sampler Name Printed: **Kirk Shelton**

Fax: **662-387-5758** Sampler Name Signed: *Kirk Shelton*

**CGLP CCR**

**Semi-Annual**

List Analyses Requested

Project #:	Sample Identification	Sampling Date/Time	Matrix Code	# of Containers	Grab (G) or Composite (C)	List Analyses Requested										
						TDS	Chloride, Fluoride, Sulfate	Antimony, Arsenic	Barium, Boron	Beryllium, Cadmium	Chromium, Lead	Calcium, Cobalt	Lithium	Molybdenum, Selenium	Total Radium 226 & 228	
	MW-9	3/26/16:20	W	4	G	X	X	X	X	X	X	X	X	X	X	X
	OW-2	3/26/14:40	W	4	G	X	X	X	X	X	X	X	X	X	X	X
	MW-13	3/27/9:50	W	4	G	X	X	X	X	X	X	X	X	X	X	X
	MW-7	3/27/11:11	W	4	G	X	X	X	X	X	X	X	X	X	X	X
	MW-14	3/27/16:00	W	4	G	X	X	X	X	X	X	X	X	X	X	X
	Field Blank	3/27/11:40	W	4	G	X	X	X	X	X	X	X	X	X	X	X
	Duplicate		W	4	G	X	X	X	X	X	X	X	X	X	X	X
	MW-12	3/26/5:25	W	4	G	X	X	X	X	X	X	X	X	X	X	X
	CCR-2	3/26/3:50	W	4	G	X	X	X	X	X	X	X	X	X	X	X
	CCR-3	3/26/9:35	W	4	G	X	X	X	X	X	X	X	X	X	X	X
	CCR-4	3/26/10:50	W	4	G	X	X	X	X	X	X	X	X	X	X	X

Received on Ice?  Y  N Thermometer # **81** Cooler # **5** Receipt Temp Corrected (°C) **5**

Date & Time	Printed Name	Signature	Company	Date	Time
	Kirk Shelton	<i>Kirk Shelton</i>	ELST	3/27/16	1505
	Fed Ex				
	Fed Ex				
	Shelton				
	Received by				
	Relinquished by				
	Received by				
	Relinquished by				
	Received by				

Turn Around Time & Reporting  
Our normal turn around time is 10 working days  
 Normal  
 Next Day\*  
 2nd Day\*  
 Other\*  
\*All rush order requests must be prior approved.  
Phone \_\_\_\_\_  
Mail \_\_\_\_\_  
Fax \_\_\_\_\_  
Email \_\_\_\_\_

Field Testing

ID#	ID#	ID#	ID#	ID#
Field Test	Field Test	Field Test	Field Test	Field Test

Matrix:  
W = Water  
DW = Drinking Water  
S = Solid  
SO = Soil  
SE = Sediment  
L = Liquid  
A = Air  
O = Oil  
SL = Sludge

Preservation:

- 1 = H2SO4
- 2 = H3PO4
- 3 = NaOH
- 4 = ZnCAH1006
- 5 = ZnCAH1006 & NaOH
- 6 = HNO3
- 7 = Na2S2O3
- 8 = HCl
- 9 = NaHSO4

Notes:

See note on second page.  
client cooler #1 3.3°C  
client cooler #2 0.5°C

Physical Address: 6500 Sunplex Drive, Ocean Springs MS 39564

PO Box 1410, Ocean Springs, MS 39566-1410  
(228) 875-6420 FAX (228) 875-6423  
www.micromethodslab.com

**Chain of Custody Record**

Lab ID# MS00021  
LELAP ID # 01960  
TNI ID # TNI01397

M-M Lab  
W/O #

2503516

Print Form

Project Manager:

**Jim Ward**

Purchase Order #:

Email Address: **inward@southernco.com**

Sampler Name Printed:

Sampler Name Signed: *Kell Shelton*

**Turn Around Time & Reporting**  
Our normal turn around time is 10 working days

Normal  
 Next Day\*  
 2nd Day\*  
 Other\*  
\*All rush order requests must be prior approved.

OC Level: Level 1  Level 2  Level 3

**Field Testing**

Matrix:  
W = Water  
DW = Drinking Water  
S = Solid  
SO = Soil  
SE = Sediment  
L = Liquid  
A = Air  
O = Oil  
SL = Sludge

**Preservation:**

- 1 = H2SO4
- 2 = H3PO4
- 3 = NaOH
- 4 = ZnCAH1006
- 5 = ZnCAH1006 & NaOH
- 6 = HNO3
- 7 = Na2S2O3
- 8 = HCl
- 9 = NaHSO4

**List Analyses Requested**

Preservative:	Grab (G) or Composite (C)	TDS	Chloride, Fluoride, Sulfate	Antimony, Arsenic	Barium, Boron	Beryllium, Cadmium	Chromium, Lead	Calcium, Cobalt	Lithium	Molybdenum, Selenium	Total Radium 226 & 228
	G	X	X	X	X	X	X	X	X	X	X

**CGLP CCR**

**Semi-Annual**

Sample Identification	Sampling Date/Time	Matrix Code	# of Containers
CCR-5	3/26/12	W	4

**Receipt Temp Corrected (C)**

Sample \_\_\_\_\_ Blank  Cooler \_\_\_\_\_

Received on Ice  Y  N Thermometer # 58 Cooler # \_\_\_\_\_

Date & Time	By:	Printed Name	Signature	Company	Date	Time
		Kell Shelton	<i>Kell Shelton</i>	ES/Trinity	3/25/12	15:05
		Federex	<i>Federex</i>	MM	3/28/12	08:21
		Received by				
		Relinquished by				
		Relinquished by				
		Received by				

Notes:  
Please ship coolers back with next event glassware (Annual Event).  
Thanks  
Kirk

Physical Address: 6500 Sunplex Drive, Ocean Springs MS 39564



April 22, 2025

Tina Tomek  
Micro-Methods Lab  
6500 Sunplex Drive  
Ocean Springs, MS 39564

RE: Project: 2503516  
Pace Project No.: 30768670

Dear Tina Tomek:

Enclosed are the analytical results for sample(s) received by the laboratory on April 03, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Greensburg

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Justin P. Horn  
justin.horn@pacelabs.com  
(724)850-5600  
Project Manager

Enclosures

cc: Accounts Payable, Micro-Methods Lab



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: 2503516  
 Pace Project No.: 30768670

---

### Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601  
 ANAB DOD-ELAP Rad Accreditation #: L2417  
 ANABISO/IEC 17025:2017 Rad Cert#: L24170  
 Alabama Certification #: 41590  
 Arizona Certification #: AZ0734  
 Arkansas Certification  
 California Certification #: 2950  
 Colorado Certification #: PA01547  
 Connecticut Certification #: PH-0694  
 EPA Region 4 DW Rad  
 Florida/TNI Certification #: E87683  
 Georgia Certification #: C040  
 Guam Certification  
 Hawaii Certification  
 Idaho Certification  
 Illinois Certification  
 Indiana Certification  
 Iowa Certification #: 391  
 Kansas Certification #: E-10358  
 Kentucky Certification #: KY90133  
 KY WW Permit #: KY0098221  
 KY WW Permit #: KY0000221  
 Louisiana DHH/TNI Certification #: LA010  
 Louisiana DEQ/TNI Certification #: 04086  
 Maine Certification #: 2023021  
 Maryland Certification #: 308  
 Massachusetts Certification #: M-PA1457  
 Michigan/PADEP Certification #: 9991

Missouri Certification #: 235  
 Montana Certification #: Cert0082  
 Nebraska Certification #: NE-OS-29-14  
 Nevada Certification #: PA014572023-03  
 New Hampshire/TNI Certification #: 297622  
 New Jersey/TNI Certification #: PA051  
 New Mexico Certification #: PA01457  
 New York/TNI Certification #: 10888  
 North Carolina Certification #: 42706  
 North Dakota Certification #: R-190  
 Ohio EPA Rad Approval: #41249  
 Oregon/TNI Certification #: PA200002-015  
 Pennsylvania/TNI Certification #: 65-00282  
 Puerto Rico Certification #: PA01457  
 Rhode Island Certification #: 65-00282  
 South Dakota Certification  
 Tennessee Certification #: TN02867  
 Texas/TNI Certification #: T104704188-22-18  
 Utah/TNI Certification #: PA014572223-14  
 USDA Soil Permit #: 525-23-67-77263  
 Vermont Dept. of Health: ID# VT-0282  
 Virgin Island/PADEP Certification  
 Virginia/VELAP Certification #: 460198  
 Washington Certification #: C868  
 West Virginia DEP Certification #: 143  
 West Virginia DHHR Certification #: 9964C  
 Wisconsin Approve List for Rad

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



### SAMPLE SUMMARY

Project: 2503516  
Pace Project No.: 30768670

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30768670001	2503516-01	Water	03/26/25 16:20	04/03/25 10:05
30768670002	2503516-02	Water	03/26/25 14:40	04/03/25 10:05
30768670003	2503516-03	Water	03/27/25 09:50	04/03/25 10:05
30768670004	2503516-04	Water	03/27/25 11:11	04/03/25 10:05
30768670005	2503516-05	Water	03/27/25 12:00	04/03/25 10:05
30768670006	2503516-06	Water	03/27/25 11:40	04/03/25 10:05
30768670007	2503516-07	Water	03/27/25 00:00	04/03/25 10:05
30768670008	2503516-08	Water	03/26/25 15:25	04/03/25 10:05
30768670009	2503516-09	Water	03/26/25 13:50	04/03/25 10:05
30768670010	2503516-10	Water	03/26/25 09:35	04/03/25 10:05
30768670011	2503516-11	Water	03/26/25 10:50	04/03/25 10:05
30768670012	2503516-12	Water	03/26/25 12:10	04/03/25 10:05

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**SAMPLE ANALYTE COUNT**

Project: 2503516  
 Pace Project No.: 30768670

Lab ID	Sample ID	Method	Analysts	Analytes Reported
30768670001	2503516-01	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670002	2503516-02	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670003	2503516-03	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670004	2503516-04	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670005	2503516-05	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670006	2503516-06	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670007	2503516-07	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670008	2503516-08	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670009	2503516-09	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670010	2503516-10	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670011	2503516-11	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30768670012	2503516-12	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 2503516  
Pace Project No.: 30768670

---

Lab ID	Sample ID	Method	Analysts	Analytes Reported
--------	-----------	--------	----------	-------------------

---

PASI-PA = Pace Analytical Services - Greensburg

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2503516  
 Pace Project No.: 30768670

Sample: 2503516-01		Lab ID: 30768670001	Collected: 03/26/25 16:20	Received: 04/03/25 10:05	Matrix: Water		
PWS:		Site ID:	Sample Type:				
Parameters	Method	Act ± Unc (MDC)	Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg							
Radium-226	EPA 903.1	<b>0.373 ± 0.669 (1.17)</b>		pCi/L	04/21/25 14:24	13982-63-3	
		<b>C:NA T:89%</b>					
Pace Analytical Services - Greensburg							
Radium-228	EPA 904.0	<b>1.69 ± 0.663 (1.09)</b>		pCi/L	04/21/25 11:36	15262-20-1	
		<b>C:74% T:81%</b>					
Pace Analytical Services - Greensburg							
Total Radium	Total Radium Calculation	<b>2.06 ± 1.33 (2.26)</b>		pCi/L	04/22/25 13:56	7440-14-4	

Sample: 2503516-02		Lab ID: 30768670002	Collected: 03/26/25 14:40	Received: 04/03/25 10:05	Matrix: Water		
PWS:		Site ID:	Sample Type:				
Parameters	Method	Act ± Unc (MDC)	Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg							
Radium-226	EPA 903.1	<b>0.000 ± 0.489 (0.965)</b>		pCi/L	04/21/25 14:24	13982-63-3	
		<b>C:NA T:91%</b>					
Pace Analytical Services - Greensburg							
Radium-228	EPA 904.0	<b>0.616 ± 0.398 (0.755)</b>		pCi/L	04/21/25 11:36	15262-20-1	
		<b>C:76% T:89%</b>					
Pace Analytical Services - Greensburg							
Total Radium	Total Radium Calculation	<b>0.616 ± 0.887 (1.72)</b>		pCi/L	04/22/25 13:56	7440-14-4	

Sample: 2503516-03		Lab ID: 30768670003	Collected: 03/27/25 09:50	Received: 04/03/25 10:05	Matrix: Water		
PWS:		Site ID:	Sample Type:				
Parameters	Method	Act ± Unc (MDC)	Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg							
Radium-226	EPA 903.1	<b>0.207 ± 0.407 (0.730)</b>		pCi/L	04/21/25 14:24	13982-63-3	
		<b>C:NA T:93%</b>					
Pace Analytical Services - Greensburg							
Radium-228	EPA 904.0	<b>0.568 ± 0.407 (0.778)</b>		pCi/L	04/21/25 11:36	15262-20-1	
		<b>C:71% T:76%</b>					
Pace Analytical Services - Greensburg							
Total Radium	Total Radium Calculation	<b>0.775 ± 0.814 (1.51)</b>		pCi/L	04/22/25 13:56	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: 2503516  
 Pace Project No.: 30768670

Sample: 2503516-04		Lab ID: 30768670004	Collected: 03/27/25 11:11	Received: 04/03/25 10:05	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.205 ± 0.569 (1.03)</b> C:NA T:93%	pCi/L	04/21/25 14:24	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.219 ± 0.335 (0.724)</b> C:72% T:80%	pCi/L	04/21/25 11:36	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.424 ± 0.904 (1.75)</b>	pCi/L	04/22/25 13:56	7440-14-4	

Sample: 2503516-05		Lab ID: 30768670005	Collected: 03/27/25 12:00	Received: 04/03/25 10:05	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.208 ± 0.408 (0.733)</b> C:NA T:94%	pCi/L	04/21/25 14:24	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.287 ± 0.353 (0.745)</b> C:76% T:76%	pCi/L	04/21/25 11:36	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.495 ± 0.761 (1.48)</b>	pCi/L	04/22/25 13:56	7440-14-4	

Sample: 2503516-06		Lab ID: 30768670006	Collected: 03/27/25 11:40	Received: 04/03/25 10:05	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>-0.610 ± 0.673 (1.38)</b> C:NA T:101%	pCi/L	04/21/25 14:24	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.626 ± 0.391 (0.731)</b> C:72% T:91%	pCi/L	04/21/25 11:36	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.626 ± 1.06 (2.11)</b>	pCi/L	04/22/25 13:56	7440-14-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2503516  
 Pace Project No.: 30768670

Sample: 2503516-07		Lab ID: 30768670007	Collected: 03/27/25 00:00	Received: 04/03/25 10:05	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.151 ± 0.472 (0.875)</b> C:NA T:93%	pCi/L	04/21/25 14:24	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.700 ± 0.375 (0.656)</b> C:78% T:84%	pCi/L	04/21/25 11:36	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.851 ± 0.847 (1.53)</b>	pCi/L	04/22/25 13:56	7440-14-4	

Sample: 2503516-08		Lab ID: 30768670008	Collected: 03/26/25 15:25	Received: 04/03/25 10:05	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.0957 ± 0.497 (0.932)</b> C:NA T:93%	pCi/L	04/21/25 14:40	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.372 ± 0.369 (0.755)</b> C:73% T:80%	pCi/L	04/21/25 11:37	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.468 ± 0.866 (1.69)</b>	pCi/L	04/22/25 13:56	7440-14-4	

Sample: 2503516-09		Lab ID: 30768670009	Collected: 03/26/25 13:50	Received: 04/03/25 10:05	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.584 ± 0.491 (0.730)</b> C:NA T:92%	pCi/L	04/21/25 14:40	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.756 ± 0.524 (1.03)</b> C:72% T:85%	pCi/L	04/21/25 11:37	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>1.34 ± 1.02 (1.76)</b>	pCi/L	04/22/25 13:56	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: 2503516  
 Pace Project No.: 30768670

Sample: 2503516-10		Lab ID: 30768670010	Collected: 03/26/25 09:35	Received: 04/03/25 10:05	Matrix: Water		
PWS:		Site ID:	Sample Type:				
Parameters	Method	Act ± Unc (MDC) Carr Trac		Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg							
Radium-226	EPA 903.1	<b>-0.149 ± 0.403 (0.867)</b> C:NA T:92%		pCi/L	04/21/25 14:40	13982-63-3	
Pace Analytical Services - Greensburg							
Radium-228	EPA 904.0	<b>1.04 ± 0.732 (1.44)</b> C:71% T:60%		pCi/L	04/21/25 11:37	15262-20-1	
Pace Analytical Services - Greensburg							
Total Radium	Total Radium Calculation	<b>1.04 ± 1.14 (2.31)</b>		pCi/L	04/22/25 13:56	7440-14-4	

Sample: 2503516-11		Lab ID: 30768670011	Collected: 03/26/25 10:50	Received: 04/03/25 10:05	Matrix: Water		
PWS:		Site ID:	Sample Type:				
Parameters	Method	Act ± Unc (MDC) Carr Trac		Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg							
Radium-226	EPA 903.1	<b>0.000 ± 0.690 (1.29)</b> C:NA T:92%		pCi/L	04/21/25 14:40	13982-63-3	
Pace Analytical Services - Greensburg							
Radium-228	EPA 904.0	<b>1.14 ± 0.533 (0.927)</b> C:76% T:87%		pCi/L	04/21/25 11:37	15262-20-1	
Pace Analytical Services - Greensburg							
Total Radium	Total Radium Calculation	<b>1.14 ± 1.22 (2.22)</b>		pCi/L	04/22/25 13:56	7440-14-4	

Sample: 2503516-12		Lab ID: 30768670012	Collected: 03/26/25 12:10	Received: 04/03/25 10:05	Matrix: Water		
PWS:		Site ID:	Sample Type:				
Parameters	Method	Act ± Unc (MDC) Carr Trac		Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg							
Radium-226	EPA 903.1	<b>0.325 ± 0.426 (0.709)</b> C:NA T:83%		pCi/L	04/21/25 14:40	13982-63-3	
Pace Analytical Services - Greensburg							
Radium-228	EPA 904.0	<b>0.913 ± 0.497 (0.908)</b> C:74% T:92%		pCi/L	04/21/25 11:37	15262-20-1	
Pace Analytical Services - Greensburg							
Total Radium	Total Radium Calculation	<b>1.24 ± 0.923 (1.62)</b>		pCi/L	04/22/25 13:56	7440-14-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2503516  
 Pace Project No.: 30768670

---

QC Batch:	737547	Analysis Method:	EPA 904.0
QC Batch Method:	EPA 904.0	Analysis Description:	904.0 Radium 228
		Laboratory:	Pace Analytical Services - Greensburg

Associated Lab Samples: 30768670001, 30768670002, 30768670003, 30768670004, 30768670005, 30768670006, 30768670007, 30768670008, 30768670009, 30768670010, 30768670011, 30768670012

---

METHOD BLANK: 3589760 Matrix: Water

Associated Lab Samples: 30768670001, 30768670002, 30768670003, 30768670004, 30768670005, 30768670006, 30768670007, 30768670008, 30768670009, 30768670010, 30768670011, 30768670012

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-228	0.187 ± 0.371 (0.817) C:77% T:85%	pCi/L	04/21/25 11:37	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2503516  
 Pace Project No.: 30768670

---

QC Batch:	737546	Analysis Method:	EPA 903.1
QC Batch Method:	EPA 903.1	Analysis Description:	903.1 Radium-226
		Laboratory:	Pace Analytical Services - Greensburg

Associated Lab Samples: 30768670001, 30768670002, 30768670003, 30768670004, 30768670005, 30768670006, 30768670007, 30768670008, 30768670009, 30768670010, 30768670011, 30768670012

---

METHOD BLANK: 3589756 Matrix: Water

Associated Lab Samples: 30768670001, 30768670002, 30768670003, 30768670004, 30768670005, 30768670006, 30768670007, 30768670008, 30768670009, 30768670010, 30768670011, 30768670012

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-226	0.115 ± 0.249 (0.458) C:NA T:92%	pCi/L	04/21/25 14:12	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: 2503516  
Pace Project No.: 30768670

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Act - Activity

Unc - Uncertainty: For Safe Drinking Water Act (SDWA) analyses, the reported Unc. is the calculated Count Uncertainty (95% confidence interval) using a coverage factor of 1.96. For all other matrices (non-SDWA), the reported Unc. is the calculated Expanded Uncertainty (aka Combined Standard Uncertainty, CSU), reported at the 95% confidence interval using a coverage factor of 1.96.

Gamma Spec: The Unc. reported for all gamma-spectroscopy analyses (EPA 901.1), is the calculated Expanded Uncertainty (CSU) at the 95.4% confidence interval, using a coverage factor of 2.0.

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 2503516  
 Pace Project No.: 30768670

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30768670001	2503516-01	EPA 903.1	737546		
30768670002	2503516-02	EPA 903.1	737546		
30768670003	2503516-03	EPA 903.1	737546		
30768670004	2503516-04	EPA 903.1	737546		
30768670005	2503516-05	EPA 903.1	737546		
30768670006	2503516-06	EPA 903.1	737546		
30768670007	2503516-07	EPA 903.1	737546		
30768670008	2503516-08	EPA 903.1	737546		
30768670009	2503516-09	EPA 903.1	737546		
30768670010	2503516-10	EPA 903.1	737546		
30768670011	2503516-11	EPA 903.1	737546		
30768670012	2503516-12	EPA 903.1	737546		
30768670001	2503516-01	EPA 904.0	737547		
30768670002	2503516-02	EPA 904.0	737547		
30768670003	2503516-03	EPA 904.0	737547		
30768670004	2503516-04	EPA 904.0	737547		
30768670005	2503516-05	EPA 904.0	737547		
30768670006	2503516-06	EPA 904.0	737547		
30768670007	2503516-07	EPA 904.0	737547		
30768670008	2503516-08	EPA 904.0	737547		
30768670009	2503516-09	EPA 904.0	737547		
30768670010	2503516-10	EPA 904.0	737547		
30768670011	2503516-11	EPA 904.0	737547		
30768670012	2503516-12	EPA 904.0	737547		
30768670001	2503516-01	Total Radium Calculation	741223		
30768670002	2503516-02	Total Radium Calculation	741223		
30768670003	2503516-03	Total Radium Calculation	741223		
30768670004	2503516-04	Total Radium Calculation	741223		
30768670005	2503516-05	Total Radium Calculation	741223		
30768670006	2503516-06	Total Radium Calculation	741223		
30768670007	2503516-07	Total Radium Calculation	741223		
30768670008	2503516-08	Total Radium Calculation	741223		
30768670009	2503516-09	Total Radium Calculation	741223		
30768670010	2503516-10	Total Radium Calculation	741223		
30768670011	2503516-11	Total Radium Calculation	741223		
30768670012	2503516-12	Total Radium Calculation	741223		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



# MICRO-METHO LABORATORY, INC.

WO# : 30768670



30768670

### Sending Laboratory:

Micro-Methods Laboratory, Inc.  
6500 Sunplex Drive  
Ocean Springs, MS 39564  
Phone: 228.875.6420  
Fax: 228.875.6423

Project Manager: Teresa Meins

### Subcontracted Laboratory:

Pace Analytical-7  
1638 Roseytown Rd. Suites 2, 3, 4  
Greensburg, PA 15601  
Phone: (724) 850-5600  
Fax: -

Received by                      Greensburg  
Therm ID                      Cor Factor +/-                       
Receipt Temp                       
Corrected Temp                       
Correct Preservation Y/N                     

### Work Order: 2503516

Analysis	Due	Expires	Comments
<b>Sample ID: 2503516-01</b> <i>Water</i> <b>Sampled: 03/26/2025 16:20</b> <b>Sample Name: MW-9</b>			ØØ1
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/23/2025 16:20	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-02</b> <i>Water</i> <b>Sampled: 03/26/2025 14:40</b> <b>Sample Name: OW-2</b>			ØØ2
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/23/2025 14:40	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-03</b> <i>Water</i> <b>Sampled: 03/27/2025 09:50</b> <b>Sample Name: MW-13</b>			ØØ3
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/24/2025 09:50	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-04</b> <i>Water</i> <b>Sampled: 03/27/2025 11:11</b> <b>Sample Name: MW-7</b>			ØØ4
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/24/2025 11:11	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-05</b> <i>Water</i> <b>Sampled: 03/27/2025 12:00</b> <b>Sample Name: MW-14</b>			ØØ5
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/24/2025 12:00	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-06</b> <i>Water</i> <b>Sampled: 03/27/2025 11:40</b> <b>Sample Name: Field Blank</b>			ØØ6
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/24/2025 11:40	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-07</b> <i>Water</i> <b>Sampled: 03/27/2025 00:00</b> <b>Sample Name: Duplicate</b>			ØØ7

Smah Jorneh 3/31/25 @ 1630  
Released By Date

WPS 3/31/25 @ 1630  
Received By Date

WPS  
Released By Date

BK-11 4.3.25 1005  
Received By Date



**Work Order: 2503516 (Continued)**

Analysis	Due	Expires	Comments
<b>Sample ID: 2503516-07</b> Water Sampled: 03/27/2025 00:00 Sample Name: Duplicate			<del>008</del> 008
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/24/2025 00:00	
Containers Supplied: 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-08</b> Water Sampled: 03/26/2025 15:25 Sample Name: MW-12			<del>009</del> 008
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/23/2025 15:25	
Containers Supplied: 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-09</b> Water Sampled: 03/26/2025 13:50 Sample Name: CCR-2			<del>009</del> 009
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/23/2025 13:50	
Containers Supplied: 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-10</b> Water Sampled: 03/26/2025 09:35 Sample Name: CCR-3			<del>011</del> 010
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/23/2025 09:35	
Containers Supplied: 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-11</b> Water Sampled: 03/26/2025 10:50 Sample Name: CCR-4			<del>012</del> 011
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/23/2025 10:50	
Containers Supplied: 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2503516-12</b> Water Sampled: 03/26/2025 12:10 Sample Name: CCR-5			<del>013</del> 012
Radium, Total 226 & 228 by EPA 903.1 & 9C	04/07/2025	04/23/2025 12:10	
Containers Supplied: 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			

Smah Jorner 3/31/25 1630  
 Released By \_\_\_\_\_ Date \_\_\_\_\_  
 LPS \_\_\_\_\_ Date \_\_\_\_\_

LPS 3/31/25 1630  
 Received By \_\_\_\_\_ Date \_\_\_\_\_  
 B. Kell 4.3.25 605  
 Received By \_\_\_\_\_ Date \_\_\_\_\_

DC#\_Title: ENV-FRM-GBUR-0088 v07\_S  
Greensburg  
Effective Date: 01/04/2024

WO#: 30768670

PM: JPH Due Date: 04/24/25  
CLIENT: MICROMETHOD



Client Name: Macro-Methods

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other

Initial / Date

Tracking Number: 1Z3530630370875468 (001-006)

Examined By: JML 4/3/25  
Labeled By: JML 4/3/25  
Temped By: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  Yes  No  
Seals Intact:  Yes  No

Thermometer Used: \_\_\_\_\_ Type of Ice: Wet Blue None

Cooler Temperature: Observed Temp \_\_\_\_\_ °C Correction Factor: \_\_\_\_\_ °C Final Temp: \_\_\_\_\_ °C  
Temp should be above freezing to 6°C

Comments:	Yes	No	NA	pH paper Lot#	D.P.D. Residual Chlorine Lot #
				<u>1803241</u>	_____
Chain of Custody Present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Chain of Custody Filled Out: -Were client corrections present on COC	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Chain of Custody Relinquished	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Sample Labels match COC: -Includes date/time/ID Matrix: <u>NT</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Short Hold Time Analysis (<72hr remaining):	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Rush Turn Around Time Requested:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Sufficient Volume:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Correct Containers Used: -Pace Containers Used	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Containers Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Orthophosphate field filtered:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Hex Cr Aqueous samples field filtered:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Organic Samples checked for dichlorination	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Filtered volume received for dissolved tests:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
All containers checked for preservation: exceptions: VOA, coliform, TOC, O&G, Phenolics, Radon, non-aqueous matrix	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
All containers meet method preservation requirements:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Initial when completed: <u>JML</u> Lo# of added Preservative: _____	Date/Time of Preservation: _____
8260C/D: Headspace in VOA Vials (> 6mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
624.1: Headspace in VOA Vials (0mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Radon: Headspace in RAD Vials (0mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Trip Blank Present:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Trip blank custody seal present? YES or NO
Rad Samples Screened <.05 mrem/hr.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Initial when completed: <u>BC</u> Date: <u>4.3.25</u>	Survey Meter SN: <u>2014580</u>
Comments:					

Note: For NC compliance samples with discrepancies, a copy of this form must be sent to the DEHNR Certification office.  
PM Review is documented electronically in LIMS through the SRF Review schedule in the Workorder Edit Screen.  
Qualtrax ID: 55680

Client  
 Site 2503510

Profile/EZ Login Number 14460

Page 1 of 7

Notes

Jml 4/3/25

Sample Line Item	Matrix	Amber Glass								Plastic								Vials								Other							
		AG1H	AG3S	AG3U	AG5U	AG5T	BP1N	BP1U	BP2S	BP2U	BP3B	BP3N	BP3S	BP3U	DG9S	VG9H	VG9T	VG9U	VOAK	WGFU	WGKU	ZPLC	GCUB	GJN	12GN	AG1U	BG1U	BP2N					
001	WT						2																										
002	WT						2																										
003	WT						2																										
004	WT						2																										
005	WT						2																										
006	WT						2																										
007	WT						2																										
008	WT						2																										
009	WT						2																										
010	WT						2																										
011	WT						2																										
012	WT						2																										

Container Codes

WO#: 30768670

PM: JPH Due Date: 04/24/25  
 CLIENT: MICROMETHOD

Glass	
GJN	1 Gallon Jug with HNO3
AG5U	100mL amber glass unpreserved
AG5T	100mL amber glass Na Thiosulfate
GJN	1 Gallon Jug
AG1S	1L amber glass H2SO4
AG1H	1L amber glass HCl
AG1T	1L amber glass NA Thiosulfate
BG4U	1L clear glass unpreserved
AG2U	250mL amber glass H2SO4
AG2U	250mL amber glass unpreserved
GN	General

Plastic/Misc.	
GCUB	1 gallon cubitainer
12GN	1/2 gallon cubitainer
SP5T	120mL coliform Na Thiosulfate
BP1N	1L plastic HNO3
BP1U	1L plastic unpreserved
BP3S	250mL plastic H2SO4
BP3N	250mL plastic HNO3
BP3U	250mL plastic unpreserved
BP3B	250mL plastic NAOH
BP2S	500mL plastic H2SO4
BP2U	500mL plastic unpreserved

Qualtrax ID: 55678

Pace Analytical Services, LLC



**Mailing Address:**  
**PO Box 1410**  
**Ocean Springs, MS**  
**39566-1410**

**6500 Sunplex Drive**  
**Ocean Springs, MS 39564**  
**228.875.6420 Phone**  
**228.875.6423 Fax**

June 16, 2025

Jim Ward

**Work Order # :** 2505321

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman, MS 39735  
*RE: CGLP CCR Annual*

**Purchase Order #:** RDH21227 - Yr 2025

Enclosed are Micro-Methods Laboratory, Inc. results of analyses performed on samples received 05/16/2025 08:17. If you have any questions concerning this report, please feel free to contact the office.

Sincerely,

A handwritten signature in black ink, appearing to read "MS", is enclosed in a light gray rectangular box.

Mitch Spicer

Lab Director  
 Micro-Methods Laboratory, Inc.



**DISCLAIMER**

*The results only relate to the items or the sample and/or samples received by the laboratory. This report shall not be reproduced except in full, without the approval of the laboratory. All NELAP certified test methods performed meet the requirements of NELAC 2009 Standards. Any variances and/or deviations specific to this analytical report are referenced in the lab report using qualifiers and detailed explanations found in the case narrative.*

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date/Time Sampled	Sampled by	Date/Time Received
MW-7	2505321-01	Water	05/15/2025 09:40	Kirk Shelton	05/16/2025 08:17
MW-9	2505321-02	Water	05/14/2025 09:51	Kirk Shelton	05/16/2025 08:17
MW-12	2505321-03	Water	05/14/2025 11:30	Kirk Shelton	05/16/2025 08:17
MW-13	2505321-04	Water	05/15/2025 10:50	Kirk Shelton	05/16/2025 08:17
MW-14	2505321-05	Water	05/15/2025 11:45	Kirk Shelton	05/16/2025 08:17
Field Blank	2505321-06	Water	05/15/2025 11:16	Kirk Shelton	05/16/2025 08:17
Duplicate	2505321-07	Water	05/14/2025 00:00	Kirk Shelton	05/16/2025 08:17
OW-2	2505321-08	Water	05/14/2025 10:41	Kirk Shelton	05/16/2025 08:17
CCR-2	2505321-09	Water	05/14/2025 12:50	Kirk Shelton	05/16/2025 08:17
CCR-3	2505321-10	Water	05/14/2025 08:45	Kirk Shelton	05/16/2025 08:17
CCR-4	2505321-11	Water	05/14/2025 15:45	Kirk Shelton	05/16/2025 08:17
CCR-5	2505321-12	Water	05/14/2025 14:45	Kirk Shelton	05/16/2025 08:17

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 06/16/2025 10:25

**Sample Receipt Conditions**

Date/Time Received: 5/16/2025 8:17:00AM

Shipped by: Fed Ex

Received by: Sarah E. Tomek

Submitted by: Kirk Shelton

Date/Time Logged: 5/16/2025 8:37:00AM

Logged by: Sarah E. Tomek

Cooler ID: client cooler #1

Receipt Temperature: 0.4 °C

<i>Cooler Custody Seals Present</i>	No	<i>Received on Ice but Not Frozen</i>	Yes
<i>Containers Intact</i>	Yes	<i>No Ice, Short Trip</i>	No
<i>COC/Labels Agree</i>	Yes	<i>Obvious Contamination</i>	No
<i>Labels Complete</i>	Yes	<i>Rush to meet HT</i>	No
<i>COC Complete</i>	Yes	<i>Received within HT</i>	Yes
<i>Volatile Vial Headspace &gt;6mm</i>	No	<i>Proper Containers for Analysis</i>	Yes
<i>Field Sheet/Instructions Included</i>	No	<i>Correct Preservation</i>	Yes
<i>Samples Rejected/Documented in Log</i>	No	<i>Adequate Sample for Analysis</i>	Yes
<i>Temp Taken From Temp Blank</i>	Yes	<i>Sample Custody Seals Present</i>	Yes
<i>Temp Taken From Sample Container</i>	No	<i>Samples Missing from COC/Cooler</i>	No
<i>Temp Taken From Cooler</i>	No		
<i>COC meets acceptance criteria</i>	Yes		

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 06/16/2025 10:25

 Cooler ID: client cooler #2

 Receipt Temperature: 0.8 °C

<i>Cooler Custody Seals Present</i>	No	<i>Received on Ice but Not Frozen</i>	Yes
<i>Containers Intact</i>	Yes	<i>No Ice, Short Trip</i>	No
<i>COC/Labels Agree</i>	Yes	<i>Obvious Contamination</i>	No
<i>Labels Complete</i>	Yes	<i>Rush to meet HT</i>	No
<i>COC Complete</i>	Yes	<i>Received within HT</i>	Yes
<i>Volatile Vial Headspace &gt;6mm</i>	No	<i>Proper Containers for Analysis</i>	Yes
<i>Field Sheet/Instructions Included</i>	No	<i>Correct Preservation</i>	Yes
<i>Samples Rejected/Documented in Log</i>	No	<i>Adequate Sample for Analysis</i>	Yes
<i>Temp Taken From Temp Blank</i>	Yes	<i>Sample Custody Seals Present</i>	No
<i>Temp Taken From Sample Container</i>	No	<i>Samples Missing from COC/Cooler</i>	No
<i>Temp Taken From Cooler</i>	No		
<i>COC meets acceptance criteria</i>	Yes		

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

### CASE NARRATIVE SUMMARY

*All reported results are within Micro-Methods Laboratory, Inc. defined laboratory quality control objectives unless detailed in narrative summary or identified as qualifications. NOTE: All results listed on this report are calculated on a wet weight basis (as received by the laboratory) unless otherwise noted in the analysis qualification sections.*

#### Summary Comments:

See attached results from Sub-Contract Laboratory

### Total Metals-EPA 200.8 Rev 5.4

#### Qualifiers:

---

CC-01 CCV outside acceptance limits. Sample results reported from this calibration were below the reporting limits.

#### Beryllium [He]

2505321-01[MW-7], 2505321-03[MW-12], 2505321-04[MW-13], 2505321-05[MW-14], 2505321-06[Field Blank], 2505321-07[Duplicate], 2505321-08[OW-2], 2505321-09[CCR-2], 2505321-11[CCR-4], 2505321-12[CCR-5], 5E19037-MS1, 5E19037-MSD1

---

CC-03 CCV outside acceptance limits. QC Results reported from this calibration within acceptance limits.

#### Beryllium [He]

5E19037-BLK1, 5E19037-MS2, 5E19037-MSD2

---

CC-04 CCV outside acceptance limits. Results reported are estimated values.

#### Beryllium [He]

5E19037-BS1, 5E19037-BSD1

---

L1 LCS and/or LCSD Recovery Limit exceeded.

#### Beryllium [He]

5E19037-BS1, 5E19037-BSD1

---

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 06/16/2025 10:25

**MW-7**

**2505321-01 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Fluoride	0.44	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.064	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 14:52	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 13:50	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	0.00187	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
<b>Mercury by EPA 200 Series Methods CVAAS</b>										
Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**MW-9**

**2505321-02 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Fluoride	0.31	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.140	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 14:55	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	0.040	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 13:54	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	0.00142	0.00100	"	"	"	SCH	"	05/27/2025 12:18	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	05/20/2025 13:54	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	0.0152	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	0.00131	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
<b>Mercury by EPA 200 Series Methods CVAAS</b>										
Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**MW-12**

**2505321-03 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Fluoride	ND	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.171	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 14:59	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 13:58	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	0.00493	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
<b>Mercury by EPA 200 Series Methods CVAAS</b>										
Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**MW-13**

**2505321-04 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Fluoride	ND	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
----------	----	------	------	-----	---------	-----	---------------------	---------------------	---------------------	--

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.163	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 15:03	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 14:12	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

**Mercury by EPA 200 Series Methods CVAAS**

Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	
---------	----	---------	------	-----	---------	-----	---------------------	---------------------	----------------------	--

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**MW-14**

**2505321-05 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Fluoride	ND	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
----------	----	------	------	-----	---------	-----	---------------------	---------------------	---------------------	--

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.014	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 15:06	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 14:16	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

**Mercury by EPA 200 Series Methods CVAAS**

Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	
---------	----	---------	------	-----	---------	-----	---------------------	---------------------	----------------------	--

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**Field Blank**

**2505321-06 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Fluoride	ND	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
----------	----	------	------	-----	---------	-----	---------------------	---------------------	---------------------	--

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	ND	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 15:10	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 14:20	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

**Mercury by EPA 200 Series Methods CVAAS**

Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	
---------	----	---------	------	-----	---------	-----	---------------------	---------------------	----------------------	--

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**Duplicate**

**2505321-07 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Fluoride	ND	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
----------	----	------	------	-----	---------	-----	---------------------	---------------------	---------------------	--

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.014	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 15:14	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 14:25	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

**Mercury by EPA 200 Series Methods CVAAS**

Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	
---------	----	---------	------	-----	---------	-----	---------------------	---------------------	----------------------	--

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 06/16/2025 10:25

**OW-2**

**2505321-08 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Fluoride	0.23	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.017	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 15:52	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 14:29	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
<b>Mercury by EPA 200 Series Methods CVAAS</b>										
Mercury	0.00260	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**CCR-2**

**2505321-09 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	------------

**Classical Chemistry Parameters**

Fluoride	ND	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
----------	----	------	------	-----	---------	-----	---------------------	---------------------	---------------------	--

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.112	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 14:41	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 14:34	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	

**Mercury by EPA 200 Series Methods CVAAS**

Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	
---------	----	---------	------	-----	---------	-----	---------------------	---------------------	----------------------	--

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**CCR-3**

**2505321-10 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Fluoride	0.22	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.076	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 15:56	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	0.109	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 14:47	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	05/27/2025 12:23	"	
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	05/20/2025 14:47	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
<b>Cobalt [He]</b>	<b>0.0279</b>	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
<b>Mercury by EPA 200 Series Methods CVAAS</b>										
Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 06/16/2025 10:25

**CCR-4**

**2505321-11 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Fluoride	ND	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.161	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 16:00	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 14:51	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	0.00396	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
<b>Mercury by EPA 200 Series Methods CVAAS</b>										
Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**CCR-5**

**2505321-12 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Qualifiers
<b>Classical Chemistry Parameters</b>										
Fluoride	ND	0.22	mg/L	1.0	5E16020	CDV	05/16/2025 12:35	05/16/2025 16:11	SM 4500-F C-2021	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.139	0.010	mg/L	1.0	5E19036	CLV	05/19/2025 09:30	05/19/2025 16:03	EPA 200.7 Rev 4.4	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5E19037	SCH	"	05/20/2025 14:55	EPA 200.8 Rev 5.4	
Arsenic [He]	ND	0.00200	"	"	"	SCH	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	SCH	"	"	"	CC-01
Cadmium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Cobalt [He]	0.00889	0.00100	"	"	"	SCH	"	"	"	
Lead [He]	ND	0.00100	"	"	"	SCH	"	"	"	
Molybdenum [He]	0.00112	0.00100	"	"	"	SCH	"	"	"	
Selenium [He]	0.00182	0.00100	"	"	"	SCH	"	"	"	
Thallium [He]	ND	0.00100	"	"	"	SCH	"	"	"	
<b>Mercury by EPA 200 Series Methods CVAAS</b>										
Mercury	ND	0.00200	mg/L	1.0	5E21024	CLV	05/21/2025 09:00	05/28/2025 14:25	EPA 245.1 Rev 3.0	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**Classical Chemistry Parameters - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5E16020 - Default Prep GenChem</b>											
<b>Blank (5E16020-BLK1)</b>											
Fluoride	5/16/25 16:11	ND	0.22	mg/L							
<b>LCS (5E16020-BS1)</b>											
Fluoride	5/16/25 16:11	1.98	0.22	mg/L	2.00		99.0	90-110			
<b>LCS Dup (5E16020-BSD1)</b>											
Fluoride	5/16/25 16:11	1.99	0.22	mg/L	2.00		99.5	90-110	0.504	30	
<b>Duplicate (5E16020-DUP1) Source: 2505321-05</b>											
Fluoride	5/16/25 16:11	ND	0.22	mg/L		ND				20	
<b>Matrix Spike (5E16020-MS1) Source: 2505321-08</b>											
Fluoride	5/16/25 16:11	1.27	0.22	mg/L	1.00	0.23	104	81.8-117			
<b>Matrix Spike Dup (5E16020-MSD1) Source: 2505321-08</b>											
Fluoride	5/16/25 16:11	1.26	0.22	mg/L	1.00	0.23	103	81.8-117	0.791	30	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**Metals by EPA 200 Series Methods ICP-AES - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5E19036 - EPA 200.2 DCN 1017 Rev 10</b>											
<b>Blank (5E19036-BLK1)</b>											
Barium 455.403 [Radial]	5/19/25 14:30	ND	0.010	mg/L							
Lithium 610.362 [Axial]	5/19/25 14:30	ND	0.040	"							
<b>LCS (5E19036-BS1)</b>											
Barium 455.403 [Radial]	5/19/25 14:33	0.098	0.010	mg/L	0.100		98.5	85-115			
Lithium 610.362 [Axial]	5/19/25 14:33	0.099	0.040	"	0.100		99.2	85-115			
<b>LCS Dup (5E19036-BSD1)</b>											
Barium 455.403 [Radial]	5/19/25 14:37	0.103	0.010	mg/L	0.100		103	85-115	4.30	20	
Lithium 610.362 [Axial]	5/19/25 14:37	0.104	0.040	"	0.100		104	85-115	4.55	20	
<b>Matrix Spike (5E19036-MS1) Source: 2505321-09</b>											
Barium 455.403 [Radial]	5/19/25 14:44	0.213	0.010	mg/L	0.100	0.112	101	70-130			
Lithium 610.362 [Axial]	5/19/25 14:44	0.118	0.040	"	0.100	ND	118	70-130			
<b>Matrix Spike (5E19036-MS2) Source: 2505329-01</b>											
Barium 455.403 [Radial]	5/19/25 16:11	0.227	0.010	mg/L	0.100	0.138	89.5	70-130			
Lithium 610.362 [Axial]	5/19/25 16:11	0.097	0.040	"	0.100	ND	96.9	70-130			
<b>Matrix Spike Dup (5E19036-MSD1) Source: 2505321-09</b>											
Barium 455.403 [Radial]	5/19/25 14:48	0.207	0.010	mg/L	0.100	0.112	95.1	70-130	2.56	20	
Lithium 610.362 [Axial]	5/19/25 14:48	0.115	0.040	"	0.100	ND	115	70-130	2.64	20	
<b>Matrix Spike Dup (5E19036-MSD2) Source: 2505329-01</b>											
Barium 455.403 [Radial]	5/19/25 16:14	0.224	0.010	mg/L	0.100	0.138	86.8	70-130	1.19	20	
Lithium 610.362 [Axial]	5/19/25 16:14	0.098	0.040	"	0.100	ND	98.0	70-130	1.09	20	

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 06/16/2025 10:25

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode] - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
---------	----------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	------------

Batch 5E19037 - EPA 200.2 DCN 1017 Rev 10

**Blank (5E19037-BLK1)**

Antimony [He]	5/20/25 12:48	ND	0.00200	mg/L							
Arsenic [He]	5/20/25 12:48	ND	0.00200	"							
Beryllium [He]	5/20/25 12:48	ND	0.00100	"							CC-03
Cadmium [He]	5/20/25 12:48	ND	0.00100	"							
Chromium [He]	5/20/25 12:48	ND	0.00100	"							
Cobalt [He]	5/20/25 12:48	ND	0.00100	"							
Lead [He]	5/20/25 12:48	ND	0.00100	"							
Molybdenum [He]	5/20/25 12:48	ND	0.00100	"							
Selenium [He]	5/20/25 12:48	ND	0.00100	"							
Thallium [He]	5/20/25 12:48	ND	0.00100	"							

**LCS (5E19037-BS1)**

Antimony [He]	5/20/25 12:53	0.110	0.00200	mg/L	0.100		110	85-115			
Arsenic [He]	5/20/25 12:53	0.101	0.00200	"	0.100		101	85-115			
Beryllium [He]	5/20/25 12:53	0.118	0.00100	"	0.100		118	85-115			CC-04, L1
Cadmium [He]	5/20/25 12:53	0.105	0.00100	"	0.100		105	85-115			
Chromium [He]	5/20/25 12:53	0.105	0.00100	"	0.100		105	85-115			
Cobalt [He]	5/20/25 12:53	0.108	0.00100	"	0.100		108	85-115			
Lead [He]	5/20/25 12:53	0.102	0.00100	"	0.100		102	85-115			
Molybdenum [He]	5/20/25 12:53	0.099	0.00100	"	0.100		98.9	85-115			
Selenium [He]	5/20/25 12:53	0.096	0.00100	"	0.100		95.9	85-115			
Thallium [He]	5/20/25 12:53	0.103	0.00100	"	0.100		103	85-115			

**LCS Dup (5E19037-BSD1)**

Antimony [He]	5/20/25 12:57	0.106	0.00200	mg/L	0.100		106	85-115	3.53	20	
Arsenic [He]	5/20/25 12:57	0.098	0.00200	"	0.100		98.4	85-115	2.71	20	
Beryllium [He]	5/20/25 12:57	0.116	0.00100	"	0.100		116	85-115	2.42	20	CC-04, L1
Cadmium [He]	5/20/25 12:57	0.102	0.00100	"	0.100		102	85-115	3.11	20	
Chromium [He]	5/20/25 12:57	0.103	0.00100	"	0.100		103	85-115	2.09	20	
Cobalt [He]	5/20/25 12:57	0.105	0.00100	"	0.100		105	85-115	2.96	20	
Lead [He]	5/20/25 12:57	0.097	0.00100	"	0.100		97.2	85-115	4.33	20	
Molybdenum [He]	5/20/25 12:57	0.096	0.00100	"	0.100		96.0	85-115	3.00	20	
Selenium [He]	5/20/25 12:57	0.096	0.00100	"	0.100		96.5	85-115	0.635	20	
Thallium [He]	5/20/25 12:57	0.099	0.00100	"	0.100		99.2	85-115	4.10	20	

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 06/16/2025 10:25

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode] - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5E19037 - EPA 200.2 DCN 1017 Rev 10</b>											
<b>Matrix Spike (5E19037-MS1) Source: 2505269-01</b>											
Antimony [He]	5/20/25 13:23	0.115	0.00200	mg/L	0.100	0.006	110	70-130			
Arsenic [He]	5/20/25 13:23	0.105	0.00200	"	0.100	0.0008	104	70-130			
Beryllium [He]	5/20/25 13:23	0.097	0.00100	"	0.100	ND	96.7	70-130			CC-01
Cadmium [He]	5/20/25 13:23	0.105	0.00100	"	0.100	0.009	95.6	70-130			
Chromium [He]	5/20/25 13:23	0.094	0.00100	"	0.100	0.0008	93.2	70-130			
Cobalt [He]	5/20/25 13:23	0.090	0.00100	"	0.100	0.0008	89.0	70-130			
Lead [He]	5/20/25 13:23	0.100	0.00100	"	0.100	ND	100	70-130			
Molybdenum [He]	5/20/25 13:23	0.124	0.00100	"	0.100	0.014	110	70-130			
Selenium [He]	5/20/25 13:23	0.122	0.00100	"	0.100	0.014	108	70-130			
Thallium [He]	5/20/25 13:23	0.099	0.00100	"	0.100	0.0006	98.4	70-130			
<b>Matrix Spike (5E19037-MS2) Source: 2505321-09</b>											
Antimony [He]	5/20/25 14:38	0.113	0.00200	mg/L	0.100	ND	113	70-130			
Arsenic [He]	5/20/25 14:38	0.101	0.00200	"	0.100	0.0002	101	70-130			
Beryllium [He]	5/20/25 14:38	0.122	0.00100	"	0.100	ND	122	70-130			CC-03
Cadmium [He]	5/20/25 14:38	0.110	0.00100	"	0.100	ND	110	70-130			
Chromium [He]	5/20/25 14:38	0.103	0.00100	"	0.100	ND	103	70-130			
Cobalt [He]	5/20/25 14:38	0.103	0.00100	"	0.100	ND	103	70-130			
Lead [He]	5/20/25 14:38	0.101	0.00100	"	0.100	ND	101	70-130			
Molybdenum [He]	5/20/25 14:38	0.104	0.00100	"	0.100	ND	104	70-130			
Selenium [He]	5/20/25 14:38	0.094	0.00100	"	0.100	ND	93.9	70-130			
Thallium [He]	5/20/25 14:38	0.104	0.00100	"	0.100	ND	104	70-130			
<b>Matrix Spike Dup (5E19037-MSD1) Source: 2505269-01</b>											
Antimony [He]	5/20/25 13:28	0.118	0.00200	mg/L	0.100	0.006	112	70-130	2.12	20	
Arsenic [He]	5/20/25 13:28	0.105	0.00200	"	0.100	0.0008	105	70-130	0.793	20	
Beryllium [He]	5/20/25 13:28	0.105	0.00100	"	0.100	ND	105	70-130	8.08	20	CC-01
Cadmium [He]	5/20/25 13:28	0.107	0.00100	"	0.100	0.009	98.3	70-130	2.52	20	
Chromium [He]	5/20/25 13:28	0.098	0.00100	"	0.100	0.0008	97.6	70-130	4.57	20	
Cobalt [He]	5/20/25 13:28	0.095	0.00100	"	0.100	0.0008	94.3	70-130	5.79	20	
Lead [He]	5/20/25 13:28	0.102	0.00100	"	0.100	ND	102	70-130	1.17	20	
Molybdenum [He]	5/20/25 13:28	0.127	0.00100	"	0.100	0.014	113	70-130	2.07	20	
Selenium [He]	5/20/25 13:28	0.120	0.00100	"	0.100	0.014	107	70-130	1.51	20	
Thallium [He]	5/20/25 13:28	0.103	0.00100	"	0.100	0.0006	103	70-130	4.09	20	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode] - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
Batch 5E19037 - EPA 200.2 DCN 1017 Rev 10											
Matrix Spike Dup (5E19037-MSD2) Source: 2505321-09											
Antimony [He]	5/20/25 14:42	0.114	0.00200	mg/L	0.100	ND	114	70-130	0.638	20	
Arsenic [He]	5/20/25 14:42	0.102	0.00200	"	0.100	0.0002	102	70-130	0.843	20	
Beryllium [He]	5/20/25 14:42	0.124	0.00100	"	0.100	ND	124	70-130	0.953	20	CC-03
Cadmium [He]	5/20/25 14:42	0.110	0.00100	"	0.100	ND	110	70-130	0.444	20	
Chromium [He]	5/20/25 14:42	0.103	0.00100	"	0.100	ND	103	70-130	0.0261	20	
Cobalt [He]	5/20/25 14:42	0.103	0.00100	"	0.100	ND	103	70-130	0.0390	20	
Lead [He]	5/20/25 14:42	0.101	0.00100	"	0.100	ND	101	70-130	0.385	20	
Molybdenum [He]	5/20/25 14:42	0.105	0.00100	"	0.100	ND	105	70-130	1.55	20	
Selenium [He]	5/20/25 14:42	0.095	0.00100	"	0.100	ND	95.2	70-130	1.34	20	
Thallium [He]	5/20/25 14:42	0.105	0.00100	"	0.100	ND	105	70-130	0.442	20	



6500 Sunplex Drive  
 Ocean Springs, MS 39564  
 228-875-6420 Phone  
 228-875-6423 Fax

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 06/16/2025 10:25

**Mercury by EPA 200 Series Methods CVAAS - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5E21024 - EPA 245.1 DCN 1017 Rev 10</b>											
<b>Blank (5E21024-BLK1)</b>											
Mercury	5/28/25 14:25	ND	0.00200	mg/L							
<b>LCS (5E21024-BS1)</b>											
Mercury	5/28/25 14:25	0.005	0.00200	mg/L	0.00500		102	85-115			
<b>LCS Dup (5E21024-BSD1)</b>											
Mercury	5/28/25 14:25	0.005	0.00200	mg/L	0.00500		102	85-115	0.00	20	
<b>Matrix Spike (5E21024-MS1) Source: 2505321-01</b>											
Mercury	5/28/25 14:25	0.005	0.00200	mg/L	0.00500	0.0002	96.0	70-130			
<b>Matrix Spike (5E21024-MS2) Source: 2505321-09</b>											
Mercury	5/28/25 14:25	0.005	0.00200	mg/L	0.00500	ND	104	70-130			
<b>Matrix Spike Dup (5E21024-MSD1) Source: 2505321-01</b>											
Mercury	5/28/25 14:25	0.006	0.00200	mg/L	0.00500	0.0002	106	70-130	9.52	20	
<b>Matrix Spike Dup (5E21024-MSD2) Source: 2505321-09</b>											
Mercury	5/28/25 14:25	0.005	0.00200	mg/L	0.00500	ND	108	70-130	3.77	20	

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

**Certified Analyses Included in this Report**

Analyte	Certification Code
<b><i>EPA 200.7 Rev 4.4 in Water</i></b>	
Aluminum 394.401 [Radial]	C01,C02
Aluminum 396.152 [Radial]	C01,C02
Antimony 206.833 [Axial]	C01,C02
Arsenic 193.759 [Axial]	C01,C02
Barium 455.403 [Radial]	C01,C02
Barium 493.409 [Radial]	C01,C02
Beryllium 313.042 [Axial]	C01,C02
Boron 249.773 [Radial]	C01,C02
Cadmium 228.802 [Axial]	C01,C02
Calcium 315.887 [Radial]	C01,C02
Chromium 283.563 [Axial]	C01,C02
Cobalt 228.616 [Axial]	C01,C02
Copper 324.754 [Axial]	C01,C02
Iron 259.940 [Axial]	C01,C02
Iron 259.940 [Radial]	C01,C02
Lead 220.353 [Axial]	C01,C02
Magnesium 285.213 [Radial]	C01,C02
Manganese 257.610 [Axial]	C01,C02
Molybdenum 202.030 [Axial]	C01,C02
Nickel 231.604 [Axial]	C01,C02
Potassium 766.490 [Radial]	C01,C02
Phosphorus 178.284 [Axial]	C01,C02
Phosphorus 178.284 [Radial]	C01,C02
Selenium 196.090 [Axial]	C01,C02
Silver 328.068 [Axial]	C01,C02
Sodium 589.592 [Axial]	C01,C02
Sodium 589.592 [Radial]	C01,C02
Strontium 346.446 [Radial]	C01,C02
Strontium 421.552 [Radial]	C01,C02
Thallium 190.856 [Axial]	C01,C02
Vanadium 309.311 [Axial]	C01,C02
Zinc 213.856 [Axial]	C01,C02
<b><i>EPA 200.8 Rev 5.4 in Water</i></b>	
Aluminum [He]	C01,C02
Antimony [He]	C01,C02
Antimony [NG]	C01,C02
Arsenic [He]	C01,C02
Arsenic [NG]	C01,C02
Barium [He]	C01,C02
Beryllium [He]	C01,C02
Cadmium [He]	C01,C02

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
06/16/2025 10:25

Cadmium [NG]	C01,C02
Chromium [He]	C01,C02
Cobalt [He]	C01,C02
Copper [He]	C01,C02
Copper [NG]	C01,C02
Iron [He]	C01,C02
Lead [He]	C01,C02
Lead [NG]	C01,C02
Manganese [He]	C01,C02
Molybdenum [He]	C01,C02
Nickel [He]	C01,C02
Selenium [He]	C01,C02
Selenium [NG]	C01,C02
Silver [He]	C01,C02
Silver [NG]	C01,C02
Strontium [He]	C01,C02
Thallium [He]	C01,C02
Vanadium [He]	C01,C02
Zinc [He]	C01,C02

**EPA 245.1 Rev 3.0 in Water**

Mercury	C01,C02
---------	---------

**\*\*Only compounds included in this list are associated with accredited analyses\*\***

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 06/16/2025 10:25

*Laboratory Accreditations/Certifications*

Code	Description	Number	Expires
C01	LA Environmental Lab Accreditation Program	01960	06/30/2025
C02	The NELAC Institute (NELAP)	TNI01397	06/30/2025
C03	MS Dept of Health (Drinking Water Microbiology)	MS00021	12/31/2025
C04	MS Dept of Health (Drinking Water Chemistry)	MS00021	12/31/2025
C05	MS DEQ Lead Firm Certification	PBF-00000028	03/31/2025
C06	MSDEQ Asbestos Inspector : C.D. Bingham	ABI-00001348	02/13/2026
C07	MSDEQ Air Monitor : C.D. Bingham	AM-011572	02/14/2026
C08	MSDEQ Asbestos Inspector: C. W. Meins	ABI-00001821	09/09/2025
C09	MSDEQ Air Monitor : C.W. Meins	AM-011189	02/14/2026
C10	ADEM (Drinking Water Microbiology)	43500	12/31/2024
C11	ADEM (Drinking Water Chemistry)	43500	12/31/2024
C14	MSDEQ Lead Paint Inspector : C.D. Bingham	PBI-00003690	03/07/2025
C15	MSDEQ Lead Paint Inspector : C.W. Meins	PBI-00001740	03/31/2025

**Report Definitions**

TNC	Too Numerous To Count
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the minimum reporting limit
NR	Not Reported
RPD	Relative Percent Difference
ICV	Initial Calibration Verification
CCV	Continuing Calibration Verification Standard
SSV	Secondary Source Verification Standard
LCS	Lab Control Spike - Lab matrix prepared with known concentration of analyte/s of interest analyzed by method.
MS	Matrix Spike - Sample prepared with known concentration of analyte/s of interest analyzed by method.
MSD	Matrix Spike Duplicate - Duplicate sample prepared with known concentration of analyte/s of interest analyzed by method.
MRL	Minimum Reporting Limit
%REC	Percentage Recovery of known concentration added to matrix
Batch	Group of samples prepared for analysis not to exceed 20 samples.
Matrix	Material containing analyte/s of interest
Surrogate	Analyte added to sample to determine extraction efficiency of method.



6500 Sunplex Drive  
Ocean Springs, MS 39564  
228-875-6420 Phone  
228-875-6423 Fax

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Annual  
Project Number: [none]  
Project Manager: Jim Ward

**Reported:**  
06/16/2025 10:25

### Analyst Initials Key

---

<u>FullName</u>	<u>Initials</u>
Alexandria S Windham	ASW
Cristina D Vargas	CDV
Charles L Vorhoff	CLV
Sarah E. Tomek	SET
Samantha C. Hall	SCH
Teresa Meins	TKM
Tina Tomek	TPT

PO Box 1410, Ocean Springs, MS 39566-1410  
(228) 875-6420 FAX (228) 875-6423  
www.micromethodslab.com

**Chain of Custody Record**

Lab ID # MS00021  
LELAP ID # 01960  
TNI ID # TNI01397

Print Form

M-M Lab  
WO # **2505321**

Company Name: Choctaw Generation Limited Partnership LLLP Project Manager: **Jim Ward**

Address: **2391 Pensacola Rd.** Purchase Order #:

City: **Ackerman** State: **MS** Zip: **39735** Email Address: **Jimward@southernco.com**

Phone: **662-387-5758** Sampler Name Printed: **Kirk Shelton**

Fax: **662-387-5758** Sampler Name Signed: *[Signature]*

Project Name: **CGLP CCR** List Analyses Requested

Project #: **Annual**

Sample Identification	Sampling Date/Time	Matrix Code	# of Containers	Grab (G) or Composite (C)	Fluoride	Antimony, Arsenic, Barium, Beryllium, Cadmium, Cobalt, Chromium, Lead, Lithium, Mercury, Molybdenum, Selenium	Thallium	Total Radium 226 & 228
MW-7	5/15/25 0940	W	4	G	X	X	X	X
MW-9	5/14/25 0951	W	4	G	X	X	X	X
MW-12	5/14/25 11:30	W	4	G	X	X	X	X
MW-13	5/15/25 10:50	W	4	G	X	X	X	X
MW-14	5/15/25 11:45	W	4	G	X	X	X	X
Field Blank	5/15/25 11:10	W	4	G	X	X	X	X
Field Duplicate								
OW-2	5/19/25 1041	W	4	G	X	X	X	X
CCR-2	5/14/25 12:50	W	4	G	X	X	X	X
CCR-3	5/14/25 0845	W	4	G	X	X	X	X
CCR-4	5/14/25 1945	W	4	G	X	X	X	X

Received on Ice:  Y  N Thermometer # **81** Cooler # **81** Receipt Temp Corrected (°C) **81**

Date & Time	Printed Name	Signature	Company	Date	Time
	Kirk Shelton	<i>[Signature]</i>	EGS Truway	5-15-25	1600
	Fred Ex	<i>[Signature]</i>			
	Fred Ex	<i>[Signature]</i>	MW	5/16/25	0817
	Received by				
	Relinquished by				
	Received by				
	Relinquished by				
	Received by				

Turn Around Time & Reporting  
 Normal  
 Next Day\*  
 2nd Day\*  
 Other\*  
 \*All rush order requests must be prior approved.  
 Phone \_\_\_\_\_  
 Mail \_\_\_\_\_  
 Fax \_\_\_\_\_  
 Email \_\_\_\_\_

**Field Testing**

ID#	ID#	ID#	ID#	ID#
Field Test	Field Test	Field Test	Field Test	Field Test

Matrix:  
 W = Water  
 DW = Drinking Water  
 S = Solid  
 SO = Soil  
 SE = Sediment  
 L = Liquid  
 A = Air  
 O = Oil  
 SL = Sludge

Preservation:  
 1 = H2SO4  
 2 = H3PO4  
 3 = NaOH  
 4 = ZnCAH1006  
 5 = ZnCAH1006 & NaOH  
 6 = HNO3  
 7 = Na2S2O3  
 8 = HCl  
 9 = NaHSO4

Notes: Please Ship coolers back with Semi-Annual Glosterware for next events  
 Thwaks client cooler #1  
 Kirk client cooler #2  
 0.8°C





June 13, 2025

Tina Tomek  
Micro-Methods Lab  
6500 Sunplex Drive  
Ocean Springs, MS 39564

RE: Project: 2505321  
Pace Project No.: 30781712

Dear Tina Tomek:

Enclosed are the analytical results for sample(s) received by the laboratory on May 22, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Greensburg

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Justin P. Horn  
justin.horn@pacelabs.com  
(724)850-5600  
Project Manager

Enclosures

cc: Accounts Payable, Micro-Methods Lab



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: 2505321  
 Pace Project No.: 30781712

### Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601  
 ANAB DOD-ELAP Rad Accreditation #: L2417  
 ANABISO/IEC 17025:2017 Rad Cert#: L24170  
 Alabama Certification #: 41590  
 Arizona Certification #: AZ0734  
 Arkansas Certification  
 California Certification #: 2950  
 Colorado Certification #: PA01547  
 Connecticut Certification #: PH-0694  
 EPA Region 4 DW Rad  
 Florida/TNI Certification #: E87683  
 Georgia Certification #: C040  
 Guam Certification  
 Hawaii Certification  
 Idaho Certification  
 Illinois Certification  
 Indiana Certification  
 Iowa Certification #: 391  
 Kansas Certification #: E-10358  
 Kentucky Certification #: KY90133  
 KY WW Permit #: KY0098221  
 KY WW Permit #: KY0000221  
 Louisiana DHH/TNI Certification #: LA010  
 Louisiana DEQ/TNI Certification #: 04086  
 Maine Certification #: 2023021  
 Maryland Certification #: 308  
 Massachusetts Certification #: M-PA1457  
 Michigan/PADEP Certification #: 9991

Missouri Certification #: 235  
 Montana Certification #: Cert0082  
 Nebraska Certification #: NE-OS-29-14  
 Nevada Certification #: PA014572023-03  
 New Hampshire/TNI Certification #: 297622  
 New Jersey/TNI Certification #: PA051  
 New Mexico Certification #: PA01457  
 New York/TNI Certification #: 10888  
 North Carolina Certification #: 42706  
 North Dakota Certification #: R-190  
 Ohio EPA Rad Approval: #41249  
 Oregon/TNI Certification #: PA200002-015  
 Pennsylvania/TNI Certification #: 65-00282  
 Puerto Rico Certification #: PA01457  
 Rhode Island Certification #: 65-00282  
 South Dakota Certification  
 Tennessee Certification #: TN02867  
 Texas/TNI Certification #: T104704188-22-18  
 Utah/TNI Certification #: PA014572223-14  
 USDA Soil Permit #: 525-23-67-77263  
 Vermont Dept. of Health: ID# VT-0282  
 Virgin Island/PADEP Certification  
 Virginia/VELAP Certification #: 460198  
 Washington Certification #: C868  
 West Virginia DEP Certification #: 143  
 West Virginia DHHR Certification #: 9964C  
 Wisconsin Approve List for Rad

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



### SAMPLE SUMMARY

Project: 2505321  
Pace Project No.: 30781712

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30781712001	2505321-01	Water	05/15/25 09:40	05/22/25 10:30
30781712002	2505321-02	Water	05/14/25 09:51	05/22/25 10:30
30781712003	2505321-03	Water	05/14/25 11:30	05/22/25 10:30
30781712004	2505321-04	Water	05/15/25 10:50	05/22/25 10:30
30781712005	2505321-05	Water	05/15/25 11:45	05/22/25 10:30
30781712006	2505321-06	Water	05/15/25 11:16	05/22/25 10:30
30781712007	2505321-07	Water	05/14/25 00:00	05/22/25 10:30
30781712008	2505321-08	Water	05/14/25 10:41	05/22/25 10:30
30781712009	2505321-09	Water	05/14/25 12:50	05/22/25 10:30
30781712010	2505321-10	Water	05/14/25 08:45	05/22/25 10:30
30781712011	2505321-11	Water	05/14/25 15:45	05/22/25 10:30
30781712012	2505321-12	Water	05/14/25 14:45	05/22/25 10:30

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**SAMPLE ANALYTE COUNT**

Project: 2505321  
 Pace Project No.: 30781712

Lab ID	Sample ID	Method	Analysts	Analytes Reported
30781712001	2505321-01	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712002	2505321-02	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712003	2505321-03	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712004	2505321-04	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712005	2505321-05	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712006	2505321-06	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712007	2505321-07	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712008	2505321-08	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712009	2505321-09	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712010	2505321-10	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712011	2505321-11	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30781712012	2505321-12	EPA 903.1	LL1	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 2505321  
Pace Project No.: 30781712

---

Lab ID	Sample ID	Method	Analysts	Analytes Reported
--------	-----------	--------	----------	-------------------

---

PASI-PA = Pace Analytical Services - Greensburg

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2505321  
 Pace Project No.: 30781712

Sample: 2505321-01		Lab ID: 30781712001	Collected: 05/15/25 09:40	Received: 05/22/25 10:30	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.520 ± 0.663 (1.11)</b> C:NA T:94%	pCi/L	06/13/25 16:25	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>-0.0236 ± 0.377 (0.877)</b> C:86% T:86%	pCi/L	06/12/25 10:56	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.520 ± 1.04 (1.99)</b>	pCi/L	06/13/25 17:23	7440-14-4	

Sample: 2505321-02		Lab ID: 30781712002	Collected: 05/14/25 09:51	Received: 05/22/25 10:30	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.814 ± 0.410 (0.138)</b> C:NA T:97%	pCi/L	06/13/25 16:25	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.0667 ± 0.319 (0.730)</b> C:82% T:80%	pCi/L	06/12/25 10:56	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.881 ± 0.729 (0.868)</b>	pCi/L	06/13/25 17:23	7440-14-4	

Sample: 2505321-03		Lab ID: 30781712003	Collected: 05/14/25 11:30	Received: 05/22/25 10:30	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>-0.239 ± 0.438 (0.993)</b> C:NA T:96%	pCi/L	06/13/25 16:25	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.265 ± 0.363 (0.777)</b> C:83% T:80%	pCi/L	06/12/25 10:56	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.265 ± 0.801 (1.77)</b>	pCi/L	06/13/25 17:23	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2505321  
 Pace Project No.: 30781712

Sample: 2505321-04		Lab ID: 30781712004	Collected: 05/15/25 10:50	Received: 05/22/25 10:30	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.539 ± 0.647 (1.07)</b> C:NA T:99%	pCi/L	06/13/25 16:25	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.417 ± 0.324 (0.632)</b> C:79% T:87%	pCi/L	06/12/25 10:56	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.956 ± 0.971 (1.70)</b>	pCi/L	06/13/25 17:23	7440-14-4	

Sample: 2505321-05		Lab ID: 30781712005	Collected: 05/15/25 11:45	Received: 05/22/25 10:30	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>-0.644 ± 0.856 (1.68)</b> C:NA T:96%	pCi/L	06/13/25 16:25	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.879 ± 0.406 (0.670)</b> C:79% T:84%	pCi/L	06/12/25 10:56	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.879 ± 1.26 (2.35)</b>	pCi/L	06/13/25 17:23	7440-14-4	

Sample: 2505321-06		Lab ID: 30781712006	Collected: 05/15/25 11:16	Received: 05/22/25 10:30	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.248 ± 0.708 (1.26)</b> C:NA T:98%	pCi/L	06/13/25 16:25	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.138 ± 0.271 (0.598)</b> C:80% T:88%	pCi/L	06/12/25 10:56	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.386 ± 0.979 (1.86)</b>	pCi/L	06/13/25 17:23	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2505321  
 Pace Project No.: 30781712

Sample: 2505321-07		Lab ID: 30781712007	Collected: 05/14/25 00:00	Received: 05/22/25 10:30	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.0507 ± 0.516 (0.987)</b> C:NA T:95%	pCi/L	06/13/25 16:25	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.117 ± 0.290 (0.647)</b> C:85% T:84%	pCi/L	06/12/25 10:56	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.168 ± 0.806 (1.63)</b>	pCi/L	06/13/25 17:23	7440-14-4	

Sample: 2505321-08		Lab ID: 30781712008	Collected: 05/14/25 10:41	Received: 05/22/25 10:30	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>-0.412 ± 0.537 (1.16)</b> C:NA T:95%	pCi/L	06/13/25 16:37	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.987 ± 0.487 (0.854)</b> C:84% T:80%	pCi/L	06/12/25 10:57	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.987 ± 1.02 (2.01)</b>	pCi/L	06/13/25 17:23	7440-14-4	

Sample: 2505321-09		Lab ID: 30781712009	Collected: 05/14/25 12:50	Received: 05/22/25 10:30	Matrix: Water	
PWS:		Site ID:	Sample Type:			
Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>-0.107 ± 0.443 (0.928)</b> C:NA T:90%	pCi/L	06/13/25 16:37	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.256 ± 0.359 (0.771)</b> C:82% T:87%	pCi/L	06/12/25 10:57	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.256 ± 0.802 (1.70)</b>	pCi/L	06/13/25 17:23	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2505321  
 Pace Project No.: 30781712

Sample: 2505321-10		Lab ID: 30781712010	Collected: 05/14/25 08:45	Received: 05/22/25 10:30	Matrix: Water		
PWS:		Site ID:	Sample Type:				
Parameters	Method	Act ± Unc (MDC) Carr Trac		Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg							
Radium-226	EPA 903.1	<b>-0.588 ± 0.785 (1.61)</b> C:NA T:90%		pCi/L	06/13/25 16:37	13982-63-3	
Pace Analytical Services - Greensburg							
Radium-228	EPA 904.0	<b>0.436 ± 0.394 (0.804)</b> C:81% T:85%		pCi/L	06/12/25 10:57	15262-20-1	
Pace Analytical Services - Greensburg							
Total Radium	Total Radium Calculation	<b>0.436 ± 1.18 (2.41)</b>		pCi/L	06/13/25 17:23	7440-14-4	

Sample: 2505321-11		Lab ID: 30781712011	Collected: 05/14/25 15:45	Received: 05/22/25 10:30	Matrix: Water		
PWS:		Site ID:	Sample Type:				
Parameters	Method	Act ± Unc (MDC) Carr Trac		Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg							
Radium-226	EPA 903.1	<b>1.61 ± 0.616 (0.151)</b> C:NA T:94%		pCi/L	06/13/25 16:37	13982-63-3	
Pace Analytical Services - Greensburg							
Radium-228	EPA 904.0	<b>0.387 ± 0.398 (0.830)</b> C:81% T:89%		pCi/L	06/12/25 10:57	15262-20-1	
Pace Analytical Services - Greensburg							
Total Radium	Total Radium Calculation	<b>2.00 ± 1.01 (0.981)</b>		pCi/L	06/13/25 17:23	7440-14-4	

Sample: 2505321-12		Lab ID: 30781712012	Collected: 05/14/25 14:45	Received: 05/22/25 10:30	Matrix: Water		
PWS:		Site ID:	Sample Type:				
Parameters	Method	Act ± Unc (MDC) Carr Trac		Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg							
Radium-226	EPA 903.1	<b>0.570 ± 0.727 (1.21)</b> C:NA T:93%		pCi/L	06/13/25 16:37	13982-63-3	
Pace Analytical Services - Greensburg							
Radium-228	EPA 904.0	<b>1.05 ± 0.478 (0.786)</b> C:73% T:82%		pCi/L	06/12/25 13:58	15262-20-1	
Pace Analytical Services - Greensburg							
Total Radium	Total Radium Calculation	<b>1.62 ± 1.21 (2.00)</b>		pCi/L	06/13/25 17:23	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2505321  
 Pace Project No.: 30781712

---

QC Batch:	747675	Analysis Method:	EPA 904.0
QC Batch Method:	EPA 904.0	Analysis Description:	904.0 Radium 228
		Laboratory:	Pace Analytical Services - Greensburg

Associated Lab Samples: 30781712001, 30781712002, 30781712003, 30781712004, 30781712005, 30781712006, 30781712007, 30781712008, 30781712009, 30781712010, 30781712011, 30781712012

---

METHOD BLANK: 3641549 Matrix: Water

Associated Lab Samples: 30781712001, 30781712002, 30781712003, 30781712004, 30781712005, 30781712006, 30781712007, 30781712008, 30781712009, 30781712010, 30781712011, 30781712012

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-228	0.612 ± 0.339 (0.611) C:92% T:88%	pCi/L	06/12/25 10:56	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2505321  
 Pace Project No.: 30781712

---

QC Batch:	747672	Analysis Method:	EPA 903.1
QC Batch Method:	EPA 903.1	Analysis Description:	903.1 Radium-226
		Laboratory:	Pace Analytical Services - Greensburg

Associated Lab Samples: 30781712001, 30781712002, 30781712003, 30781712004, 30781712005, 30781712006, 30781712007, 30781712008, 30781712009, 30781712010, 30781712011, 30781712012

---

METHOD BLANK: 3641533 Matrix: Water

Associated Lab Samples: 30781712001, 30781712002, 30781712003, 30781712004, 30781712005, 30781712006, 30781712007, 30781712008, 30781712009, 30781712010, 30781712011, 30781712012

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-226	-0.189 ± 0.223 (0.568) C:NA T:99%	pCi/L	06/13/25 16:25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: 2505321  
Pace Project No.: 30781712

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Act - Activity

Unc - Uncertainty: For Safe Drinking Water Act (SDWA) analyses, the reported Unc. is the calculated Count Uncertainty (95% confidence interval) using a coverage factor of 1.96. For all other matrices (non-SDWA), the reported Unc. is the calculated Expanded Uncertainty (aka Combined Standard Uncertainty, CSU), reported at the 95% confidence interval using a coverage factor of 1.96.

Gamma Spec: The Unc. reported for all gamma-spectroscopy analyses (EPA 901.1), is the calculated Expanded Uncertainty (CSU) at the 95.4% confidence interval, using a coverage factor of 2.0.

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 2505321  
 Pace Project No.: 30781712

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30781712001	2505321-01	EPA 903.1	747672		
30781712002	2505321-02	EPA 903.1	747672		
30781712003	2505321-03	EPA 903.1	747672		
30781712004	2505321-04	EPA 903.1	747672		
30781712005	2505321-05	EPA 903.1	747672		
30781712006	2505321-06	EPA 903.1	747672		
30781712007	2505321-07	EPA 903.1	747672		
30781712008	2505321-08	EPA 903.1	747672		
30781712009	2505321-09	EPA 903.1	747672		
30781712010	2505321-10	EPA 903.1	747672		
30781712011	2505321-11	EPA 903.1	747672		
30781712012	2505321-12	EPA 903.1	747672		
30781712001	2505321-01	EPA 904.0	747675		
30781712002	2505321-02	EPA 904.0	747675		
30781712003	2505321-03	EPA 904.0	747675		
30781712004	2505321-04	EPA 904.0	747675		
30781712005	2505321-05	EPA 904.0	747675		
30781712006	2505321-06	EPA 904.0	747675		
30781712007	2505321-07	EPA 904.0	747675		
30781712008	2505321-08	EPA 904.0	747675		
30781712009	2505321-09	EPA 904.0	747675		
30781712010	2505321-10	EPA 904.0	747675		
30781712011	2505321-11	EPA 904.0	747675		
30781712012	2505321-12	EPA 904.0	747675		
30781712001	2505321-01	Total Radium Calculation	752057		
30781712002	2505321-02	Total Radium Calculation	752057		
30781712003	2505321-03	Total Radium Calculation	752057		
30781712004	2505321-04	Total Radium Calculation	752057		
30781712005	2505321-05	Total Radium Calculation	752057		
30781712006	2505321-06	Total Radium Calculation	752057		
30781712007	2505321-07	Total Radium Calculation	752057		
30781712008	2505321-08	Total Radium Calculation	752057		
30781712009	2505321-09	Total Radium Calculation	752057		
30781712010	2505321-10	Total Radium Calculation	752057		
30781712011	2505321-11	Total Radium Calculation	752057		
30781712012	2505321-12	Total Radium Calculation	752057		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



# SUBCONTRACT ORDER

### Sending Laboratory:

Micro-Methods Laboratory, Inc.  
 6500 Sunplex Drive  
 Ocean Springs, MS 39564  
 Phone: 228.875.6420  
 Fax: 228.875.6423

Project Manager: Teresa Meins

### Subcontracted Laboratory:

Pace Analytical-7  
 1638 Roseytown Rd. Suites 2, 3, 4  
 Greensburg, PA 15601  
 Phone: (724) 850-5600  
 Fax: -

**WO# : 30781712**

30781712

Work Order: 2505321

*\*Standard TAT*

Analysis	Due	Expires	Comments
<b>Sample ID: 2505321-01</b> Water <b>Sampled: 05/15/2025 09:40</b> <b>Sample Name: MW-7</b>			001
Radium, Total 226 & 228 by EPA 903.1 & 90	05/26/2025	06/12/2025 09:40	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2505321-02</b> Water <b>Sampled: 05/14/2025 09:51</b> <b>Sample Name: MW-9</b>			002
Radium, Total 226 & 228 by EPA 903.1 & 90	05/26/2025	06/11/2025 09:51	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2505321-03</b> Water <b>Sampled: 05/14/2025 11:30</b> <b>Sample Name: MW-12</b>			003
Radium, Total 226 & 228 by EPA 903.1 & 90	05/26/2025	06/11/2025 11:30	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2505321-04</b> Water <b>Sampled: 05/15/2025 10:50</b> <b>Sample Name: MW-13</b>			004
Radium, Total 226 & 228 by EPA 903.1 & 90	05/26/2025	06/12/2025 10:50	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2505321-05</b> Water <b>Sampled: 05/15/2025 11:45</b> <b>Sample Name: MW-14</b>			005
Radium, Total 226 & 228 by EPA 903.1 & 90	05/26/2025	06/12/2025 11:45	

*Sumah Jones* 5/19/25 @ 1630  
 Released By \_\_\_\_\_ Date \_\_\_\_\_

*UPS* 5/19/25 @ 1630  
 Received By \_\_\_\_\_ Date \_\_\_\_\_

*UPS*  
 Released By \_\_\_\_\_ Date \_\_\_\_\_

*Matina Smita* 5/22/25 10:30  
 Received By \_\_\_\_\_ Date \_\_\_\_\_

Released By \_\_\_\_\_ Date \_\_\_\_\_

Received By \_\_\_\_\_ Date \_\_\_\_\_

Released By \_\_\_\_\_ Date \_\_\_\_\_

Received By \_\_\_\_\_ Date \_\_\_\_\_

Released By \_\_\_\_\_ Date \_\_\_\_\_

Received By \_\_\_\_\_ Date \_\_\_\_\_



**SUBCONTRACT ORDER**  
(Continued)

**Work Order: 2505321 (Continued)**

Analysis	Due	Expires	Comments
----------	-----	---------	----------

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

**Sample ID: 2505321-06** Water Sampled: 05/15/2025 11:16 Sample Name: Field Blank 006

Radium, Total 226 & 228 by EPA 903.1 & 90 05/26/2025 06/12/2025 11:16

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

**Sample ID: 2505321-07** Water Sampled: 05/14/2025 00:00 Sample Name: Duplicate 007

Radium, Total 226 & 228 by EPA 903.1 & 90 05/26/2025 06/11/2025 00:00

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

**Sample ID: 2505321-08** Water Sampled: 05/14/2025 10:41 Sample Name: OW-2 008

Radium, Total 226 & 228 by EPA 903.1 & 90 05/26/2025 06/11/2025 10:41

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

**Sample ID: 2505321-09** Water Sampled: 05/14/2025 12:50 Sample Name: CCR-2 009

Radium, Total 226 & 228 by EPA 903.1 & 90 05/26/2025 06/11/2025 12:50

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

ms 5/22/25

**Sample ID: 2505321-10** Water Sampled: 05/14/2025 08:45 Sample Name: CCR-3 ~~010~~ 010

Radium, Total 226 & 228 by EPA 903.1 & 90 05/26/2025 06/11/2025 08:45

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

**Sample ID: 2505321-11** Water Sampled: 05/14/2025 15:45 Sample Name: CCR-4 011

Radium, Total 226 & 228 by EPA 903.1 & 90 05/26/2025 06/11/2025 15:45

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

**Sample ID: 2505321-12** Water Sampled: 05/14/2025 14:45 Sample Name: CCR-5 012

Released By Smah Jomeh Date 5/19/25 1630

Received By UPS Date 5/19/25 1630

Released By UPS Date \_\_\_\_\_

Received By Matt Smith Date 5/22/25 10:30

Released By \_\_\_\_\_ Date \_\_\_\_\_

Received By \_\_\_\_\_ Date \_\_\_\_\_

Released By \_\_\_\_\_ Date \_\_\_\_\_

Received By \_\_\_\_\_ Date \_\_\_\_\_

Released By \_\_\_\_\_ Date \_\_\_\_\_

Received By \_\_\_\_\_ Date \_\_\_\_\_

**WO#: 30781712**  
 PM: JPH Due Date: 06/13/25  
 CLIENT: MICROMETHOD





DC#\_Title: ENV-FRM-GBUR-0088 v07\_Sample Condition Upon Receipt-Greensburg

Effective Date: 01/04/2024

WO#: 30781712

PM: JPH

Due Date: 06/13/25

CLIENT: MICROMETHOD

Client Name: Micro-Methods Laboratory

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other

Tracking Number: 1Z 353 063 03 6878 2154

Initial / Date

Custody Seal on Cooler/Box Present:  Yes  No

Seals Intact:  Yes  No

Thermometer Used: \_\_\_\_\_ Type of Ice: Wet Blue (None)

Examined By: MS 5/22/25

Labeled By: MS 5/22/25

Temped By: \_\_\_\_\_

Cooler Temperature: Observed Temp \_\_\_\_\_ °C Correction Factor: \_\_\_\_\_ °C Final Temp: \_\_\_\_\_ °C

Temp should be above freezing to 6°C

Comments:	Yes	No	NA	pH paper Lot#	D.P.D. Residual Chlorine Lot #
				10 023241	_____
Chain of Custody Present	✓			1.	
Chain of Custody Filled Out:	✓			2.	
-Were client corrections present on COC		✓			
Chain of Custody Relinquished	✓			3.	
Sampler Name & Signature on COC:		✓		4.	
Sample Labels match COC:	✓			5.	
-Includes date/time/ID Matrix:					
Samples Arrived within Hold Time:	✓			6.	
Short Hold Time Analysis (<72hr remaining):		✓		7.	
Rush Turn Around Time Requested:		✓		8.	
Sufficient Volume:	✓			9.	
Correct Containers Used:	✓			10.	
-Pace Containers Used		✓			
Containers Intact:	✓			11.	
Orthophosphate field filtered:			✓	12.	
Hex Cr Aqueous samples field filtered:			✓	13.	
Organic Samples checked for dichlorination			✓	14:	
Filtered volume received for dissolved tests:			✓	15:	
All containers checked for preservation:	✓			16.	
exceptions: VOA, coliform, TOC, O&G, Phenolics, Radon, non-aqueous matrix					
All containers meet method preservation requirements:	✓			Initial when completed MS	Date/Time of Preservation
				Lot# of added Preservative	
8260C/D: Headspace in VOA Vials (> 6mm)			✓	17.	
624.1: Headspace in VOA Vials (0mm)			✓	18.	
Radon: Headspace in RAD Vials (0mm)			✓	19.	
Trip Blank Present:			✓		Trip blank custody seal present? YES or NO
Rad Samples Screened <.05 mrem/hr.	✓			Initial when completed MS	Date: 5/22/25 Survey Meter SN: 250143 80
Comments:					

Note: For NC compliance samples with discrepancies, a copy of this form must be sent to the DEHNR Certification office. PM Review is documented electronically in LIMS through the SRF Review schedule in the Workorder Edit Screen.

Qualtrax ID: 55680

Client

Site

2505321

Page

of

Profile/EZ Login Number

14460

Notes

Sample Line Item	Matrix	Amber Glass					Plastic										Vials					Other							
		AG1H	AG3S	AG3U	AG5U	AG5T	BP1N	BP1U	BP2S	BP2U	BP3B	BP3N	BP3S	BP3U	DG9S	VG9H	VG9T	VG9U	VOAK	WGFU	WGKU	ZPLC	GCUB	GJN	12GN	AG1U	BG1U	BP2N	
001						2																							
002						2																							
003						2																							
004						2																							
005						2																							
006						2																							
007						2																							
008						2																							
009						2																							
010						2																							
011						2																							
012						2																							

Container Codes

**Glass**

GJN	1 Gallon Jug with HNO3	DG9S	40ml amber VOA vial H2SO4
AG5U	100ml amber glass unpreserved	VG9U	40ml clear VOA vial
AG5T	100ml amber glass Na Thiosulfate	VG9T	40ml clear VOA vial Na Thiosulfate
GJN	1 Gallon Jug	VG9H	40ml clear VOA vial HCl
AG1S	1L amber glass H2SO4	JGFU	4oz amber wide jar
AG1H	1L amber glass HCl	WGFU	4oz wide jar unpreserved
AG1T	1L amber glass NA Thiosulfate	BG2U	500ml clear glass unpreserved
BG1U	1L clear glass unpreserved	AG2U	500ml amber glass unpreserved
AG3S	250ml amber glass H2SO4	WGKU	8oz wide jar unpreserved
AG3U	250ml amber glass unpreserved	GN	General

**Plastic/Misc.**

GCUB	1 gallon cubitainer	EZ1	5g Encore
12GN	1/2 gallon cubitainer	VOAK	Kit Volatile Solid
SP5T			
BP1N			
BP1U			
BP3S			
BP3N			
BP3U	250ml plastic unpreserved		
BP3B	250ml plastic NaOH		
BP2S	500ml plastic H2SO4		
BP2U	500ml plastic unpreserved		

**MO#: 30781712**

PM: JPH  
CLIENT: MICROMETHOD  
Due Date: 06/13/25

OL	Non-Aq Liquid
WP	Wipe

Qualtrax ID: 55678

Pace Analytical Services, LLC



**DOCUMENT CHANGE NOTICE**

**Revised Report**

6500 Sunplex Drive  
 Ocean Springs, MS 39564  
 228.875.6420 Phone  
 228.875.6423 Fax

January 13, 2026

Jim Ward

**Work Order # :** 2509493

Choctaw Generation LP  
 2391 Pensacola Rd.

**Purchase Order #** RDH21227 - Yr 2025

Ackerman, MS 39735

RE: CGLP CCR Semi Annual

Enclosed is the revised report for samples received by the laboratory on 09/25/2025 08:22. This report supercedes any previous version of the above noted work order. If you have any questions concerning this report, please feel free to contact the office.

Sincerely,

Mitch Spicer

Lab Director



**DISCLAIMER**

*The results only relate to the items or the sample and/or samples received by the laboratory. This report shall not be reproduced except in full, without the approval of the laboratory. All NELAP certified test methods performed meet the requirements of NELAC 2009 Standards. Any variances and/or deviations specific to this analytical report are referenced in the lab report using qualifiers and detailed explanations found in the case narrative.*

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date/Time Sampled	Sampled by	Date/Time Received
MW-9	2509493-01	Water	09/23/2025 13:46	Kirk Shelton	09/25/2025 08:22
OW-2	2509493-02	Water	09/23/2025 11:20	Kirk Shelton	09/25/2025 08:22
MW-13	2509493-03	Water	09/24/2025 08:45	Kirk Shelton	09/25/2025 08:22
MW-7	2509493-04	Water	09/24/2025 09:50	Kirk Shelton	09/25/2025 08:22
MW-14	2509493-05	Water	09/24/2025 11:05	Kirk Shelton	09/25/2025 08:22
Field Blank	2509493-06	Water	09/24/2025 10:48	Kirk Shelton	09/25/2025 08:22
Duplicate	2509493-07	Water	09/24/2025 00:00	Kirk Shelton	09/25/2025 08:22
MW-12	2509493-08	Water	09/23/2025 10:23	Kirk Shelton	09/25/2025 08:22
CCR-2	2509493-09	Water	09/23/2025 16:12	Kirk Shelton	09/25/2025 08:22
CCR-3	2509493-10	Water	09/23/2025 12:52	Kirk Shelton	09/25/2025 08:22
CCR-4	2509493-11	Water	09/24/2025 07:35	Kirk Shelton	09/25/2025 08:22
CCR-5	2509493-12	Water	09/23/2025 14:51	Kirk Shelton	09/25/2025 08:22

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

**Reported:**  
 01/13/2026 14:59

**Sample Receipt Conditions**

Date/Time Received: 9/25/2025 8:22:00AM

Shipped by: Fed Ex

Received by: Sarah E. Tomek

Submitted by: Kirk Shelton

Date/Time Logged: 9/25/2025 8:47:00AM

Logged by: Sarah E. Tomek

 Cooler ID: client cooler #1

 Receipt Temperature: 4.8 °C

<i>Cooler Custody Seals Present</i>	Yes	<i>Received on Ice but Not Frozen</i>	Yes
<i>Containers Intact</i>	Yes	<i>No Ice, Short Trip</i>	No
<i>COC/Labels Agree</i>	Yes	<i>Obvious Contamination</i>	No
<i>Labels Complete</i>	Yes	<i>Rush to meet HT</i>	No
<i>COC Complete</i>	Yes	<i>Received within HT</i>	Yes
<i>Volatile Vial Headspace &gt;6mm</i>	No	<i>Proper Containers for Analysis</i>	Yes
<i>Field Sheet/Instructions Included</i>	No	<i>Correct Preservation</i>	Yes
<i>Samples Rejected/Documented in Log</i>	No	<i>Adequate Sample for Analysis</i>	Yes
<i>Temp Taken From Temp Blank</i>	Yes	<i>Sample Custody Seals Present</i>	Yes
<i>Temp Taken From Sample Container</i>	No	<i>Samples Missing from COC/Cooler</i>	No
<i>Temp Taken From Cooler</i>	No		
<i>COC meets acceptance criteria</i>	Yes		

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

**Reported:**  
 01/13/2026 14:59

**Cooler ID:** client cooler #2

**Receipt Temperature:** 5.7 °C

<i>Cooler Custody Seals Present</i>	Yes	<i>Received on Ice but Not Frozen</i>	Yes
<i>Containers Intact</i>	Yes	<i>No Ice, Short Trip</i>	No
<i>COC/Labels Agree</i>	Yes	<i>Obvious Contamination</i>	No
<i>Labels Complete</i>	Yes	<i>Rush to meet HT</i>	No
<i>COC Complete</i>	Yes	<i>Received within HT</i>	Yes
<i>Volatile Vial Headspace &gt;6mm</i>	No	<i>Proper Containers for Analysis</i>	Yes
<i>Field Sheet/Instructions Included</i>	No	<i>Correct Preservation</i>	Yes
<i>Samples Rejected/Documented in Log</i>	No	<i>Adequate Sample for Analysis</i>	Yes
<i>Temp Taken From Temp Blank</i>	Yes	<i>Sample Custody Seals Present</i>	Yes
<i>Temp Taken From Sample Container</i>	No	<i>Samples Missing from COC/Cooler</i>	No
<i>Temp Taken From Cooler</i>	No		
<i>COC meets acceptance criteria</i>	Yes		

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
01/13/2026 14:59

### CASE NARRATIVE SUMMARY

*All reported results are within Micro-Methods Laboratory, Inc. defined laboratory quality control objectives unless detailed in narrative summary or identified as qualifications. NOTE: All results listed on this report are calculated on a wet weight basis (as received by the laboratory) unless otherwise noted in the analysis qualification sections.*

#### Summary Comments:

REVISED REPORT 1/13/2026-SCH:

Client requested Selenium (HE) analysis. Analysis was included and a revised report issued.

See attached results from Sub-Contract Laboratory

### Total Metals-EPA 200.7 Rev 4.4

#### Qualification:

---

L3 LCS/LCSD Precision Limit exceeded.

**Lithium 610.362 [Axial]**  
5I29039-BSD1

---

M1 MS/MSD Recovery limit exceeded.

**Calcium 315.887 [Radial]**  
5I29039-MS2, 5I29039-MSD2

---

M10 Matrix interference is suspected

**Calcium 315.887 [Radial]**  
5I29039-MS2, 5I29039-MSD2

---

---

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 01/13/2026 14:59

**MW-9**
**2509493-01 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
<b>Classical Chemistry Parameters</b>										
Chloride	398	10.0	mg/L	20.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 16:57	SM 4110 B-2020	
Sulfate as SO4	98.0	25.0	"	5.0	"	CRG	"	09/25/2025 16:26	"	
Fluoride	0.31	0.22	"	1.0	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
Total Dissolved Solids	741	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	
<b>Metals by EPA 200 Series Methods ICP-AES</b>										
Barium 455.403 [Radial]	0.160	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 13:28	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	56.7	0.100	"	2.0	"	CLV	"	10/06/2025 15:23	"	
Lithium 610.362 [Axial]	0.046	0.040	"	1.0	"	CLV	"	10/06/2025 13:28	"	
<b>Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]</b>										
Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 13:25	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	0.00111	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	0.0179	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**OW-2**

**2509493-02 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
<b>Classical Chemistry Parameters</b>										
Chloride	82.0	2.50	mg/L	5.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 17:28	SM 4110 B-2020	
Sulfate as SO4	97.8	25.0	"	"	"	CRG	"	"	"	
Fluoride	0.23	0.22	"	1.0	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
Total Dissolved Solids	354	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.013	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 13:32	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	42.2	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 13:31	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 01/13/2026 14:59

**MW-13**
**2509493-03 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
<b>Classical Chemistry Parameters</b>										
Chloride	3.68	0.500	mg/L	1.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 13:21	SM 4110 B-2020	
Sulfate as SO4	7.19	5.00	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	"	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
Total Dissolved Solids	143	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.178	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 13:43	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	20.5	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 13:50	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**MW-7**

**2509493-04 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	-------

**Classical Chemistry Parameters**

Chloride	2.83	0.500	mg/L	1.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 20:02	SM 4110 B-2020	
Sulfate as SO4	43.5	10.0	"	2.0	"	CRG	"	09/25/2025 20:33	"	
Fluoride	ND	0.22	"	1.0	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
Total Dissolved Solids	133	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.065	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 13:46	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	20.0	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 13:57	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	0.00281	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**MW-14**

**2509493-05 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	-------

**Classical Chemistry Parameters**

Chloride	20.1	0.500	mg/L	1.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 13:52	SM 4110 B-2020	
Sulfate as SO4	9.58	5.00	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	"	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
Total Dissolved Solids	74	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.012	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 13:50	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	0.709	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 14:03	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**Field Blank**

**2509493-06 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	-------

**Classical Chemistry Parameters**

<b>Chloride</b>	<b>12.7</b>	0.500	mg/L	1.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 14:23	SM 4110 B-2020	
Sulfate as SO4	ND	5.00	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	"	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
<b>Total Dissolved Solids</b>	<b>18</b>	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	ND	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 14:01	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
<b>Calcium 315.887 [Radial]</b>	<b>5.72</b>	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 14:21	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**Duplicate**

**2509493-07 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	-------

**Classical Chemistry Parameters**

<b>Chloride</b>	<b>20.6</b>	0.500	mg/L	1.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 12:50	SM 4110 B-2020	
<b>Sulfate as SO4</b>	<b>9.55</b>	5.00	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	"	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
<b>Total Dissolved Solids</b>	<b>69</b>	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

<b>Barium 455.403 [Radial]</b>	<b>0.012</b>	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 14:05	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
<b>Calcium 315.887 [Radial]</b>	<b>0.687</b>	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 14:27	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**MW-12**

**2509493-08 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	-------

**Classical Chemistry Parameters**

<b>Chloride</b>	<b>33.2</b>	1.00	mg/L	2.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 21:04	SM 4110 B-2020	
<b>Sulfate as SO4</b>	<b>34.5</b>	10.0	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	1.0	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
<b>Total Dissolved Solids</b>	<b>194</b>	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

<b>Barium 455.403 [Radial]</b>	<b>0.155</b>	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 14:08	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
<b>Calcium 315.887 [Radial]</b>	<b>27.4</b>	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 14:33	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
<b>Cobalt [He]</b>	<b>0.0119</b>	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 01/13/2026 14:59

**CCR-2**
**2509493-09 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
<b>Classical Chemistry Parameters</b>										
Chloride	2.05	0.500	mg/L	1.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 14:53	SM 4110 B-2020	
Sulfate as SO4	12.2	5.00	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	"	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
Total Dissolved Solids	97	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.116	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 14:12	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	14.0	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 14:40	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**CCR-3**

**2509493-10 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	-------

**Classical Chemistry Parameters**

Chloride	4.29	0.500	mg/L	1.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 22:05	SM 4110 B-2020	
Sulfate as SO4	79.7	20.0	"	4.0	"	CRG	"	09/25/2025 22:36	"	
Fluoride	0.27	0.22	"	1.0	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
Total Dissolved Solids	205	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.058	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 14:15	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	21.5	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	0.062	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 14:47	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	0.0146	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 01/13/2026 14:59

**CCR-4**
**2509493-11 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	-------

**Classical Chemistry Parameters**

<b>Chloride</b>	<b>8.35</b>	0.500	mg/L	1.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 15:24	SM 4110 B-2020	
<b>Sulfate as SO4</b>	<b>16.9</b>	5.00	"	"	"	CRG	"	"	"	
Fluoride	ND	0.22	"	"	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
<b>Total Dissolved Solids</b>	<b>152</b>	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

<b>Barium 455.403 [Radial]</b>	<b>0.162</b>	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 15:16	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	ND	0.050	"	"	"	CLV	"	"	"	
<b>Calcium 315.887 [Radial]</b>	<b>24.0</b>	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 16:16	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
<b>Cobalt [He]</b>	<b>0.00295</b>	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**CCR-5**

**2509493-12 (Water)**

Analyte	Result	MRL	Units	Dil	Batch	Analyst	Date Time Prepared	Date Time Analyzed	Method	Notes
---------	--------	-----	-------	-----	-------	---------	--------------------	--------------------	--------	-------

**Classical Chemistry Parameters**

Chloride	4.72	0.500	mg/L	1.0	5I26004	CRG	09/25/2025 11:00	09/25/2025 23:38	SM 4110 B-2020	
Sulfate as SO4	83.4	50.0	"	10.0	"	CRG	"	09/26/2025 00:09	"	
Fluoride	ND	0.22	"	1.0	5I26021	CDV	09/26/2025 10:55	09/26/2025 12:41	SM 4500-F C-2021	
Total Dissolved Solids	304	1	"	"	5I25037	CRG	09/25/2025 10:45	09/29/2025 13:43	SM 2540 C-2020	

**Metals by EPA 200 Series Methods ICP-AES**

Barium 455.403 [Radial]	0.143	0.010	mg/L	1.0	5I29039	CLV	09/29/2025 09:30	10/06/2025 15:20	EPA 200.7 Rev 4.4	
Boron 249.773 [Radial]	0.084	0.050	"	"	"	CLV	"	"	"	
Calcium 315.887 [Radial]	43.4	0.050	"	"	"	CLV	"	"	"	
Lithium 610.362 [Axial]	ND	0.040	"	"	"	CLV	"	"	"	

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode]**

Antimony [He]	ND	0.00200	mg/L	1.0	5I29041	ASW	"	10/07/2025 16:22	EPA 200.8 Rev 5.4	
Arsenic [NG]	ND	0.00200	"	"	"	ASW	"	"	"	
Beryllium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cadmium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Chromium [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Cobalt [He]	0.00130	0.00100	"	"	"	ASW	"	"	"	
Lead [He]	ND	0.00100	"	"	"	ASW	"	"	"	
Molybdenum [He]	0.00171	0.00100	"	"	"	ASW	"	"	"	
Selenium [He]	ND	0.00100	"	"	"	ASW	"	"	"	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 01/13/2026 14:59

### Classical Chemistry Parameters - Quality Control

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5I25037 - Default Prep GenChem</b>											
<b>Blank (5I25037-BLK1)</b>											
Total Dissolved Solids	9/29/25 13:43	ND	1	mg/L							
<b>LCS (5I25037-BS1)</b>											
Total Dissolved Solids	9/29/25 13:43	80	1	mg/L	99.2		80.6	72.5-101			
<b>LCS Dup (5I25037-BSD1)</b>											
Total Dissolved Solids	9/29/25 13:43	85	1	mg/L	99.2		85.7	72.5-101	6.06	10	
<b>Duplicate (5I25037-DUP1) Source: 2509493-01</b>											
Total Dissolved Solids	9/29/25 13:43	724	1	mg/L		741			2.32	10	
<b>Duplicate (5I25037-DUP2) Source: 2509496-02</b>											
Total Dissolved Solids	9/29/25 13:43	541	1	mg/L		532			1.68	10	
<b>Batch 5I26004 - Default Prep GenChem</b>											
<b>Blank (5I26004-BLK1)</b>											
Chloride	9/25/25 11:18	ND	0.500	mg/L							
Sulfate as SO4	9/25/25 11:18	ND	5.00	"							
<b>Blank (5I26004-BLK2)</b>											
Chloride	9/29/25 11:55	ND	0.500	mg/L							
<b>LCS (5I26004-BS1)</b>											
Chloride	9/25/25 11:48	11.0	0.500	mg/L	10.0		110	90-110			
Sulfate as SO4	9/25/25 11:48	9.97	5.00	"	10.0		99.7	90-110			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 01/13/2026 14:59

**Classical Chemistry Parameters - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5I26004 - Default Prep GenChem</b>											
<b>LCS (5I26004-BS2)</b>											
Chloride	9/29/25 10:54	5.40	0.500	mg/L	5.00		108	90-110			
<b>LCS Dup (5I26004-BSD1)</b>											
Chloride	9/25/25 12:19	10.6	0.500	mg/L	10.0		106	90-110	4.44	20	
Sulfate as SO4	9/25/25 12:19	9.63	5.00	"	10.0		96.3	90-110	3.42	20	
<b>LCS Dup (5I26004-BSD2)</b>											
Chloride	9/29/25 11:24	5.48	0.500	mg/L	5.00		110	90-110	1.48	20	
<b>Duplicate (5I26004-DUP1) Source: 2509493-02</b>											
Chloride	9/25/25 17:59	88.5	2.50	mg/L		82.0			7.60	20	
Sulfate as SO4	9/25/25 17:59	109	25.0	"		97.8			11.3	20	
<b>Duplicate (5I26004-DUP2) Source: 2509496-02</b>											
Chloride	9/26/25 3:14	52.3	2.00	mg/L		47.3			9.88	20	
<b>Duplicate (5I26004-DUP3) Source: 2509493-06</b>											
Chloride	9/29/25 16:45	12.2	0.500	mg/L		12.7			3.57	20	
<b>Matrix Spike (5I26004-MS1) Source: 2509524-02RE1</b>											
Chloride	9/26/25 6:19	217	8.00	mg/L	160	49.2	105	67.2-119			
Sulfate as SO4	9/26/25 6:19	162	80.0	"	160	ND	102	72.5-117			
<b>Matrix Spike Dup (5I26004-MSD1) Source: 2509524-02RE1</b>											
Chloride	9/26/25 6:49	233	8.00	mg/L	160	49.2	115	67.2-119	6.85	20	
Sulfate as SO4	9/26/25 6:49	156	80.0	"	160	ND	97.7	72.5-117	3.86	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 01/13/2026 14:59

### Classical Chemistry Parameters - Quality Control

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5I26021 - Default Prep GenChem</b>											
<b>Blank (5I26021-BLK1)</b>											
Fluoride	9/26/25 12:41	ND	0.22	mg/L							
<b>LCS (5I26021-BS1)</b>											
Fluoride	9/26/25 12:41	2.00	0.22	mg/L	2.00		100	90-110			
<b>LCS Dup (5I26021-BSD1)</b>											
Fluoride	9/26/25 12:41	2.03	0.22	mg/L	2.00		102	90-110	1.49	30	
<b>Duplicate (5I26021-DUP1) Source: 2509493-11</b>											
Fluoride	9/26/25 12:41	0.04	0.22	mg/L		0.05			10.9	20	
<b>Matrix Spike (5I26021-MS1) Source: 2509493-02</b>											
Fluoride	9/26/25 12:41	2.21	0.22	mg/L	2.00	0.23	98.9	81.8-117			
<b>Matrix Spike Dup (5I26021-MSD1) Source: 2509493-02</b>											
Fluoride	9/26/25 12:41	2.25	0.22	mg/L	2.00	0.23	101	81.8-117	1.79	30	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**Metals by EPA 200 Series Methods ICP-AES - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5I29039 - EPA 200.2 DCN 1017 Rev 10</b>											
<b>Blank (5I29039-BLK1)</b>											
Barium 455.403 [Radial]	10/6/25 13:17	ND	0.010	mg/L							
Boron 249.773 [Radial]	10/6/25 13:17	ND	0.050	"							
Calcium 315.887 [Radial]	10/6/25 13:17	ND	0.050	"							
Lithium 610.362 [Axial]	10/6/25 13:17	ND	0.040	"							
<b>LCS (5I29039-BS1)</b>											
Barium 455.403 [Radial]	10/6/25 13:21	0.098	0.010	mg/L	0.100		98.3	85-115			
Boron 249.773 [Radial]	10/6/25 13:21	0.103	0.050	"	0.100		103	85-115			
Calcium 315.887 [Radial]	10/6/25 13:21	0.104	0.050	"	0.100		104	85-115			
Lithium 610.362 [Axial]	10/6/25 14:21	0.110	0.040	"	0.100		110	85-115			
<b>LCS Dup (5I29039-BSD1)</b>											
Barium 455.403 [Radial]	10/6/25 13:25	0.102	0.010	mg/L	0.100		102	85-115	3.77	20	
Boron 249.773 [Radial]	10/6/25 13:25	0.106	0.050	"	0.100		106	85-115	3.61	20	
Calcium 315.887 [Radial]	10/6/25 13:25	0.108	0.050	"	0.100		108	85-115	4.32	20	
Lithium 610.362 [Axial]	10/6/25 14:25	0.089	0.040	"	0.100		88.9	85-115	20.9	20	L3
<b>Duplicate (5I29039-DUP1) Source: 2509493-02</b>											
Calcium 315.887 [Radial]	10/6/25 13:36	42.2	0.050	mg/L		42.2			0.0678	20	
<b>Matrix Spike (5I29039-MS1) Source: 2509493-02</b>											
Barium 455.403 [Radial]	10/6/25 13:36	0.114	0.010	mg/L	0.100	0.013	101	70-130			
Boron 249.773 [Radial]	10/6/25 13:36	0.111	0.050	"	0.100	ND	111	70-130			
Lithium 610.362 [Axial]	10/6/25 13:36	0.138	0.040	"	0.100	0.033	105	70-130			
<b>Matrix Spike (5I29039-MS2) Source: 2509493-05</b>											
Barium 455.403 [Radial]	10/6/25 13:54	0.118	0.010	mg/L	0.100	0.012	106	70-130			
Boron 249.773 [Radial]	10/6/25 13:54	0.103	0.050	"	0.100	ND	103	70-130			
Calcium 315.887 [Radial]	10/6/25 13:54	0.889	0.050	"	0.100	0.709	180	70-130			M1, M10
Lithium 610.362 [Axial]	10/6/25 13:54	0.110	0.040	"	0.100	ND	110	70-130			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 01/13/2026 14:59

**Metals by EPA 200 Series Methods ICP-AES - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
<b>Batch 5I29039 - EPA 200.2 DCN 1017 Rev 10</b>											
<b>Matrix Spike Dup (5I29039-MSD1)</b>			<b>Source: 2509493-02</b>								
Barium 455.403 [Radial]	10/6/25 13:39	0.115	0.010	mg/L	0.100	0.013	102	70-130	0.911	20	
Boron 249.773 [Radial]	10/6/25 13:39	0.111	0.050	"	0.100	ND	111	70-130	0.542	20	
Lithium 610.362 [Axial]	10/6/25 13:39	0.137	0.040	"	0.100	0.033	104	70-130	0.674	20	
<b>Matrix Spike Dup (5I29039-MSD2)</b>			<b>Source: 2509493-05</b>								
Barium 455.403 [Radial]	10/6/25 13:57	0.118	0.010	mg/L	0.100	0.012	107	70-130	0.358	20	
Boron 249.773 [Radial]	10/6/25 13:57	0.102	0.050	"	0.100	ND	102	70-130	0.824	20	
Calcium 315.887 [Radial]	10/6/25 13:57	0.867	0.050	"	0.100	0.709	157	70-130	2.59	20	M1, M10
Lithium 610.362 [Axial]	10/6/25 13:57	0.110	0.040	"	0.100	ND	110	70-130	0.766	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
01/13/2026 14:59

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode] - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
---------	----------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	------------

Batch 5I29041 - EPA 200.2 DCN 1017 Rev 10

**Blank (5I29041-BLK1)**

Antimony [He]	10/7/25 13:01	ND	0.00200	mg/L							
Beryllium [He]	10/7/25 13:01	ND	0.00100	"							
Cadmium [He]	10/7/25 13:01	ND	0.00100	"							
Chromium [He]	10/7/25 13:01	ND	0.00100	"							
Cobalt [He]	10/7/25 13:01	ND	0.00100	"							
Lead [He]	10/7/25 13:01	ND	0.00100	"							
Molybdenum [He]	10/7/25 13:01	ND	0.00100	"							
Selenium [He]	10/7/25 13:01	ND	0.00100	"							

**LCS (5I29041-BS1)**

Antimony [He]	10/7/25 13:07	0.112	0.00200	mg/L	0.100		112	85-115			
Beryllium [He]	10/7/25 13:07	0.102	0.00100	"	0.100		102	85-115			
Cadmium [He]	10/7/25 13:07	0.102	0.00100	"	0.100		102	85-115			
Chromium [He]	10/7/25 13:07	0.102	0.00100	"	0.100		102	85-115			
Cobalt [He]	10/7/25 13:07	0.105	0.00100	"	0.100		105	85-115			
Lead [He]	10/7/25 13:07	0.099	0.00100	"	0.100		98.7	85-115			
Molybdenum [He]	10/7/25 13:07	0.096	0.00100	"	0.100		95.9	85-115			
Selenium [He]	10/7/25 13:07	0.101	0.00100	"	0.100		101	85-115			

**LCS Dup (5I29041-BSD1)**

Antimony [He]	10/7/25 13:19	0.112	0.00200	mg/L	0.100		112	85-115	0.251	20	
Beryllium [He]	10/7/25 13:19	0.102	0.00100	"	0.100		102	85-115	0.0126	20	
Cadmium [He]	10/7/25 13:19	0.102	0.00100	"	0.100		102	85-115	0.274	20	
Chromium [He]	10/7/25 13:19	0.101	0.00100	"	0.100		101	85-115	0.707	20	
Cobalt [He]	10/7/25 13:19	0.104	0.00100	"	0.100		104	85-115	0.827	20	
Lead [He]	10/7/25 13:19	0.100	0.00100	"	0.100		99.6	85-115	0.864	20	
Molybdenum [He]	10/7/25 13:19	0.096	0.00100	"	0.100		96.3	85-115	0.362	20	
Selenium [He]	10/7/25 13:19	0.096	0.00100	"	0.100		95.6	85-115	5.05	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

Reported:  
 01/13/2026 14:59

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode] - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
---------	----------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	------------

Batch 5I29041 - EPA 200.2 DCN 1017 Rev 10

**Matrix Spike (5I29041-MS1)**

Source: 2509493-02

Antimony [He]	10/7/25 13:38	0.117	0.00200	mg/L	0.100	ND	117	70-130			
Beryllium [He]	10/7/25 13:38	0.102	0.00100	"	0.100	ND	102	70-130			
Cadmium [He]	10/7/25 13:38	0.102	0.00100	"	0.100	0.0003	102	70-130			
Chromium [He]	10/7/25 13:38	0.100	0.00100	"	0.100	ND	100	70-130			
Cobalt [He]	10/7/25 13:38	0.100	0.00100	"	0.100	0.0003	100	70-130			
Lead [He]	10/7/25 13:38	0.100	0.00100	"	0.100	ND	100	70-130			
Molybdenum [He]	10/7/25 13:38	0.105	0.00100	"	0.100	ND	105	70-130			
Selenium [He]	10/7/25 13:38	0.100	0.00100	"	0.100	ND	100	70-130			

**Matrix Spike (5I29041-MS2)**

Source: 2509493-05

Antimony [He]	10/7/25 14:09	0.112	0.00200	mg/L	0.100	ND	112	70-130			
Beryllium [He]	10/7/25 14:09	0.106	0.00100	"	0.100	ND	106	70-130			
Cadmium [He]	10/7/25 14:09	0.100	0.00100	"	0.100	ND	100	70-130			
Chromium [He]	10/7/25 14:09	0.100	0.00100	"	0.100	0.0002	99.9	70-130			
Cobalt [He]	10/7/25 14:09	0.104	0.00100	"	0.100	0.0007	103	70-130			
Lead [He]	10/7/25 14:09	0.098	0.00100	"	0.100	ND	97.8	70-130			
Molybdenum [He]	10/7/25 14:09	0.097	0.00100	"	0.100	ND	96.6	70-130			
Selenium [He]	10/7/25 14:09	0.093	0.00100	"	0.100	ND	93.3	70-130			

**Matrix Spike Dup (5I29041-MSD1)**

Source: 2509493-02

Antimony [He]	10/7/25 13:44	0.112	0.00200	mg/L	0.100	ND	112	70-130	4.36	20	
Beryllium [He]	10/7/25 13:44	0.099	0.00100	"	0.100	ND	98.8	70-130	3.39	20	
Cadmium [He]	10/7/25 13:44	0.098	0.00100	"	0.100	0.0003	97.5	70-130	4.36	20	
Chromium [He]	10/7/25 13:44	0.097	0.00100	"	0.100	ND	97.3	70-130	2.91	20	
Cobalt [He]	10/7/25 13:44	0.097	0.00100	"	0.100	0.0003	96.8	70-130	3.20	20	
Lead [He]	10/7/25 13:44	0.098	0.00100	"	0.100	ND	97.8	70-130	2.33	20	
Molybdenum [He]	10/7/25 13:44	0.102	0.00100	"	0.100	ND	102	70-130	2.84	20	
Selenium [He]	10/7/25 13:44	0.095	0.00100	"	0.100	ND	95.4	70-130	4.69	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
01/13/2026 14:59

**Metals by EPA 200 Series Methods ICP-MS [Analysis Mode] - Quality Control**

Analyte	Analyzed	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifiers
---------	----------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	------------

Batch 5129041 - EPA 200.2 DCN 1017 Rev 10

Matrix Spike Dup (5129041-MSD2)

Source: 2509493-05

Antimony [He]	10/7/25 14:15	0.113	0.00200	mg/L	0.100	ND	113	70-130	0.971	20	
Beryllium [He]	10/7/25 14:15	0.106	0.00100	"	0.100	ND	106	70-130	0.257	20	
Cadmium [He]	10/7/25 14:15	0.102	0.00100	"	0.100	ND	102	70-130	2.21	20	
Chromium [He]	10/7/25 14:15	0.102	0.00100	"	0.100	0.0002	101	70-130	1.48	20	
Cobalt [He]	10/7/25 14:15	0.105	0.00100	"	0.100	0.0007	105	70-130	1.30	20	
Lead [He]	10/7/25 14:15	0.098	0.00100	"	0.100	ND	98.1	70-130	0.334	20	
Molybdenum [He]	10/7/25 14:15	0.097	0.00100	"	0.100	ND	97.2	70-130	0.655	20	
Selenium [He]	10/7/25 14:15	0.094	0.00100	"	0.100	ND	93.9	70-130	0.644	20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

 Reported:  
 01/13/2026 14:59

**Certified Analyses Included in this Report**

Analyte	Certification Code
<b>EPA 200.7 Rev 4.4 in Water</b>	
Arsenic 193.759 [Axial]	C01,C02
Aluminum 394.401 [Radial]	C01,C02
Aluminum 396.152 [Radial]	C01,C02
Antimony 206.833 [Axial]	C01,C02
Barium 455.403 [Radial]	C01,C02
Barium 493.409 [Radial]	C01,C02
Beryllium 313.042 [Axial]	C01,C02
Boron 249.773 [Radial]	C01,C02
Cadmium 228.802 [Axial]	C01,C02
Calcium 315.887 [Radial]	C01,C02
Chromium 283.563 [Axial]	C01,C02
Cobalt 228.616 [Axial]	C01,C02
Copper 324.754 [Axial]	C01,C02
Iron 259.940 [Axial]	C01,C02
Iron 259.940 [Radial]	C01,C02
Lead 220.353 [Axial]	C01,C02
Magnesium 285.213 [Radial]	C01,C02
Manganese 257.610 [Axial]	C01,C02
Molybdenum 202.030 [Axial]	C01,C02
Nickel 231.604 [Axial]	C01,C02
Potassium 766.490 [Radial]	C01,C02
Phosphorus 178.284 [Axial]	C01,C02
Phosphorus 178.284 [Radial]	C01,C02
Selenium 196.090 [Axial]	C01,C02
Silver 328.068 [Axial]	C01,C02
Sodium 589.592 [Axial]	C01,C02
Sodium 589.592 [Radial]	C01,C02
Strontium 346.446 [Radial]	C01,C02
Strontium 421.552 [Radial]	C01,C02
Thallium 190.856 [Axial]	C01,C02
Vanadium 309.311 [Axial]	C01,C02
Zinc 213.856 [Axial]	C01,C02
<b>EPA 200.8 Rev 5.4 in Water</b>	
Aluminum [He]	C01,C02
Antimony [He]	C01,C02
Antimony [NG]	C01,C02
Arsenic [He]	C01,C02
Arsenic [NG]	C01,C02
Barium [He]	C01,C02

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
 2391 Pensacola Rd.  
 Ackerman MS, 39735

 Project: CGLP CCR Semi Annual  
 Project Number: [none]  
 Project Manager: Jim Ward

**Reported:**  
 01/13/2026 14:59

Beryllium [He]	C01,C02
Cadmium [He]	C01,C02
Cadmium [NG]	C01,C02
Chromium [He]	C01,C02
Cobalt [He]	C01,C02
Copper [He]	C01,C02
Copper [NG]	C01,C02
Iron [He]	C01,C02
Lead [He]	C01,C02
Lead [NG]	C01,C02
Manganese [He]	C01,C02
Molybdenum [He]	C01,C02
Nickel [He]	C01,C02
Selenium [He]	C01,C02
Selenium [NG]	C01,C02
Silver [He]	C01,C02
Silver [NG]	C01,C02
Strontium [He]	C01,C02
Thallium [He]	C01,C02
Vanadium [He]	C01,C02
Zinc [He]	C01,C02

**SM 2540 C-2020 in Water**

Total Dissolved Solids	C01,C02
------------------------	---------

**SM 4110 B-2020 in Water**

Chloride	C01,C02
Nitrite as N	C01,C02
Nitrate as N	C01,C02
Sulfate as SO4	C01,C02

**\*\*Only compounds included in this list are associated with accredited analyses\*\***


---

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
01/13/2026 14:59

*Laboratory Accreditations/Certifications*

Code	Description	Number	Expires
C01	LA Environmental Lab Accreditation Program	01960	06/30/2026
C02	The NELAC Institute (NELAP)	TNI01397	06/30/2026
C03	MS Dept of Health (Drinking Water Microbiology)	MS00021	12/31/2026
C04	MS Dept of Health (Drinking Water Chemistry)	MS00021	12/31/2026
C05	MS DEQ Lead Firm Certification	PBF-00000028	03/31/2026
C06	MSDEQ Asbestos Inspector : C.D. Bingham	ABI-00001348	02/13/2026
C07	MSDEQ Air Monitor : C.D. Bingham	AM-011572	02/14/2026
C08	MSDEQ Asbestos Inspector: C. W. Meins	ABI-00001821	01/08/2027
C09	MSDEQ Air Monitor : C.W. Meins	AM-011189	02/14/2026
C14	MSDEQ Lead Paint Inspector : C.D. Bingham	PBI-00003690	03/31/2026
C15	MSDEQ Lead Paint Inspector : C.W. Meins	PBI-00001740	03/31/2026
C16			
C17			

**Report Definitions**

DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the minimum reporting limit
NR	Not Reported
RPD	Relative Percent Difference
ICV	Initial Calibration Verification
CCV	Continuing Calibration Verification Standard
SSV	Secondary Source Verification Standard
LCS	Lab Control Spike - Lab matrix prepared with known concentration of analyte/s of interest analyzed by method.
MS	Matrix Spike - Sample prepared with known concentration of analyte/s of interest analyzed by method.
MSD	Matrix Spike Duplicate - Duplicate sample prepared with known concentration of analyte/s of interest analyzed by method.
MRL	Minimum Reporting Limit
%REC	Percentage Recovery of known concentration added to matrix
Batch	Group of samples prepared for analysis not to exceed 20 samples.
Matrix	Material containing analyte/s of interest
Surrogate	Analyte added to sample to determine extraction efficiency of method.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Choctaw Generation LP  
2391 Pensacola Rd.  
Ackerman MS, 39735

Project: CGLP CCR Semi Annual  
Project Number: [none]  
Project Manager: Jim Ward

Reported:  
01/13/2026 14:59

### Analyst Initials Key

<u>FullName</u>	<u>Initials</u>
Alexandria S Windham	ASW
Cristina D Vargas	CDV
Charles L Vorhoff	CLV
Christa R Gray	CRG
Sarah E. Tomek	SET
Teresa Meins	TKM
Tina Tomek	TPT

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

PO Box 1410, Ocean Springs, MS 39566-1410  
(228) 875-6420 FAX (228) 875-6423  
www.micromethodslab.com

**Chain of Custody Record**

Lab ID # MS00021  
LELAP ID # 01960  
TNI ID # TNI01397

M-M Lab  
W/O #

25009493

Print Form

Company Name: **Choctaw Generation Limited Partnership LLLP**

Address: **2391 Pensacola Rd.**

City: **Ackerman** State: **MS** Zip: **39735**

Phone: **662-387-5758**

Fax:

Project Manager: **Jim Ward**

Purchase Order #:

Email Address: **Jimward@southernco.com**

Sampler Name Signed: *Jim Ward*

QC Level: Level 1  Level 2  Level 3

Turn Around Time & Reporting  
Our normal turn around time is 10 working days  
\*All rush order requests must be prior approved.  
Phone \_\_\_\_\_  
Mail \_\_\_\_\_  
Fax \_\_\_\_\_  
Email \_\_\_\_\_

Field Testing  
ID# \_\_\_\_\_ ID# \_\_\_\_\_ ID# \_\_\_\_\_ ID# \_\_\_\_\_  
Field Test \_\_\_\_\_ Field Test \_\_\_\_\_ Field Test \_\_\_\_\_ Field Test \_\_\_\_\_

Matrix:  
W = Water  
DW = Drinking Water  
S = Solid  
SO = Soil  
SE = Sediment  
L = Liquid  
A = Air  
O = Oil  
SL = Sludge

Preservations:  
1 = H2SO4  
2 = H3PO4  
3 = NaOH  
4 = ZnCAH1006  
5 = ZnCAH1006 & NaOH  
6 = HNO3  
7 = Na2S2O3  
8 = HCl  
9 = NaHSO4

Project Name: **CGLP CCR**

Project #: **Semi-Annual**

Sample Identification	Sampling Date/Time	Matrix Code	# of Containers	Grab (G) or Composite (C)	TDS	Chloride, Fluoride, Sulfate	Antimony, Arsenic	Barium, Boron	Beryllium, Cadmium	Chromium, Lead	Calcium, Cobalt	Lithium	Molybdenum, Selenium	Total Radium 226 & 228
MW-9	9/23/15 13:44	W	4	G	X	X	X	X	X	X	X	X	X	X
OW-2	11:20	W	4	G	X	X	X	X	X	X	X	X	X	X
MW-13	9/24/15 08:45	W	4	G	X	X	X	X	X	X	X	X	X	X
MW-7	9/24/15 09:50	W	4	G	X	X	X	X	X	X	X	X	X	X
MW-14	9/24/15 11:05	W	4	G	X	X	X	X	X	X	X	X	X	X
Field Blank	9/24/15 10:49	W	4	G	X	X	X	X	X	X	X	X	X	X
Duplicate	9/24/15	W	4	G	X	X	X	X	X	X	X	X	X	X
MW-12	9/23/15 10:23	W	4	G	X	X	X	X	X	X	X	X	X	X
CCR-2	9/23/15 16:12	W	4	G	X	X	X	X	X	X	X	X	X	X
CCR-3	9/23/15 17:52	W	4	G	X	X	X	X	X	X	X	X	X	X
CCR-4	9/24/15 07:35	W	4	G	X	X	X	X	X	X	X	X	X	X

Date & Time	Printed Name	Signature	Company	Date	Time
	Kroll Shelton	<i>[Signature]</i>	Triumph/ES	9/25/15	16:30
	Feder	<i>[Signature]</i>	MM	9/25/15	08:22

Received on Ice  Y  N Thermometer # **58** Cooler # **81** Receipt Temp Corrected (°C) **Blank**  Cooler

Notes: *down shift by 1.5°C*  
*client cooler # 1 4.8°C*  
*client cooler # 2 5.7°C*

PO Box 1410, Ocean Springs, MS 39566-1410  
(228) 875-6420 FAX (228) 875-6423  
www.micromethodslab.com

Lab ID# MS00021  
LELAP ID # 01960  
TNI ID # TNI01397

M-M Lab  
WO #

25009493

Company Name: **Choctaw Generation Limited Partnership LLLP** Project Manager: **Jim Ward**

Address: **2391 Pensacola Rd.** Purchase Order #:

City: **Ackerman** State: **MS** Zip: **39735** Email Address: **jward@southernco.com**

Phone: **662-387-5758** Sampler Name Printed: **[Signature]**

Fax: Sampler Name Signed: **[Signature]**

Project Name: **CGLP CCR**

Project #: **Semi-Annual**

Sample Identification	Sampling Date/Time	Matrix Code	# of Containers	Grab (G) or Composite (C)	List Analyses Requested										
					TDS	Chloride, Fluoride, Sulfate	Antimony, Arsenic	Barium, Boron	Beryllium, Cadmium	Chromium, Lead	Calcium, Cobalt	Lithium	Molybdenum, Selenium	Total Radium 226 & 228	
CCR-5	09/23/05 14:31	W	4	G	X	X	X	X	X	X	X	X	X	X	

Received on Ice  Y  N Thermometer# **58** Cooler # \_\_\_\_\_ Receipt Temp Corrected(°C) \_\_\_\_\_

Date & Time \_\_\_\_\_ BY: **[Signature]** Sample \_\_\_\_\_ Blank  Cooler \_\_\_\_\_

Relinquished by	Printed Name	Signature	Company	Date	Time
Received by	<b>Kell Shalson</b>	<b>[Signature]</b>			
Relinquished by	<b>Fed Ex</b>	<b>[Signature]</b>	<b>Fed Ex</b>	<b>9/23/05</b>	<b>16:30</b>
Received by	<b>Fed Ex</b>	<b>[Signature]</b>	<b>MM</b>	<b>9/23/05</b>	<b>08:22</b>
Relinquished by					
Received by					

Turn Around Time & Reporting  
Our normal turn around time is 10 working days  
\*All rush order requests must be prior approved.  
Normal  Next Day\*  2nd Day\*  Other\*   
Phone \_\_\_\_\_ Mail \_\_\_\_\_ Fax \_\_\_\_\_ Email \_\_\_\_\_

QC Level: Level 1  Level 2  Level 3

Field Testing ID# \_\_\_\_\_ ID# \_\_\_\_\_ ID# \_\_\_\_\_ ID# \_\_\_\_\_

Matrix:  
W = Water  
DW = Drinking Water  
S = Solid  
SO = Soil  
SE = Sediment  
L = Liquid  
A = Air  
O = Oil  
SL = Sludge

Preservation:  
1 = H2SO4  
2 = H3PO4  
3 = NaOH  
4 = ZnCAH1006  
5 = ZnCAH1006 & NaOH  
6 = HNO3  
7 = Na2S2O3  
8 = HCl  
9 = NaHSO4

Notes:  
**Fed Ex ships 2 overnight client cooler #1 4.8°C client cooler #2 5.7°C**



October 21, 2025

Teresa Meins  
Micro-Methods Laboratory, Inc.  
6500 Sunplex Drive  
Ocean Springs, MS 39564

RE: Project: 2509493  
Pace Project No.: 30815173

Dear Teresa Meins:

Enclosed are the analytical results for sample(s) received by the laboratory on October 02, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Greensburg

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Carla Cmar  
carla.cmar@pacelabs.com  
(724)850-5600  
Project Manager

Enclosures

cc: Accounts Payable, Micro-Methods Laboratory, Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## CERTIFICATIONS

Project: 2509493  
 Pace Project No.: 30815173

---

### Pace Analytical Services Pennsylvania

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601  
 ANAB DOD-ELAP Rad Accreditation #: L2417  
 ANABISO/IEC 17025:2017 Rad Cert#: L24170  
 Alabama Certification #: 41590  
 Arizona Certification #: AZ0734  
 Arkansas Certification  
 California Certification #: 2950  
 Colorado Certification #: PA01547  
 Connecticut Certification #: PH-0694  
 EPA Region 4 DW Rad  
 Florida/TNI Certification #: E87683  
 Georgia Certification #: C040  
 Guam Certification  
 Hawaii Certification  
 Idaho Certification  
 Illinois Certification  
 Indiana Certification  
 Iowa Certification #: 391  
 Kansas Certification #: E-10358  
 Kentucky Certification #: KY90133  
 KY WW Permit #: KY0098221  
 KY WW Permit #: KY0000221  
 Louisiana DHH/TNI Certification #: LA010  
 Louisiana DEQ/TNI Certification #: 04086  
 Maine Certification #: 2023021  
 Maryland Certification #: 308  
 Massachusetts Certification #: M-PA1457  
 Michigan/PADEP Certification #: 9991

Missouri Certification #: 235  
 Montana Certification #: Cert0082  
 Nebraska Certification #: NE-OS-29-14  
 Nevada Certification #: PA014572023-03  
 New Hampshire/TNI Certification #: 297622  
 New Jersey/TNI Certification #: PA051  
 New Mexico Certification #: PA01457  
 New York/TNI Certification #: 10888  
 North Carolina Certification #: 42706  
 North Dakota Certification #: R-190  
 Ohio EPA Rad Approval: #41249  
 Oregon/TNI Certification #: PA200002-015  
 Pennsylvania/TNI Certification #: 65-00282  
 Puerto Rico Certification #: PA01457  
 Rhode Island Certification #: 65-00282  
 South Dakota Certification  
 Tennessee Certification #: TN02867  
 Texas/TNI Certification #: T104704188-22-18  
 Utah/TNI Certification #: PA014572223-14  
 USDA Soil Permit #: 525-23-67-77263  
 Vermont Dept. of Health: ID# VT-0282  
 Virgin Island/PADEP Certification  
 Virginia/VELAP Certification #: 460198  
 Washington Certification #: C868  
 West Virginia DEP Certification #: 143  
 West Virginia DHHR Certification #: 9964C  
 Wisconsin Approve List for Rad

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



### SAMPLE SUMMARY

Project: 2509493  
Pace Project No.: 30815173

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30815173001	2509493-01	Water	09/23/25 13:46	10/02/25 10:20
30815173002	2509493-02	Water	09/23/25 11:20	10/02/25 10:20
30815173003	2509493-03	Water	09/24/25 08:45	10/02/25 10:20
30815173004	2509493-04	Water	09/24/25 09:50	10/02/25 10:20
30815173005	2509493-05	Water	09/24/25 11:05	10/02/25 10:20
30815173006	2509493-06	Water	09/24/25 10:48	10/02/25 10:20
30815173007	2509493-07	Water	09/24/25 00:00	10/02/25 10:20
30815173008	2509493-08	Water	09/23/25 10:23	10/02/25 10:20
30815173009	2509493-09	Water	09/23/25 16:12	10/02/25 10:20
30815173010	2509493-10	Water	09/23/25 12:52	10/02/25 10:20
30815173011	2509493-11	Water	09/24/25 07:35	10/02/25 10:20
30815173012	2509493-12	Water	09/23/25 14:51	10/02/25 10:20

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**SAMPLE ANALYTE COUNT**

Project: 2509493  
 Pace Project No.: 30815173

Lab ID	Sample ID	Method	Analysts	Analytes Reported
30815173001	2509493-01	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173002	2509493-02	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173003	2509493-03	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173004	2509493-04	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173005	2509493-05	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173006	2509493-06	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173007	2509493-07	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173008	2509493-08	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173009	2509493-09	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173010	2509493-10	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173011	2509493-11	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1
30815173012	2509493-12	EPA 903.1	TMY	1
		EPA 904.0	ZPC	1
		Total Radium Calculation	JAL	1

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 2509493  
Pace Project No.: 30815173

---

Lab ID	Sample ID	Method	Analysts	Analytes Reported
--------	-----------	--------	----------	-------------------

---

PASI-PA = Pace Analytical Services - Greensburg

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2509493  
 Pace Project No.: 30815173

**Sample: 2509493-01** Lab ID: 30815173001 Collected: 09/23/25 13:46 Received: 10/02/25 10:20 Matrix: Water  
 PWS: Site ID: Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.127 ± 0.528 (1.01)</b> C:NA T:87%	pCi/L	10/20/25 14:04	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>1.40 ± 0.592 (1.00)</b> C:74% T:92%	pCi/L	10/16/25 15:42	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>1.53 ± 1.12 (2.01)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**Sample: 2509493-02** Lab ID: 30815173002 Collected: 09/23/25 11:20 Received: 10/02/25 10:20 Matrix: Water  
 PWS: Site ID: Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.335 ± 0.538 (0.931)</b> C:NA T:96%	pCi/L	10/20/25 14:16	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.553 ± 0.371 (0.710)</b> C:87% T:86%	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.888 ± 0.909 (1.64)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**Sample: 2509493-03** Lab ID: 30815173003 Collected: 09/24/25 08:45 Received: 10/02/25 10:20 Matrix: Water  
 PWS: Site ID: Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.331 ± 0.267 (0.149)</b> C:NA T:98%	pCi/L	10/20/25 14:16	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.603 ± 0.386 (0.713)</b> C:70% T:89%	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.934 ± 0.653 (0.862)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2509493  
 Pace Project No.: 30815173

**Sample: 2509493-04** Lab ID: 30815173004 Collected: 09/24/25 09:50 Received: 10/02/25 10:20 Matrix: Water  
 PWS: Site ID: Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.164 ± 0.416 (0.772)</b> C:NA T:98%	pCi/L	10/20/25 14:16	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.231 ± 0.352 (0.760)</b> C:72% T:84%	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.395 ± 0.768 (1.53)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**Sample: 2509493-05** Lab ID: 30815173005 Collected: 09/24/25 11:05 Received: 10/02/25 10:20 Matrix: Water  
 PWS: Site ID: Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.309 ± 0.404 (0.666)</b> C:NA T:89%	pCi/L	10/20/25 14:16	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.393 ± 0.379 (0.774)</b> C:75% T:90%	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.702 ± 0.783 (1.44)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**Sample: 2509493-06** Lab ID: 30815173006 Collected: 09/24/25 10:48 Received: 10/02/25 10:20 Matrix: Water  
 PWS: Site ID: Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>-0.325 ± 0.303 (0.813)</b> C:NA T:96%	pCi/L	10/20/25 14:16	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.301 ± 0.347 (0.728)</b> C:74% T:93%	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.301 ± 0.650 (1.54)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**ANALYTICAL RESULTS - RADIOCHEMISTRY**

Project: 2509493  
 Pace Project No.: 30815173

**Sample: 2509493-07** Lab ID: **30815173007** Collected: 09/24/25 00:00 Received: 10/02/25 10:20 Matrix: Water  
 PWS: Site ID: Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>-0.0541 ± 0.437 (0.901)</b> <b>C:NA T:95%</b>	pCi/L	10/20/25 14:16	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.366 ± 0.377 (0.778)</b> <b>C:71% T:85%</b>	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.366 ± 0.814 (1.68)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**Sample: 2509493-08** Lab ID: **30815173008** Collected: 09/23/25 10:23 Received: 10/02/25 10:20 Matrix: Water  
 PWS: Site ID: Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.220 ± 0.342 (0.593)</b> <b>C:NA T:96%</b>	pCi/L	10/20/25 14:16	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.424 ± 0.357 (0.712)</b> <b>C:75% T:90%</b>	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.644 ± 0.699 (1.31)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**Sample: 2509493-09** Lab ID: **30815173009** Collected: 09/23/25 16:12 Received: 10/02/25 10:20 Matrix: Water  
 PWS: Site ID: Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.0582 ± 0.379 (0.763)</b> <b>C:NA T:90%</b>	pCi/L	10/20/25 14:16	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.452 ± 0.435 (0.888)</b> <b>C:66% T:88%</b>	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.510 ± 0.814 (1.65)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS - RADIOCHEMISTRY

Project: 2509493  
 Pace Project No.: 30815173

**Sample: 2509493-10**      **Lab ID: 30815173010**      Collected: 09/23/25 12:52      Received: 10/02/25 10:20      Matrix: Water  
 PWS:      Site ID:      Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.000 ± 0.666 (1.29)</b> C:NA T:98%	pCi/L	10/20/25 14:29	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.730 ± 0.496 (0.970)</b> C:77% T:89%	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>0.730 ± 1.16 (2.26)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**Sample: 2509493-11**      **Lab ID: 30815173011**      Collected: 09/24/25 07:35      Received: 10/02/25 10:20      Matrix: Water  
 PWS:      Site ID:      Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.838 ± 0.649 (0.915)</b> C:NA T:95%	pCi/L	10/20/25 14:29	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.823 ± 0.532 (1.02)</b> C:69% T:87%	pCi/L	10/16/25 15:43	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>1.66 ± 1.18 (1.94)</b>	pCi/L	10/21/25 10:28	7440-14-4	

**Sample: 2509493-12**      **Lab ID: 30815173012**      Collected: 09/23/25 14:51      Received: 10/02/25 10:20      Matrix: Water  
 PWS:      Site ID:      Sample Type:

Comments: • The sampler's name and/or signature was not listed on the client COC; client notified via SAF.

Parameters	Method	Act ± Unc (MDC) Carr Trac	Units	Analyzed	CAS No.	Qual
Pace Analytical Services - Greensburg						
Radium-226	EPA 903.1	<b>0.672 ± 0.650 (1.02)</b> C:NA T:90%	pCi/L	10/20/25 14:29	13982-63-3	
Pace Analytical Services - Greensburg						
Radium-228	EPA 904.0	<b>0.488 ± 0.463 (0.954)</b> C:76% T:86%	pCi/L	10/16/25 15:47	15262-20-1	
Pace Analytical Services - Greensburg						
Total Radium	Total Radium Calculation	<b>1.16 ± 1.11 (1.97)</b>	pCi/L	10/21/25 10:28	7440-14-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2509493  
 Pace Project No.: 30815173

---

QC Batch:	774984	Analysis Method:	EPA 904.0
QC Batch Method:	EPA 904.0	Analysis Description:	904.0 Radium 228
		Laboratory:	Pace Analytical Services - Greensburg

Associated Lab Samples: 30815173001, 30815173002, 30815173003, 30815173004, 30815173005, 30815173006, 30815173007, 30815173008, 30815173009, 30815173010, 30815173011, 30815173012

---

METHOD BLANK: 3779367 Matrix: Water

Associated Lab Samples: 30815173001, 30815173002, 30815173003, 30815173004, 30815173005, 30815173006, 30815173007, 30815173008, 30815173009, 30815173010, 30815173011, 30815173012

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-228	0.501 ± 0.335 (0.626) C:78% T:93%	pCi/L	10/16/25 15:46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL - RADIOCHEMISTRY**

Project: 2509493  
 Pace Project No.: 30815173

---

QC Batch:	774982	Analysis Method:	EPA 903.1
QC Batch Method:	EPA 903.1	Analysis Description:	903.1 Radium-226
		Laboratory:	Pace Analytical Services - Greensburg

Associated Lab Samples: 30815173001, 30815173002, 30815173003, 30815173004, 30815173005, 30815173006, 30815173007, 30815173008, 30815173009, 30815173010, 30815173011, 30815173012

---

METHOD BLANK: 3779362 Matrix: Water

Associated Lab Samples: 30815173001, 30815173002, 30815173003, 30815173004, 30815173005, 30815173006, 30815173007, 30815173008, 30815173009, 30815173010, 30815173011, 30815173012

Parameter	Act ± Unc (MDC) Carr Trac	Units	Analyzed	Qualifiers
Radium-226	0.000 ± 0.186 (0.417) C:NA T:101%	pCi/L	10/20/25 14:04	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: 2509493  
Pace Project No.: 30815173

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Act - Activity

Unc - Uncertainty: For Safe Drinking Water Act (SDWA) analyses, the reported Unc. is the calculated Count Uncertainty (95% confidence interval) using a coverage factor of 1.96. For all other matrices (non-SDWA), the reported Unc. is the calculated Expanded Uncertainty (aka Combined Standard Uncertainty, CSU), reported at the 95% confidence interval using a coverage factor of 1.96.

Gamma Spec: The Unc. reported for all gamma-spectroscopy analyses (EPA 901.1), is the calculated Expanded Uncertainty (CSU) at the 95.4% confidence interval, using a coverage factor of 2.0.

(MDC) - Minimum Detectable Concentration

Trac - Tracer Recovery (%)

Carr - Carrier Recovery (%)

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.




**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 2509493  
 Pace Project No.: 30815173

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30815173001	2509493-01	EPA 903.1	774982		
30815173002	2509493-02	EPA 903.1	774982		
30815173003	2509493-03	EPA 903.1	774982		
30815173004	2509493-04	EPA 903.1	774982		
30815173005	2509493-05	EPA 903.1	774982		
30815173006	2509493-06	EPA 903.1	774982		
30815173007	2509493-07	EPA 903.1	774982		
30815173008	2509493-08	EPA 903.1	774982		
30815173009	2509493-09	EPA 903.1	774982		
30815173010	2509493-10	EPA 903.1	774982		
30815173011	2509493-11	EPA 903.1	774982		
30815173012	2509493-12	EPA 903.1	774982		
30815173001	2509493-01	EPA 904.0	774984		
30815173002	2509493-02	EPA 904.0	774984		
30815173003	2509493-03	EPA 904.0	774984		
30815173004	2509493-04	EPA 904.0	774984		
30815173005	2509493-05	EPA 904.0	774984		
30815173006	2509493-06	EPA 904.0	774984		
30815173007	2509493-07	EPA 904.0	774984		
30815173008	2509493-08	EPA 904.0	774984		
30815173009	2509493-09	EPA 904.0	774984		
30815173010	2509493-10	EPA 904.0	774984		
30815173011	2509493-11	EPA 904.0	774984		
30815173012	2509493-12	EPA 904.0	774984		
30815173001	2509493-01	Total Radium Calculation	778630		
30815173002	2509493-02	Total Radium Calculation	778630		
30815173003	2509493-03	Total Radium Calculation	778630		
30815173004	2509493-04	Total Radium Calculation	778630		
30815173005	2509493-05	Total Radium Calculation	778630		
30815173006	2509493-06	Total Radium Calculation	778630		
30815173007	2509493-07	Total Radium Calculation	778630		
30815173008	2509493-08	Total Radium Calculation	778630		
30815173009	2509493-09	Total Radium Calculation	778630		
30815173010	2509493-10	Total Radium Calculation	778630		
30815173011	2509493-11	Total Radium Calculation	778630		
30815173012	2509493-12	Total Radium Calculation	778630		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
 without the written consent of Pace Analytical Services, LLC.



# SUBCONTRACT ORDER

### Sending Laboratory:

Micro-Methods Laboratory, Inc.  
 6500 Sunplex Drive  
 Ocean Springs, MS 39564  
 Phone: 228.875.6420  
 Fax: 228.875.6423

Project Manager: Teresa Meins

### Subcontracted Laboratory:

Pace Analytical-7  
 1638 Roseytown Rd. Suites 2, 3, 4  
 Greensburg, PA 15601  
 Phone: (724) 850-5600  
 Fax: -

## WO#: 30815173



*\*Standard TAT*

### Work Order: 2509493

Analysis	Due	Expires	Comments
<b>Sample ID: 2509493-01</b> Water <b>Sampled: 09/23/2025 13:46</b> <b>Sample Name: MW-9</b>			001
Radium, Total 226 & 228 by EPA 903.1 & 9C	10/03/2025	10/21/2025 13:46	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2509493-02</b> Water <b>Sampled: 09/23/2025 11:20</b> <b>Sample Name: OW-2</b>			002
Radium, Total 226 & 228 by EPA 903.1 & 9C	10/03/2025	10/21/2025 11:20	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2509493-03</b> Water <b>Sampled: 09/24/2025 08:45</b> <b>Sample Name: MW-13</b>			003
Radium, Total 226 & 228 by EPA 903.1 & 9C	10/03/2025	10/22/2025 08:45	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2509493-04</b> Water <b>Sampled: 09/24/2025 09:50</b> <b>Sample Name: MW-7</b>			004
Radium, Total 226 & 228 by EPA 903.1 & 9C	10/03/2025	10/22/2025 09:50	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			
<b>Sample ID: 2509493-05</b> Water <b>Sampled: 09/24/2025 11:05</b> <b>Sample Name: MW-14</b>			005
Radium, Total 226 & 228 by EPA 903.1 & 9C	10/03/2025	10/22/2025 11:05	

*Samah Jomeh* 9/29/25 @ 1630  
 Released By \_\_\_\_\_ Date \_\_\_\_\_

*UPS* 9/29/25 @ 1630  
 Received By \_\_\_\_\_ Date \_\_\_\_\_

*UPS* 10-2-25 1020  
 Released By \_\_\_\_\_ Date \_\_\_\_\_

*MUS* 10-2-25 1020  
 Received By \_\_\_\_\_ Date \_\_\_\_\_

Released By \_\_\_\_\_ Date \_\_\_\_\_

Received By \_\_\_\_\_ Date \_\_\_\_\_

Released By \_\_\_\_\_ Date \_\_\_\_\_

Received By \_\_\_\_\_ Date \_\_\_\_\_

Released By \_\_\_\_\_ Date \_\_\_\_\_

Received By \_\_\_\_\_ Date \_\_\_\_\_

WO#: 30815173

PM: CMC Due Date: 10/23/25  
CLIENT: MICROMETHOD



SUBCONTRACT  
ORDER  
(Continued)

Work Order: 2509493 (Continued)

Analysis	Due	Expires	Comments
----------	-----	---------	----------

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

Sample ID: 2509493-06 Water Sampled: 09/24/2025 10:48 Sample Name: Field Blank 006

Radium, Total 226 & 228 by EPA 903.1 & 9C 10/03/2025 10/22/2025 10:48

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

Sample ID: 2509493-07 Water Sampled: 09/24/2025 00:00 Sample Name: Duplicate 007

Radium, Total 226 & 228 by EPA 903.1 & 9C 10/03/2025 10/22/2025 00:00

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

Sample ID: 2509493-08 Water Sampled: 09/23/2025 10:23 Sample Name: MW-12 008

Radium, Total 226 & 228 by EPA 903.1 & 9C 10/03/2025 10/21/2025 10:23

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

Sample ID: 2509493-09 Water Sampled: 09/23/2025 16:12 Sample Name: CCR-2 009

Radium, Total 226 & 228 by EPA 903.1 & 9C 10/03/2025 10/21/2025 16:12

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

Sample ID: 2509493-10 Water Sampled: 09/23/2025 12:52 Sample Name: CCR-3 010

Radium, Total 226 & 228 by EPA 903.1 & 9C 10/03/2025 10/21/2025 12:52

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

Sample ID: 2509493-11 Water Sampled: 09/24/2025 07:35 Sample Name: CCR-4 011

Radium, Total 226 & 228 by EPA 903.1 & 9C 10/03/2025 10/22/2025 07:35

Containers Supplied:

1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)

Sample ID: 2509493-12 Water Sampled: 09/23/2025 14:51 Sample Name: CCR-5 012

Imrah Jomeh 9/29/25<sup>o</sup> 1630  
Released By Date

UPS 9/29/25<sup>o</sup> 1630  
Received By Date

Released By Date

Received By Date

Released By Date


Received By Date

Released By Date

Received By Date

Released By Date

Received By Date



**SUBCONTRACT  
ORDER**  
(Continued)

**Work Order: 2509493 (Continued)**

Analysis	Due	Expires	Comments
<b>Sample ID: 2509493-12</b> <i>Water</i> <b>Sampled: 09/23/2025 14:51</b> <b>Sample Name: CCR-5</b>			012
Radium, Total 226 & 228 by EPA 903.1 & 9C	10/03/2025	10/21/2025 14:51	
<i>Containers Supplied:</i> 1000mL Plastic w/HNO3 (A) 1000mL Plastic w/HNO3 (B)			

**WO# : 30815173**  
 PM: CMC Due Date: 10/23/25  
 CLIENT: MICROMETHOD

*Imahomneh* 9/29/25 1630  
 Released By \_\_\_\_\_ Date \_\_\_\_\_  
*UPS*  
 Released By \_\_\_\_\_ Date \_\_\_\_\_  
 Released By \_\_\_\_\_ Date \_\_\_\_\_  
 Released By \_\_\_\_\_ Date \_\_\_\_\_  
 Released By \_\_\_\_\_ Date \_\_\_\_\_

*UPS* 9/29/25 1630  
 Received By \_\_\_\_\_ Date \_\_\_\_\_  
 Received By \_\_\_\_\_ Date \_\_\_\_\_  
 Received By \_\_\_\_\_ Date \_\_\_\_\_  
 Received By \_\_\_\_\_ Date \_\_\_\_\_  
 Received By \_\_\_\_\_ Date \_\_\_\_\_



DC#\_Title: ENV-FRM-GBUR-0088 v09\_Sample Condition Upon Receipt-  
Greensburg

**WO# : 30815173**

Effective Date: 06/24/2025

PM: CMC

Due Date: 10/23/25

Client Name:

*Micro Methods*

Project:

CLIENT: MICROMETHOD

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other

Initial / Date

Tracking Number:

Examined By: *MS 10/2/25*

Custody Seal on Cooler/Box Present:  Yes  No

Seals Intact:  Yes  No

Labeled By: *MS 10/2/25*

Therm. Used: \_\_\_\_\_

Type of Ice: Wet Blue None

Temped By: \_\_\_\_\_

Cooler Temp: Observed Temp \_\_\_\_\_ °C

Correction Factor: \_\_\_\_\_ °C

Final Temp: \_\_\_\_\_ °C

Temp should be above freezing to 6°C

Comments:	Yes	No	NA	pH paper Lot#	D.P.D. Residual Chlorine Lot #
				<i>10D43241</i>	<i>—</i>
Chain of Custody Present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1.	
Chain of Custody Filled Out: -Were client corrections present on COC	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2.	
Chain of Custody Relinquished	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3.	
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	4.	
Sample Labels match COC: -Includes date/time/ID Matrix:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5.	
	<i>WT</i>				
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6.	
Short Hold Time Analysis (<72hr remaining):	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7.	
Rush Turn Around Time Requested:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	8.	
Sufficient Volume:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9.	
Correct Containers Used: -Pace Containers Used	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10.	
Containers Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11.	
Orthophosphate field filtered:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12.	
Hex Cr Aqueous samples field filtered:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	13.	
Organic Samples checked for dechlorination	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	14.	
Filtered volume received for dissolved tests: Cr6+, Orthophosphate, DOC, Metals	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	15.	
All containers checked for preservation: exceptions: VOA, coliform, TOC, O&G, TOX, LL Hg, Radon, non-aqueous matrix	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16.	
All containers meet method preservation requirements:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Initial when completed <i>MS</i>	Date/Time of Preservation
				Lot# of added Preservative	
8260C/D: Headspace in VOA Vials (> 6mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	17.	
624.1: Headspace in VOA Vials (0mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	18.	
Radon: Headspace in RAD Vials (0mm)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	19.	
Trip Blank Present:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Trip blank custody seal present? YES or NO	
Rad Samples Screened <.05 mrem/hr.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Initial when completed <i>MJB</i>	Date: <i>10-2-25</i> Survey Meter SN: <i>25014350</i>
Comments:					

Note: For NC compliance samples with discrepancies, a copy of this form must be sent to the DEHNR Certification office. PM Review is documented electronically in LIMS through the SRF Review schedule in the Workorder Edit Screen.

Client \_\_\_\_\_

Site 2509493

Page \_\_\_\_\_ of \_\_\_\_\_

Profile/EZ Login Number 14460  
 Notes \_\_\_\_\_

Sample Line Item	Matrix	Amber Glass					Plastic							Vials				Other											
		AG1H	AG3S	AG3U	AG5U	AG5T	BP1N	BP1U	BP2S	BP2U	BP3B	BP3N	BP3S	BP3U	DG9S	VG9H	VG9T	VG9U	VOAK	WGFU	WGKU	ZPLC	GCUB	GJN	12GN	AG1U	BG1U	BP2N	
001	WT																												
002																													
003																													
004																													
005																													
006																													
007																													
008																													
009																													
010																													
011																													
012																													

Container Codes

Glass	
GJN	1 Gallon Jug with HNO3
AG5U	100mL amber glass unpreserved
AG5T	100mL amber glass Na Thiosulfate
GJN	1 Gallon Jug
AG1S	1L amber glass H2SO4
AG1H	1L amber glass HCl
AG1T	1L amber glass NA Thiosulfate
BG1U	1L clear glass unpreserved
AG3S	250mL amber glass H2SO4
AG3U	250mL amber glass unpreserved

Plastic/Misc.	
GCUB	1 gallon cubitainer
12GN	1/2 gallon
SP5T	
BP1N	
BP1U	
BP3S	
BP3N	
BP3U	250mL plastic unpreserved
BP3B	250mL plastic NAOH
BP2S	500mL plastic H2SO4
BP2U	500mL plastic unpreserved

**W0# : 30815173**  
 PM : CMC  
 CLIENT : MICROMETHOD  
 Due Date : 10/23/25

SL	Solid
OL	Non-Aq Liquid
WP	Wipe

## **APPENDIX C**

FIELD SAMPLING DATA

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: CCR-2

Well Diameter: 4 inches

Date: 3/26/25

Water Column Height: 24.25 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 84.5 ft

TOC Elevation: 542.50 ft

Static Water Level: 51.25 ft  
(Depth to Water)

GW Elevation: 491 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 54.17 ft  
(10% of WCH + SWL)

Well Volume: 15,76 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)	
3/26/25		13:01							
		13:34			10.17	19.0	6.99	249.1	
		13:38			6.10	19.1	6.98	237.0	
		13:47			3.17	19.0	6.96	235.2	
	5.5	13:46			3.85	18.9	6.94	233.6	
		Sample Time 13:50							
		Final Depth 53.02'							

Sample Time: 13:50  
 Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS). pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): \_\_\_\_\_ (SWL - Final Depth)  
 Drawdown Water Column (%): \_\_\_\_\_ (Total Drawdown / WCH)

Sampler Signature: [Signature]

If possible, total drawdown will not exceed 0.33 ft.  
 If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	5" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

### CHOCTAW GENERATION AMU MONITOR WELLS SEMI-ANNUAL ASSESSMENT MONITORING EVENT

Monitor Well: CCR-3

Well Diameter: 4 inches

Date: 3/26/25

Water Column Height: 27.50 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 53.00 ft

TOC Elevation: 504.78 ft

Static Water Level: 25.50 ft  
(Depth to Water)

GW Elevation: 477.28 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 27.28 ft  
(10% of WCH + SWL)

Well Volume: 17.88 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
3/26/25		0901						
		0922			5.56	17.4	5.93	647.2
		0926			1.97	17.4	5.90	643.8
	2.25	0930		26.39	2.30	17.4	5.86	640.7

Final Depth 26.39'

Sample Time: 0935  
Sample Analyzed for: \_\_\_\_\_

Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS), pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): \_\_\_\_\_ (SWL - Final Depth)  
Drawdown/Water Column (%): \_\_\_\_\_ (Total Drawdown / WCH)

Sampler Signature: \_\_\_\_\_

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: CCR-4

Well Diameter: 4 inches

Date: 3/26/25

Water Column Height: 27.96 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

TOC Elevation: 505.68 ft

Measured Well Depth: 53.00 ft

GW Elevation: 477.72 ft  
(TOC Elevation - Static Water Level)

Static Water Level: 25.04 ft  
(Depth to Water)

Well Volume: 18.17 gal  
(Water Column Height x Well Casing Volume Factor)

Maximum Drawdown Depth: 27.84 ft  
(10% of WCH + SWL)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
Start Pump		<u>10:25</u>						
		<u>10:25</u>			<u>13.72</u>	<u>18.0</u>	<u>6.68</u>	<u>379.1</u>
		<u>10:29</u>			<u>8.92</u>	<u>18.2</u>	<u>6.48</u>	<u>377.5</u>
	<u>3.5</u>	<u>10:43</u>		<u>26.41</u>	<u>12.68</u>	<u>18.1</u>	<u>6.46</u>	<u>376.7</u>
		<u>10:47</u>			<u>12.01</u>	<u>17.9</u>	<u>6.39</u>	<u>377.8</u>
<u>Final Depth to water = 26.41</u>								

Sample Time: 10:50  
 Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS), pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): \_\_\_\_\_ (SWL - Final Depth)  
 Drawdown/Water Column (%): \_\_\_\_\_ (Total Drawdown / WCH)

Sampler Signature: \_\_\_\_\_

If possible, total drawdown will not exceed 0.33 ft.  
 If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: CCR-5

Well Diameter: 4 inches

Date: 3/26/25

Water Column Height: 27.55 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 34.55 ft

TOC Elevation: 470.46 ft

Static Water Level: 7.0 ft  
(Depth to Water)

GW Elevation: 442.91 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 9.75 ft  
(10% of WCH + SWL)

Well Volume: 17.90 gal  
(Water Column Height x Well Casing Volume Factor)


Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
3/26/25		11:27						
		11:57			299	17.9	6.75	913.6
		12:01			314	17.8	6.76	908.2
	7.0	12:05		8.17	326	17.7	6.77	910.5
				Final Depth to Water = 8.17				

Sample Time: 12:10

Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS), pH measured in the field, Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): \_\_\_\_\_ (SWL - Final Depth)

Drawdown/Water Column (%): \_\_\_\_\_ (Total Drawdown / WCH)

Sampler Signature: 

*Brown/Red Rusty Color with high turbidity that is typical during purge.*

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well:          MW-7

Well Diameter:          4 inches

Date:          3/27/25

Water Column Height:          22.10 ft  
(Measured Well Depth - Static Water Level)

Sampling Method:          Pumped

Measured Well Depth:          56.92 ft

TOC Elevation:          571.76 ft

Static Water Level:          74.82 ft  
(Depth to Water)

GW Elevation:          576.94 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth          37.03 ft  
(10% of WCH + SWL)

Well Volume:          14.26 gal  
(Water Column Height x Well Casing Volume Factor)

	Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
Start Pump	3/27/25		10:42						
			11:01			1.64	18.7	6.81	242.1
			11:05			1.46	18.6	6.49	243.1
		4.75	11:09		36.01	1.97	18.7	6.81	244.7

Final Depth to Water 36.01'

Sample Time:          11:11

Sample Analyzed for:          Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS). pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft):          (SWL - Final Depth)

Drawdown/Water Column (%):          (Total Drawdown / WCH)

Sampler Signature: 

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: MW-9

Well Diameter: 4 inches

Date: 3/26/25

Water Column Height: 14.46 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 21.74 ft

TOC Elevation: 480.04 ft

Static Water Level: 7.28 ft  
(Depth to Water)

GW Elevation: 472.76 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 8.12 ft  
(10% of WCH + SWL)


Well Volume: 9.31 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
3/26/25	4.0	1553						
		1610			2.31	17.2	5.11	1148
		1614			2.12	17.2	5.09	1143
		1618		8.51	0.80	17.0	5.15	1150
				Final Depth 8.51				

Sample Time: 1620

Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS), pH measured in the field, Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): \_\_\_\_\_ (SWL - Final Depth)  
Drawdown/Water Column (%): \_\_\_\_\_ (Total Drawdown / WCH)

Sampler Signature: 

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: MW-12

Well Diameter: 4 inches

Date: 3/26/25

Water Column Height: 15.19 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 19.09 ft

TOC Elevation: 474.19 ft

Static Water Level: 7.90 ft  
(Depth to Water)

GW Elevation: 470.29 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 5.42 ft  
(10% of WCH + SWL)

Well Volume: 9.87 gal  
(Water Column Height x Well Casing Volume Factor)

	Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
Start Pump	<u>3/26/25</u>		<u>15:01</u>						
			<u>15:11</u>			<u>24.91</u>	<u>16.8</u>	<u>5.93</u>	<u>483.2</u>
			<u>15:15</u>			<u>7.21</u>	<u>16.4</u>	<u>5.91</u>	<u>586.2</u>
			<u>15:19</u>			<u>7.74</u>	<u>16.0</u>	<u>5.88</u>	<u>583.8</u>
		<u>3.0</u>	<u>15:23</u>		<u>4.86</u>	<u>9.03</u>	<u>15.7</u>	<u>5.87</u>	<u>580.5</u>

*Final Depth to m.f.v. 4.86'*

Sample Time: 1825

Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS), pH measured in the field, Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): \_\_\_\_\_ (SWL - Final Depth)

Drawdown/Water Column (%): \_\_\_\_\_ (Total Drawdown / WCH)

Sampler Signature: \_\_\_\_\_

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: MW-13

Well Diameter: 4 inches

Date: 3/27/25

Water Column Height: 41.10 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

TOC Elevation: 584.48 ft

Measured Well Depth: 106 ft

GW Elevation: 519.58 ft  
(TOC Elevation - Static Water Level)

Static Water Level: 64.90 ft  
(Depth to Water)

Maximum Drawdown Depth: 69.01 ft  
(10% of WCH + SWL)

Well Volume: 26.72 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
3/27/25		8:49						
		9:29			0.03	19.4	6.66	308.9
		9:43			0.01	19.4	6.70	307.8
	12.0	9:47		66.43	0.03	19.4	6.66	310.1
				Final Depth to water 66.43'				

Sample Time: 09:50  
 Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS). pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): \_\_\_\_\_ (SWL - Final Depth)  
 Drawdown/Water Column (%): \_\_\_\_\_ (Total Drawdown / WCH)

Sampler Signature: \_\_\_\_\_

If possible, total drawdown will not exceed 0.33 ft.  
 If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: MW-14

Well Diameter: 4 inches

Date: 3/27/25

Sampling Method: Pumped  
 Measured Well Depth: 60.97 ft  
 Static Water Level: 28.78 ft  
 (Depth to Water)  
 Maximum Drawdown Depth: 31.99 ft  
 (10% of WCH + SWL)

Water Column Height: 32.19 ft  
 (Measured Well Depth - Static Water Level)  
 TOC Elevation: 593.84 ft  
 GW Elevation: 565.06 ft  
 (TOC Elevation - Static Water Level)  
 Well Volume: 20.9 gal  
 (Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
3/27/25		11:35						
		11:50			0.00	19.8	5.07	161.5
		11:54			0.01	19.8	5.03	159.1
	5.5	11:58		30.51	0.00	19.8	5.01	159.7

*Final Depth to water 30.51*

Sample Time: 12:00  
 Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS), pH measured in the field, Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).  
 Total Drawdown (ft): \_\_\_\_\_ (SWL - Final Depth)  
 Drawdown/Water Column (%): \_\_\_\_\_ (Total Drawdown / WCH)  
 Sampler Signature: [Signature]  
*Duplicate & Full Blank take at this well.*

If possible, total drawdown will not exceed 0.33 ft.  
 If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: OW-2

Well Diameter: 4 inches

Date: 3/26/25

Water Column Height: 15.79 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 27.05 ft

TOC Elevation: 489.40 ft

Static Water Level: 11.26 ft  
(Depth to Water)

GW Elevation: 478.14 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 12.83 ft  
(10% of WCH + SWL)

Well Volume: 10.26 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
3/26		14:19						
		14:31			1.62	18.0	6.24	573.3
		14:35			1.79	18.0	6.22	579.9
	2.0	14:39		12.26	1.41	17.8	6.13	580.1
		Sample Time 14:40						
		Final Depth 12.26						

Sample Time: 14:40  
 Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS). pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): \_\_\_\_\_ (SWL - Final Depth)  
 Drawdown/Water Column (%): \_\_\_\_\_ (Total Drawdown / WCH)

Sampler Signature: *[Signature]*

If possible, total drawdown will not exceed 0.33 ft.  
 If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: CCR-2

Well Diameter: 4 inches

Date: 5-14-25

Water Column Height: 33.27 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped  
 Measured Well Depth: 84.5 ft  
 Static Water Level: 51.23 ft  
 (Depth to Water)  
 Maximum Drawdown Depth: 54.56 ft  
 (10% of WCH + SWL)

TOC Elevation: 542.50 ft  
 GW Elevation: 491.27 ft  
 (TOC Elevation - Static Water Level)  
 Well Volume: 21.63 gal  
 (Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
Start Pump		1205						
		1235			2.61	19.9	6.80	207.4
		1239			2.02	19.9	6.71	208.9
		1243			1.09	19.9	6.68	209.2
	6.0	1247	42	53.49	1.35	19.8	6.64	209.4

Final Depth 53.49'  
 Sample Time 12:50

Sample Time: 1250  
 Sample Analyzed for: Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, Thallium, Radium 226/228

Total Drawdown (ft): 2.26 (SWL - Final Depth)  
 Drawdown/Water Column (%): 6.79 % (Total Drawdown / WCH)

Sampler Signature: [Signature]

If possible, total drawdown will not exceed 0.33 ft.  
 If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

### CHOCTAW GENERATION AMU MONITOR WELLS ANNUAL ASSESSMENT MONITORING EVENT

Monitor Well: CCR-3

Well Diameter: 4 inches

Date: 5-14-25

Water Column Height: 27.59 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 53.00 ft

TOC Elevation: 504.78 ft

Static Water Level: 25.41 ft  
(Depth to Water)

GW Elevation: 479.37 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 28.16 ft  
(10% of WCH + SWL)

Well Volume: 17.93 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
<u>5-14-25</u>		<u>8:03</u>						
		<u>8:31</u>			<u>1.68</u>	<u>19.0</u>	<u>6.12</u>	<u>559.7</u>
		<u>8:34</u>			<u>1.46</u>	<u>18.9</u>	<u>6.18</u>	<u>560.2</u>
	<u>4.5</u>	<u>8:37</u>	<u>34</u>	<u>26.85</u>	<u>1.10</u>	<u>18.8</u>	<u>6.15</u>	<u>560.9</u>

Final Depth 26.85'

Sample Time 8:45

Sample Time: 8:45  
Sample Analyzed for:

Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, Thallium, Radium 226/228

Total Drawdown (ft): 1.44'

(SWL - Final Depth)

Drawdown/Water Column (%): 5.21%

(Total Drawdown / WCH)

Sampler Signature: 

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	



### CHOCTAW GENERATION AMU MONITOR WELLS ANNUAL ASSESSMENT MONITORING EVENT

Monitor Well: CCR-5

Well Diameter: 4 inches

Date: 5-14-25

Water Column Height: 27.77 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 34.55 ft

TOC Elevation: 470.46 ft

Static Water Level: 6.78 ft  
(Depth to Water)

GW Elevation: 463.68 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 9.5 ft  
(10% of WCH + SWL)

Well Volume: 18.05 gal

(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
<u>5-14-25</u>		<u>14:20</u>						
		<u>14:34</u>			<u>44</u>	<u>19.8</u>	<u>6.66</u>	<u>632.9</u>
		<u>14:37</u>			<u>88.2</u>	<u>19.8</u>	<u>6.67</u>	<u>634.8</u>
	<u>4.0</u>	<u>14:40</u>	<u>20</u>	<u>7.73</u>	<u>86.8</u>	<u>19.9</u>	<u>6.69</u>	<u>633.9</u>

Final Depth 7.73'  
Sample Time 14:45

Sample Time: 1445  
Sample Analyzed for: Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, Thallium, Radium 226/228

Total Drawdown (ft): 0.95' (SWL - Final Depth)  
Drawdown/Water Column (%): 3.4% (Total Drawdown / WCH)

Sampler Signature: \_\_\_\_\_

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well:       MW-7      

Well Diameter:       4       inches

Date:       5-15-24      

Water Column Height:       22.64       ft  
(Measured Well Depth - Static Water Level)

Sampling Method:       Pumped      

Measured Well Depth:       56.92       ft

TOC Elevation:       571.76       ft

Static Water Level:       34.28       ft  
(Depth to Water)

GW Elevation:       537.48       ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth       36.54       ft  
(10% of WCH + SWL)

Well Volume:       14.71       gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
5-15-25		9:01						
		9:29			7.47	18.3	6.35	199.9
		9:31			5.05	18.3	6.31	196.4
	3.0	9:35		35.50	7.02	18.3	6.30	198.2

Start Pump

Final Depth 35.50'  
Sample Time 09:40

Sample Time:       09:40      

Sample Analyzed for: Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, Thallium, Radium 226/228

Total Drawdown (ft):       1.22'       (SWL - Final Depth)

Drawdown/Water Column (%):       5.33%       (Total Drawdown / WCH)

[Signature]  
Sampler Signature:

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

### CHOCTAW GENERATION AMU MONITOR WELLS ANNUAL ASSESSMENT MONITORING EVENT

Monitor Well: MW-9

Well Diameter: 4 inches

Date: 5/14/25

Water Column Height: 14.55 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 21.74 ft

TOC Elevation: 480.04 ft

Static Water Level: 7.19 ft  
(Depth to Water)

GW Elevation: 472.85 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 8.65 ft  
(10% of WCH + SWL)

Well Volume: 9.45 gal  
(Water Column Height x Well Casing Volume Factor)

	Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
Start Pump	<u>5/14/25</u>		<u>0915</u>						
			<u>0940</u>		<u>4.5</u>	<u>2.04</u>	<u>19.2</u>	<u>5.27</u>	<u>1033</u>
			<u>0943</u>		<u>4.0</u>	<u>1.25</u>	<u>18.9</u>	<u>5.30</u>	<u>1052</u>
		<u>4.0</u>	<u>0946</u>		<u>8.18</u>	<u>0.49</u>	<u>18.6</u>	<u>5.21</u>	<u>1060</u>

*Final Depth 8.18'*  
*Sample Time 09:51*

Sample Time: 0951  
Sample Analyzed for: Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, Thallium, Radium 226/228

Total Drawdown (ft): 0.99' (SWL - Final Depth)  
Drawdown/Water Column (%): 6.80% (Total Drawdown / WCH)

Sampler Signature: [Signature]

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units within 5%
conductivity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: MW-12

Well Diameter: 4 inches

Date: 5/14/25

Water Column Height: 15.39 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 19.09 ft

TOC Elevation: 474.19 ft

Static Water Level: 3.70 ft  
(Depth to Water)

GW Elevation: 470.49 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 5.23 ft  
(10% of WCH + SWL)

Well Volume: 10.00 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
<u>5-14-25</u>		<u>11:05</u>						
		<u>11:20</u>			<u>4.64</u>	<u>20.0</u>	<u>5.70</u>	<u>553.4</u>
		<u>11:24</u>			<u>4.99</u>	<u>19.8</u>	<u>5.64</u>	<u>549.9</u>
	<u>7.75</u>	<u>11:28</u>	<u>23</u>	<u>4.87</u>	<u>3.91</u>	<u>19.8</u>	<u>5.77</u>	<u>556.3</u>

Final Depth 4.87'  
Sample Time 11:30

Sample Time: 11:30

Sample Analyzed for: Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, Thallium, Radium 226/228

Total Drawdown (ft): 1.17' (SWL - Final Depth)

Drawdown/Water Column (%): 7.60% (Total Drawdown / WCH)

Sampler Signature: [Signature]

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well:           MW-13          

Well Diameter:           4           inches

Date:           5-15-25          

Water Column Height:           41.31           ft  
(Measured Well Depth - Static Water Level)

Sampling Method:           Pumped          

Measured Well Depth:           106           ft

TOC Elevation:           584.48           ft

Static Water Level:           64.69           ft  
(Depth to Water)

GW Elevation:           519.79           ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth:           68.82           ft  
(10% of WCH + SWL)

Well Volume:           26.85           gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
Start Pump <u>5-15-25</u>		<u>10:10</u>						
		<u>10:39</u>			<u>0.72</u>	<u>21.3</u>	<u>6.75</u>	<u>214.61</u>
		<u>10:43</u>			<u>0.46</u>	<u>20.8</u>	<u>6.76</u>	<u>218.94</u>
	<u>7.0</u>	<u>10:47</u>	<u>37</u>	<u>65.81</u>	<u>0.87</u>	<u>20.6</u>	<u>6.78</u>	<u>218.90</u>
<u>Final Depth 65.81'</u>								
<u>Sample Time 10:50</u>								

Sample Time:           10:50            
 Sample Analyzed for:           Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, Thallium, Radium 226/228          

Total Drawdown (ft):           1.12'           (SWL - Final Depth)  
 Drawdown/Water Column (%):           2.7%           (Total Drawdown / WCH)

Sampler Signature:           [Signature]          

If possible, total drawdown will not exceed 0.33 ft.  
 If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: MW-14

Well Diameter: 4 inches

Date: 5-15-25

Water Column Height: 32.44 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 60.97 ft

TOC Elevation: 593.84 ft

Static Water Level: 28.53 ft  
(Depth to Water)

GW Elevation: 565.31 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 31.77 ft  
(10% of WCH + SWL)

Well Volume: 21.08 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
5-15-25		11:16						
		11:34			0.87	20.2	5.10	140.28
		11:38			0.74	20.2	5.05	140.90
		11:42	26	29.68	0.16	20.1	5.04	139.61
				Final Depth 29.68'				
				Sample Time 11:45				

Sample Time: 11:45  
 Sample Analyzed for: Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, Thallium, Radium 226/228

Total Drawdown (ft): 6.15 (SWL - Final Depth)  
 Drawdown/Water Column (%): 3.5% (Total Drawdown / WCH)

*Field Blank & Duplicate taken @ this well.*

Sampler Signature: [Signature]

If possible, total drawdown will not exceed 0.33 ft.  
 If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: OW-2

Well Diameter: 4 inches

Date: 5-14-25

Water Column Height: 16.44 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 27.05 ft

TOC Elevation: 489.40 ft

Static Water Level: 10.61 ft  
(Depth to Water)

GW Elevation: 478.79 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth 12.25 ft  
(10% of WCH + SWL)

Well Volume: 10.68 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
<u>5-14-25</u>		<u>10:15</u>						
		<u>10:29</u>			<u>0.05</u>	<u>19.7</u>	<u>6.06</u>	<u>579.5</u>
		<u>10:33</u>			<u>0.12</u>	<u>19.8</u>	<u>6.00</u>	<u>567.3</u>
	<u>3.0</u>	<u>10:37</u>		<u>11.91</u>	<u>0.72</u>	<u>19.8</u>	<u>6.02</u>	<u>566.8</u>

Start Pump

Final Depth 11.91'

Sample Time 10:41

Sample Time: 10:41

Sample Analyzed for: Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Mercury, Molybdenum, Selenium, Thallium, Radium 226/228

Total Drawdown (ft): 4.3 (SWL - Final Depth)

Drawdown/Water Column (%): 7.9% (Total Drawdown / WCH)

Sampler Signature: [Signature]

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: CCR-2

Well Diameter: 4 inches

Date: 9-23-25

Water Column Height: 31.69 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

TOC Elevation: 542.50 ft

Measured Well Depth: 84.5 ft

GW Elevation: 489.69 ft

Static Water Level: 52.81 ft  
(Depth to Water)

(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 55.97 ft  
(10% of WCH + SWL)

Well Volume: 20.59 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Pumped (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
9-23-25		15:27						
		16:02			6.01	21.6	6.65	240.1
		16:06			6.64	21.6	6.63	250.8
	8.0	16:10	43	55.0	6.65	21.7	6.59	252.3

Final Depth 55.0'  
Sample Time 16:12

Sample Time: 16:12  
Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS), pH measured in the field, Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): 2.19' (SWL - Final Depth)  
Drawdown (Water Column (%): 6.91% (Total Drawdown / WCH)

Sampler Signature: [Signature]

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

### CHOCTAW GENERATION AMU MONITOR WELLS SEMI-ANNUAL ASSESSMENT MONITORING EVENT

Monitor Well: CCR-3

Well Diameter: 4 inches

Date: 9-23-25

Water Column Height: 24.95 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 53.00 ft

TOC Elevation: 504.78 ft

Static Water Level: 28.05 ft  
(Depth to Water)

GW Elevation: 476.73 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 30.54 ft  
(10% of WCH + SWL)

Well Volume: 10.96 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
9-23-25		1220						
		1240			39.70	22.9	6.19	438
		1244			26.21	22.4	6.18	431
	2.5	1248	28	29.01	35.18	22.0	6.18	422

Final Depth 29.01

Sample Time 12:52

Sample Time: 12:52

Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS). pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): 0.96 (SWL - Final Depth)

Drawdown/Water Column (%): 3.85 (Total Drawdown / WCH)

Sampler Signature: [Handwritten Signature]

Groundwater was a little turbid.

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: CCR-4

Well Diameter: 4 inches

Date: 9-23-25

Water Column Height: 26.68 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 53.00 ft

TOC Elevation: 505.68 ft

Static Water Level: ~~26.72~~ ft  
(Depth to Water)

GW Elevation: 479.36 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 28.18 ft  
(10% of WCH + SWL)

Well Volume: 17.34 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
9-23-25		07:00						
		7:22			80.9	19.2	6.59	359.2
		7:26			77.4	19.3	6.54	351.1
	5.5	7:20	30	27.46	88.1	19.2	6.59	356.7

Final Depth 27:46

Sample Time 0735

Sample Time: 0735

Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS), pH measured in the field, Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): 1.14' (SWL - Final Depth)

Drawdown/Water Column (%): 4.27% (Total Drawdown / WCH)

Sampler Signature: 

Groundwater had visible iron particles.

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well: CCR-5

Well Diameter: 4 inches

Date: 9-23-25

Water Column Height: 26.13 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

TOC Elevation: 470.46 ft

Measured Well Depth: 34.55 ft

GW Elevation: 462.04 ft

Static Water Level: 8.42 ft  
(Depth to Water)

Well Volume: 16.98 gal  
(Water Column Height x Well Casing Volume Factor)

Maximum Drawdown Depth: 11.03 ft  
(10% of WCH + SWL)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
9-23-25		1430						
		1437			54.2	25.0	6.82	553.2
		1441			48.2	25.1	6.79	543.1
		1445			52.8	25.1	6.77	551.2
	5.0	1449		9.79	46.4	25.0	6.73	540.3

Start Pump

Final Depth 9.79'  
Sample Time 14:51

Sample Time: 1451  
Sample Analyzed for:

Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS), pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): 1.37' (SWL - Final Depth)

Drawdown/Water Column (%): 5.24% (Total Drawdown / WCH)

Sampler Signature: [Signature]

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.48
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well:           MW-7          

Well Diameter:           4           inches

Date:           9-24-25          

Water Column Height:           22.23           ft  
(Measured Well Depth - Static Water Level)

Sampling Method:           Pumped          

TOC Elevation:           571.76           ft

Measured Well Depth:           56.92           ft

GW Elevation:           537.07           ft

Static Water Level:           34.69           ft  
(Depth to Water)

(TOC Elevation - Static Water Level)

Maximum Drawdown Depth:           36.91           ft  
(10% of WCH + SWL)

Well Volume:           14.44           gal  
(Water Column Height x Well Casing Volume Factor)

	Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
Start Pump	9-24-25		09:20						
			09:40			1.71	20.8	6.19	239.6
			09:44			1.37	20.7	6.18	235.4
		3.5	09:48	28		1.22	20.5	6.16	234.8

Sample Time:           09 50          

Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS). pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft):           1.08'           (SWL - Final Depth)

Drawdown / Water Column (%):           4.85%           (Total Drawdown / WCH)

Sampler Signature: 

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	



### CHOCTAW GENERATION AMU MONITOR WELLS SEMI-ANNUAL ASSESSMENT MONITORING EVENT

Monitor Well: MW-12

Well Diameter: 4 inches

Date: 9-23-25

Water Column Height: 9.71 ft  
(Measured Well Depth - Static Water Level)

Sampling Method: Pumped

Measured Well Depth: 19.09 ft

TOC Elevation: 474.19 ft

Static Water Level: 9.38 ft  
(Depth to Water)

GW Elevation: 464.78 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth: 10.35 ft  
(10% of WCH + SWL)

Well Volume: 6.31 gal  
(Water Column Height x Well Casing Volume Factor)

	Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
Start Pump	<u>9-23-25</u>		<u>0955</u>						
			<u>1009</u>			<u>11.01</u>	<u>22.1</u>	<u>6.22</u>	<u>485</u>
			<u>1013</u>			<u>9.17</u>	<u>22.2</u>	<u>5.99</u>	<u>474</u>
			<u>1017</u>			<u>8.99</u>	<u>22.3</u>	<u>5.95</u>	<u>471</u>
		<u>3.5</u>	<u>1021</u>	<u>2.6</u>	<u>10.30</u>	<u>9.97</u>	<u>22.5</u>	<u>5.94</u>	<u>470</u>

Final Depth 10:30'  
Sample Time 10:23

Sample Time: 10:23

Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS). pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): 0.92 (SWL - Final Depth)

Drawdown/Water Column (%): 9.47% (Total Drawdown / WCH)

Sampler Signature: [Signature]

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

**CHOCTAW GENERATION AMU MONITOR WELLS  
SEMI-ANNUAL ASSESSMENT MONITORING EVENT**

Monitor Well:          MW-13

Well Diameter:          4 inches

Date:          9/24/25

Water Column Height:          39.63 ft  
(Measured Well Depth - Static Water Level)

Sampling Method:          Pumped

Measured Well Depth:          106 ft

TOC Elevation:          584.48 ft

Static Water Level:          66.37 ft  
(Depth to Water)

GW Elevation:          518.11 ft  
(TOC Elevation - Static Water Level)

Maximum Drawdown Depth          70.33 ft  
(10% of WCH + SWL)

Well Volume:          25.75 gal  
(Water Column Height x Well Casing Volume Factor)

	Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
Start Pump	9-24-25		07:55						
			8:35			3.64	21.6	6.62	242.0
			8:39			0.46	21.6	6.71	244.1
		14.0	8:43	48	68.07	0.11	21.6	6.69	244.8

Final Depth 68.07'  
Sample Time 08:45

Sample Time:          08:45

Sample Analyzed for:          Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS). pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft):          1.7' (SWL - Final Depth)

Drawdown/Water Column (%):          4.2% (Total Drawdown / WCH)

Sampler Signature:         

If possible, total drawdown will not exceed 0.33 ft.  
If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	

## CHOCTAW GENERATION AMU MONITOR WELLS SEMI-ANNUAL ASSESSMENT MONITORING EVENT

Monitor Well: MW-14

Well Diameter: 4 inches

Date: 9/24/25

Sampling Method: Pumped  
 Measured Well Depth: 60.97 ft  
 Static Water Level: 31.50 ft  
(Depth to Water)  
 Maximum Drawdown Depth: 34.44 ft  
(10% of WCH + SWL)

Water Column Height: 29.47 ft  
(Measured Well Depth - Static Water Level)  
 TOC Elevation: 593.84 ft  
 GW Elevation: 562.34 ft  
(TOC Elevation - Static Water Level)  
 Well Volume: 19.15 gal  
(Water Column Height x Well Casing Volume Factor)

Date	Volume Purged (L)	Time	Elapsed Time (min)	Water Level (ft)	Turbidity (NTU)	Temp (C)	pH	Conductivity (uS/cm)
<b>Start Pump</b>								
<u>9-24-25</u>		<u>10:42</u>						
		<u>10:55</u>			<u>0.01</u>	<u>21.6</u>	<u>4.94</u>	<u>153.2</u>
		<u>10:59</u>			<u>0.01</u>	<u>21.5</u>	<u>4.91</u>	<u>149.7</u>
	<u>6.0</u>	<u>11:03</u>	<u>21</u>	<u>33.40</u>	<u>0.01</u>	<u>21.6</u>	<u>4.87</u>	<u>151.2</u>
				<u>Final Depth 33.40'</u>				
				<u>Sample Time 11:05</u>				

Sample Time: 11:05  
 Sample Analyzed for: Appendix III (Boron, Calcium, Chloride, Fluoride, Sulfate, & TDS). pH measured in the field. Appendix IV (Antimony, Arsenic, Barium, Beryllium, Cadmium, Chromium, Cobalt, Fluoride, Lead, Lithium, Molybdenum, Selenium, & Radium 226/228).

Total Drawdown (ft): 6.9' (SWL - Final Depth)  
 Drawdown/Water Column (%): 6.44% (Total Drawdown / WCH)

Sampler Signature: [Signature]

*Duplicate & Field Blank taken @ this well.*

If possible, total drawdown will not exceed 0.33 ft.  
 If drawdown exceeds 10% of water column height, flow will be stopped and well allowed to recover.

Well Stabilization	
pH:	0.1 standard units
conductivity:	within 5%
turbidity:	<10 NTU or 10%

Well Casing Volumes (gal/ft)			
1" = 0.041	1 1/2" = 0.10	2" = 0.16	2 1/2" = 0.24
3" = 0.37	3 1/2" = 0.50	4" = 0.65	6" = 1.46
8" = 2.61	10" = 4.08	12" = 5.87	



## **APPENDIX D**

2025 GROUNDWATER MONITORING SUMMARY

**Choctaw Generation CCR Groundwater Results for Calendar Year 2025**

**Detection and Assessment Monitoring Results:**

	Detected
	Detected above Prediction Limit
	Detected above Prediction Limit and Groundwater Protection Standard (GWPS)

NS = Not Sampled

**Antimony (Sb) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002
5/14-15/2025	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002
9/23-24/2025	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002
<b>Prediction Limit = 0.002, GWPS = 0.006</b>																

**Arsenic (As) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002
5/14-15/2025	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002
9/23-24/2025	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002
<b>Prediction Limit = 0.002, GWPS = 0.010</b>																

**Barium (Ba) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	0.116	0.082	0.172	0.135	NS	NS	NS	0.071	0.159	0.18	0.191	0.014	NS	NS	NS	0.016
5/14-15/2025	0.112	0.076	0.161	0.139	NS	NS	NS	0.064	0.14	0.171	0.163	0.014	NS	NS	NS	0.017
9/23-24/2025	0.116	0.058	0.162	0.143	NS	NS	NS	0.065	0.16	0.155	0.178	0.012	NS	NS	NS	0.013
<b>Prediction Limit = 0.2558, GWPS = 2</b>																

**Choctaw Generation CCR Groundwater Results for Calendar Year 2025**

**Beryllium (Be) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	0.00163	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
5/14-15/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	0.00142	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
9/23-24/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	0.00111	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
<b>Prediction Limit = 0.001, GWPS = 0.004</b>																

(1) The bladder pump for MW-13 was observed damaged during the 9/18/2024 sampling event. The bladder pump was replaced and the well was sampled on 10/30/2024.

**Boron (B) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.050	<0.050	<0.050	0.079	NS	NS	NS	<0.050	<0.050	<0.050	<0.050	<0.050	NS	NS	NS	<0.050
5/14-15/2025 <sup>(1)</sup>	-	-	-	-	NS	NS	NS	-	-	-	-	-	NS	NS	NS	-
9/23-24/2025	<0.050	<0.050	<0.050	0.084	NS	NS	NS	<0.050	<0.050	<0.050	<0.050	<0.050	NS	NS	NS	<0.050
<b>Prediction Limit = 0.050</b>																

(1) Appendix III constituent not required to be monitored during the annual monitoring event.

**Calcium (Ca) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
<b>Background Monitoring</b>																
3/26-27/2025	17.1	38.1	26.4	105	NS	NS	NS	23.9	54.7	41	21.7	0.72	NS	NS	NS	42.3
5/14-15/2025 <sup>(1)</sup>	-	-	-	-	NS	NS	NS	-	-	-	-	-	NS	NS	NS	-
9/23-24/2025	14	21.5	24	43.4	NS	NS	NS	20	56.7	27.4	20.5	0.709	NS	NS	NS	42.2
<b>Prediction Limit = 85.8879</b>																

(1) Appendix III constituent not required to be monitored during the annual monitoring event.

**Choctaw Generation CCR Groundwater Results for Calendar Year 2025**

**Cadmium (Cd) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
5/14-15/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
9/23-24/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
<b>Prediction Limit = 0.001, GWPS = 0.005</b>																

**Chloride (Cl) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	2.21	5.3	9.83	11.5	NS	NS	NS	3.23	346	75.5	3.61	17.7	NS	NS	NS	83.1
5/14-15/2025 <sup>(1)</sup>	-	-	-	-	NS	NS	NS	-	-	-	-	-	NS	NS	NS	-
9/23-24/2025	2.29	4.29	8.35	4.72	NS	NS	NS	2.83	398	33.2	3.68	20.1	NS	NS	NS	82
<b>Prediction Limit = 26.6034</b>																

(1) Appendix III constituent not required to be monitored during the annual monitoring event.

**Chromium (Cr) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
5/14-15/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
9/23-24/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
<b>Prediction Limit = 0.001, GWPS = 0.1</b>																

**Choctaw Generation CCR Groundwater Results for Calendar Year 2025**

**Cobalt (Co) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.001	0.0224	0.00425	0.00871	NS	NS	NS	0.00148	0.0157	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
5/14-15/2025	<0.001	0.0279	0.00396	0.00889	NS	NS	NS	0.00187	0.0152	0.00493	<0.001	<0.001	NS	NS	NS	<0.001
9/23-24/2025	<0.001	0.0146	0.00295	0.0013	NS	NS	NS	0.00281	0.0179	0.0119	<0.001	<0.001	NS	NS	NS	<0.001
<b>Prediction Limit = 0.001, GWPS = 0.006</b>																

**Fluoride (F) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.22	<0.22	<0.22	<0.22	NS	NS	NS	0.29	0.29	<0.22	<0.22	<0.22	NS	NS	NS	0.27
5/14-15/2025	<0.22	<0.22	<0.22	<0.22	NS	NS	NS	0.44	0.31	<0.22	<0.22	<0.22	NS	NS	NS	0.23
9/23-24/2025	<0.22	0.27	<0.22	<0.22	NS	NS	NS	<0.22	0.31	<0.22	<0.22	<0.22	NS	NS	NS	0.23
<b>Prediction Limit = 0.30, GWPS = 4.0</b>																

**Lead (Pb) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
5/14-15/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
9/23-24/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
<b>Prediction Limit = 0.001, GWPS = 0.015</b>																

(1) The Lead Action Level will change to 0.010 mg/L on November 1, 2027, per the Final Lead and Copper Rule Improvement (LCRI) promulgated by EPA in October 2024.

**Choctaw Generation CCR Groundwater Results for Calendar Year 2025**

**Lithium (Li) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.040	0.112	<0.040	<0.040	NS	NS	NS	<0.040	0.05	<0.040	<0.040	<0.040	NS	NS	NS	<0.040
5/14-15/2025	<0.040	0.109	<0.040	<0.040	NS	NS	NS	<0.040	0.04	<0.040	<0.040	<0.040	NS	NS	NS	<0.040
9/23-24/2025	<0.040	0.062	<0.040	<0.040	NS	NS	NS	<0.040	0.046	<0.040	<0.040	<0.040	NS	NS	NS	<0.040
<b>Prediction Limit = 0.050, GWPS = 0.040</b>																

**Mercury (Hg) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025 <sup>(1)</sup>	-	-	-	-	NS	NS	NS	-	-	-	-	-	NS	NS	NS	-
5/14-15/2025	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002	<0.002	<0.002	<0.002	<0.002	NS	NS	NS	<0.002
9/23-24/2025 <sup>(1)</sup>	-	-	-	-	NS	NS	NS	-	-	-	-	-	NS	NS	NS	-
<b>Prediction Limit = 0.002, GWPS = 0.002</b>																

(1) Appendix IV constituent not required to be monitored during semiannual assessment monitoring.

**Molybdenum (Mo) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
5/14-15/2025	<0.001	<0.001	<0.001	0.00112	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
9/23-24/2025	<0.001	<0.001	<0.001	0.00171	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
<b>Prediction Limit = 0.001, GWPS = 0.100</b>																

**Choctaw Generation CCR Groundwater Results for Calendar Year 2025**

**Selenium (Se) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/13-14/2024	<0.001	<0.001	<0.001	0.00174	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
5/14-15/2025	<0.001	<0.001	<0.001	0.00182	NS	NS	NS	<0.001	0.00131	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
9/23-24/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
<b>Prediction Limit = 0.001, GWPS = 0.05</b>																

**Sulfate (SO4) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/13-14/2024	12.4	250	22.8	375	NS	NS	NS	45.5	100	97.5	6.44	14.6	NS	NS	NS	107
5/14-15/2025 <sup>(1)</sup>	-	-	-	-	NS	NS	NS	-	-	-	-	-	NS	NS	NS	-
9/23-24/2025	12.2	79.7	16.5	83.4	NS	NS	NS	43.5	98	34.5	7.19	9.58	NS	NS	NS	97.8
<b>Prediction Limit = 44.8102</b>																

(1) Appendix III constituent not required to be monitored during the annual monitoring event.

**Thallium (Tl) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025 <sup>(1)</sup>	-	-	-	-	NS	NS	NS	-	-	-	-	-	NS	NS	NS	-
5/14-15/2025	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001	<0.001	<0.001	<0.001	<0.001	NS	NS	NS	<0.001
9/23-24/2025 <sup>(1)</sup>	-	-	-	-	NS	NS	NS	-	-	-	-	-	NS	NS	NS	-
<b>Prediction Limit = 0.001, GWPS = 0.002</b>																

(1) Appendix IV constituent not required to be monitored during semi-annual assessment monitoring.

**Choctaw Generation CCR Groundwater Results for Calendar Year 2025**

**Total Dissolved Solids (TDS) Monitoring Results (mg/L)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	127	420	192	715	NS	NS	NS	154	736	321	148	105	NS	NS	NS	334
5/14-15/2025 <sup>(1)</sup>	-	-	-	-	NS	NS	NS	-	-	-	-	-	NS	NS	NS	-
9/23-24/2025	97	205	187	304	NS	NS	NS	133	741	194	143	74	NS	NS	NS	354
<b>Prediction Limit = 320.8384</b>																

(1) Appendix III constituent not required to be monitored during the annual monitoring event.

**pH Monitoring Results (S.U.)**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
3/26-27/2025	6.94	5.86	6.39	6.77	NS	NS	NS	6.51	5.15	5.87	6.66	5.01	NS	NS	NS	6.13
5/14-15/2025	6.64	6.15	6.65	6.69	NS	NS	NS	6.30	5.21	5.73	6.78	5.04	NS	NS	NS	6.02
9/23-24/2025	6.59	6.18	6.59	6.73	NS	NS	NS	6.16	4.94	5.94	6.69	4.87	NS	NS	NS	5.30
<b>Prediction Limit = 3.77 – 9.97</b>																

**Radium 226 and 228 Combined (Ra) Monitoring Results (pCi/L) <sup>(1)</sup>**

Monitoring Well																
Date	CCR-2	CCR-3	CCR-4	CCR-5	CCR-6	CCR-7	CCR-8	MW-7	MW-9	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	OW-2
	Down	Down	Down	Down/ Boundary	Mine Property	Mine Property	Mine Property	Up	Down	Down	Up	Up	Down	Down	MW16 Replacement Well/Down	Down
Assessment Monitoring																
3/26-27/2025	1.76	2.31	2.43	1.622	NS	NS	NS	1.75	2.86	1.69	1.51	1.48	NS	NS	NS	1.72
5/14-15/2025	1.70	2.41	2.44	2.26	NS	NS	NS	1.99	1.544	1.77	1.70	2.559	NS	NS	NS	2.147
9/23-24/2025	1.651	2.260	1.935	1.974	NS	NS	NS	1.532	2.410	1.305	1.044	1.44	NS	NS	NS	1.641
<b>Prediction Limit = X, GWPS = 5 pCi/L</b>																

(1) Per MS Dept. of Health (BJ Smith) and EPA guidance for drinking water standards, Radium 226/228 Combined is calculated by adding Radium 226 and Radium 228 Activity (Act) concentrations together if they are detected above the MDC; otherwise, the MDC is used.